

NEW PRODUCTS

PLICORD® EXTREMEFLEX™

APPLICATION:

An extremely flexible and lightweight drop hose for use in tank truck and in-plant operation to transfer diesel, ethanol, gasoline, oil and petroleum-base products up to 60% aromatic content. Corrugated construction for lower drag coefficient and superior abrasion resistance. See page 191



FLEXSTEEL® 250 CB-20 STEAM HOSE

APPLICATION:

Flexsteel® 250 CB-20 improves protection for workers handling hose with its enhanced working pressure to burst ratio (20 to 1) and by reducing leaks and dangerous electrostatic charge when used with a crimped fitting. Additionally, the security of a crimped fitting solution can save as much as \$6,200 per coupling every steam season.* (*Based on an approximate steam loss of 2.6lbs/min @ \$11/1000lbs. steam over a five-month period. Figures courtesy of CampbellFittings.com.) See page 201



SUPER SANI-WASH™ 300

APPLICATION:

An economical hose for hot-water washdown in food-processing plants, dairies, packing houses, bottling plants, breweries, canneries, creameries, etc. Cover material incorporates Microban® built-in antimicrobial protection.* (*Microban antimicrobial product protection inhibits the growth of bacteria, mold and fungi that can cause odor,

stains or degradation of the hose cover. Microban is intended to protect the hose cover only. It is not a substitute for good sanitary practices. MICROBAN is a registered trademark of the Microban Products Company.) See page 89



GREEN HORNET™ XF

APPLICATION:

A lightweight water-suction and discharge hose for waste management, construction, agricultural, marine, septic tank cleaning, manufacturing and other applications. Smooth bore tube minimizes material buildup. Slightly corrugated outer helix promotes abrasion resistance, low coefficient of friction and ease of coupling. See page 230



F5™ AIR HOSE

APPLICATION: A strong, low-temperature, highly flexible air hose for pneumatic and industrial use in a variety of applications. Outperforms PVC and rubber hose. See page 22



LIGHTWING™ LIGHTERING STS HELIX-FREE HOSE

APPLICATION:

Designed for the transfer of crude oil and petroleum base products for ship-toship lightering service, under all types of service conditions. All sizes rated for vacuum. Maximum flow rate 70 ft/sec (21m/s). All of our lightering hose have factory embedded RFID InfoChips to improve hose management and make it easier than ever to comply with marine regulatory specifications. See page 173



APPLICATION WARNING

The products in this catalog have been tested under controlled laboratory conditions to meet specific test criteria. These tests are not intended to reflect the performance of the product or any other material in any specific application, but are intended to provide the user with application guidelines. The products are intended for use by knowledgeable persons having the technical skills necessary to evaluate their suitability for specific applications.

Since Veyance Technologies, Inc. has no control over the number and variety of applications for which its products may be purchased or the conditions under which its products may be used by others, Veyance Technologies assumes no responsibility for performance results and applications. This catalog, however, contains available information to allow the user to determine the product's acceptability and fitness for specific applications. No statement contained herein shall be construed as a license to operate, or as a recommendation or inducement to infringe existing patents or as an endorsement of products of specific manufacturers or systems.

Failure to follow procedures for selection, installation, care, maintenance and storage of hoses may result in the hose's failure to perform properly and may result in damage to property and/or serious injury. Please refer to the General Information section of the catalog for hose care, maintenance, and storage information.

All product design, dimensional, and general information in this catalog is subject to change without prior notice. Working pressures and other technical information have been prepared from actual test results and other data considered to be reliable. However, Veyance Technologies assumes no responsibility for the accuracy of this information under varied conditions found in field use.

CHEMICAL HOSE

Do not use chemical hose at temperatures or pressures above those recommended by the manufacturer. All operators must be thoroughly trained in the care and use of this hose and must, at all times, wear protective clothing. A hose or system failure could cause the release of poisonous, corrosive or flammable material.

Detailed information concerning storage, care and maintenance may be found in the Hose Handbook published by the Rubber Manufacturer's Association, 1400 K Street, N.W., Washington, D.C. 20005 and in SAE Recommended Practices J1273.



Table of Contents

Application Warning	
Index by Alphabet	4-6
Index by Application	
Goodyear Engineered Products Industrial Hose:	
Air & Multipurpose	
General Purpose	10-27
Heavy Duty	
Push-on	
Chemical Transfer	
Cleaning Equipment	
Food	
Transfer	63.70
Washdown	
Marine	
Material Handling	90-100
Abrasives	101 120
Bulk Transfer	
Cement & Concrete	
Mining	135-144
Petroleum	145 150
Aircraft Fueling	
Dispensing	
Dock	
Transfer	
Spray	
Steam	
Vacuum	
Veyance	214-215
Water	
Discharge	
Suction & Discharge	
Washdown	
Welding	
Coupling Systems	247-261
Appendix	
Additional Products	
Chemical Resistance Charts	265-288
Spiraflex Hose Chemical Resistance Guide	289-296
General Information	
Chemical Properties of FEP	
Method for Steam Cleaning	297
Infinity/Paladin Drop Hose Coupling Procedure	298
Basic Hose Construction	299-300
Hose End Definitions and Illustrations with Cutaways	301-302
Hose Testing Methods	303-304
Electrical Resistance Tests	
Elastomers Used in Product Manufacture	
Selection of Proper Industrial Hose	
Industrial Hose Inquiry	
Useful Tables and Conversion Charts	
RMA Oil and Gasoline Resistance Definition	
FDA Food Hose Compliance Information	
Precautions for Welding Hose Use/Background Information	
Minimum Run Requirements	
·	



TERMS AND CONDITIONS OF SALES

THE INFORMATION HEREIN CONTAINED CONSTITUTES A CONFIRMATION OF CUSTOMER'S ORDER OR A CONFIRMATION OF CHANGE TO CUSTOMER'S ORDER, AS APPLICABLE, (COLLECTIVELY "CONFIRMATION") AND WHICH CONFIRMATION IS EFFECTIVE UPON VEYANCE'S DISPATCH OF THIS CONFIRMATION. ANY PRIOR RECEIPT BY CUSTOMER FROM ANY OTHER SOURCE OF ALL OR PART OF THE INFORMATION HEREIN IS FOR INFORMATIONAL PURPOSES ONLY AND DOES NOT CONSTITUTE A LEGALLY BINDING CONFIRMATION. THIS CONFIRMATION IS EXPRESSLY MADE SUBJECT TO AND IS STRICTLY LIMITED TO THE TERMS AND CONDITIONS OF SALE STATED HEREIN AND ANY INCONSISTENT TERMS OR CONDITIONS APPEARING ON CUSTOMER'S ORDER ARE SPECIFICALLY OBJECTED TO AND DISCLAIMED. IN ANY COMMUNICATION WITH VEYANCE REGARDING THIS ORDER, PLEASE REFER TO VEYANCE'S DOCUMENT OR ORDER CONFIRMATION NUMBER.


- 1. This Confirmation and any distributor's agreement, if any, between Customer and Veyance or Veyance affiliate, together with any specifications, schedules, exhibits, riders, or other writings which may be annexed hereto or provided for hereunder and by reference made a part hereof, sets forth the complete and final agreement between Veyance and Customer in respect of the subject matter hereof, and supersedes all prior understandings, assurances, and Customer's order form, if any. THIS AGREEMENT CONTAINS THE ENTIRE UNDERSTANDING BETWEEN CUSTOMER AND VEYANCE AND NO OTHER REPRESENTATION OR INDUCEMENT, ORAL OR WRITTEN, HAS BEEN MADE WHICH IS NOT SET FORTH HEREIN. EXCEPT FOR THE WARRANTIES AND REPRESENTATIONS, IF ANY, SET FORTH IN THIS AGREEMENT, NO OTHER STATEMENT, WARRANTY, REPRESENTATION OR INFORMATION, ORAL OR WRITTEN, SHALL BE LEGALLY BINDING UPON VEYANCE OR SHALL BE THE BASIS FOR RELIANCE BY CUSTOMER. CUSTOMER DOES NOT RELY AND IS NOT RELYING UPON ANY ORAL OR WRITTEN STATEMENT, WARRANTY, OR REPRESENTATION OF VEYANCE, ITS EMPLOYEES, AGENTS, AND/OR REPRESENTATIVES NOT FULLY SET FORTH HEREIN. No amendments or modifications of or supplements to the provisions of this Confirmation will be valid and binding upon Veyance unless such amendment, modification, or supplement is mutually agreed to in writing and signed by an officer of Veyance and an authorized representative of Customer. In the event of any inconsistency between these Terms and Conditions of Sale and the provisions on the other side of this document or on such supplement shall control.
- 2. Product sold hereunder manufactured by Veyance meets agreed specifications according to established tests performed under controlled laboratory conditions and specific test requirements. These tests are not intended to reflect the performance of the product under actual conditions. Performance of the product as a component in a finished product may not necessarily meet the test requirements. Due to the number and variety of applications for which any product sold hereunder may be purchased and because Veyance has no control over (or knowledge of) the conditions under which the product may be used by others, VEYANCE DOES NOT RECOMMEND SPECIFIC APPLICATIONS OR PRODUCT DESIGNS OR ASSUME RESPONSIBILITY FOR USE RESULTS OBTAINED OR SUITABILITY FOR SPECIFIC APPLICATIONS. No statement contained herein shall be construed as a license to operate or as a recommendation or inducement to infringe existing patents or as an endorsement of products of specific manufacturers or systems.
- 3. NO RELIANCE. CUSTOMER ACKNOWLEDGES THE USE OF ITS OWN KNOWLEDGE, SKILL, JUDGMENT, EXPERTISE, AND EXPERIENCE IN (i) the selection of the product and/or (ii) in the selection, provision, or designation of any specification or set of specifications for a product agreed upon by Customer and Veyance; and CUSTOMER ACKNOWLEDGES THAT CUSTOMER DOES NOT RELY AND IS NOT RELYING ON ANY ORAL OR WRITTEN STATEMENTS, REPRESENTATIONS, OR SAMPLES MADE OR PRESENTED BY VEYANCE, ITS EMPLOYEES, AGENTS, AND/OR REPRESENTATIVES TO CUSTOMER. CUSTOMER ACKNOWLEDGES THAT CUSTOMER DOES NOT RELY AND IS NOT RELYING ON ANY KNOWLEDGE, SKILL, JUDGMENT, EXPERTISE, OR EXPERIENCE OF VEYANCE, ITS EMPLOYEES, AGENTS, AND/OR REPRESENTATIVES IN CUSTOMER'S SELECTION OF THE PRODUCT OR IN CUSTOMER'S SELECTION, PROVISION, OR DESIGNATION OF ANY SPECIFICATION OR SET OF SPECIFICATIONS. Without limiting the foregoing, CUSTOMER ACKNOWLEDGES THAT VEYANCE SHALL NOT BE LIABLE FOR, AND CUSTOMER ASSUMES ALL RISK OF, INACCURATE OR UNSUITABLE SPECIFICATIONS OR INFORMATION PROVIDED, SELECTED, OR DESIGNATED BY CUSTOMER.
- 4. LIMITATION OF WARRANTY. PRODUCT NOT MANUFACTURED BY VEYANCE IS SOLD WITHOUT WARRANTY, "AS-IS" AND IS SUBJECT TO THE LIMITATION OF LIABILITY SET FORTH IN SECTION 5. SUBJECT TO THE LIMITATIONS OF SECTION 5. AND UNLESS OTHERWISE EXPRESSLY PROVIDED HEREIN, product sold hereunder that has been manufactured by Veyance, unless sold without warranty "AS-IS", is warranted to be free from defects in material and workmanship. Subject to the preceding sentence, and except as otherwise expressly provided herein, VEYANCE MAKES NO REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, AS TO MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ANY OTHER MATTER WITH RESPECT TO THE PRODUCT OR ANY OTHER PRODUCT SOLD HEREUNDER, WHETHER USED ALONE OR IN COMBINATION WITH ANY OTHER MATERIAL OR PRODUCT OR IN ANY PROCESS. VEYANCE SHALL NOT BE LIABLE FOR SPECIAL, INCIDENTAL, AND/OR CONSEQUENTIAL DAMAGES, EVEN IF VEYANCE HAS BEEN NOTIFIED OF THE POTENTIAL OF SUCH A LOSS OR CLAIM. OTHER THAN THOSE SPECIFICALLY SET FORTH HEREIN, THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION OF THE PRODUCTS ON THE FACE HEREOF, EITHER EXPRESS OR IMPLIED.
- 5. LIMITATION OF LIABILITY OF VEYANCE AND EXCLUSIVE REMEDY. Any Veyance-manufactured product claimed to be defective in material or workmanship shall, upon Veyance's approval, be returned to Veyance as designated, at the Customer's expense. VEYANCE WILL, AS THE EXCLUSIVE REMEDY, MAKE AN ADJUSTMENT FOR PRODUCT IT FINDS TO BE DEFECTIVE IN MATERIAL OR WORKMANSHIP EITHER BY REPAIRING IT OR REPLACING IT AT AN ADJUSTMENT PRICE, OR IN LIEU THEREOF, AT VEYANCE'S OPTION, VEYANCE MAY REFUND THE PURCHASE PRICE UPON RETURN OF THE PRODUCT. Whenever a warranty for a specific product provides that no adjustment shall be made after a specified period of time, Veyance shall not be responsible under the terms of such warranty unless claim is made within such period of time. VEYANCE'S TOTAL RESPONSIBILITY AND LIABILITY FOR ANY AND ALL CLAIMS, LOSSES, AND DAMAGES OF ANY KIND WHATSOEVER ARISING OUT OF ANY CAUSE WHATSOEVER (WHETHER UNDER ANY WARRANTY OR BASED IN CONTRACT, NEGLIGENCE, OTHER TORT, STRICT LIABILITY, BREACH OF WARRANTY, OTHER THEORY, OR OTHERWISE) SHALL NOT EXCEED THE ORIGINAL PURCHASE PRICE OF THE PRODUCTS IN RESPECT TO WHICH SUCH CAUSE ARISES, AND IN NO EVENT SHALL VEYANCE BE LIABLE FOR SPECIAL, INCIDENTAL, CONSEQUENTIAL, EXEMPLARY, OR PUNITIVE DAMAGES RESULTING FROM ANY SUCH CAUSE. NO EMPLOYEE, AGENT AND/OR REPRESENTATIVE HAS AUTHORITY TO MAKE ANY REPRESENTATION, PROMISE OR AGREEMENT, EXCEPT AS STATED HEREIN. VEYANCE SHALL NOT BE LIABLE FOR, AND CUSTOMER ASSUMES ALL LIABILITY FOR, PERSONAL INJURY AND PROPERTY DAMAGE CONNECTED WITH THE HANDLING, TRANSPORTATION, OR FURTHER MANUFACTURE, FABRICATION, ASSEMBLY, OR PROCESSING OF THE PRODUCT.
- 6. Prices are subject to change without notice, and such items will be billed at prices in effect at the time of shipment. Customer will be notified of any price increase and may cancel any undelivered portion of the order by written notice to Veyance, provided such written notice is received by Veyance not more than 10 days after your receipt of notification of the increase. Upon such cancellation Customer shall have no liability to Veyance for the canceled portion of the order except as to product manufactured or in process, components procured by Veyance from outside sources, and special tooling and equipment procured for performance of this order.
- 7. All prices are subject to increase from time to time to compensate for any tax, excise, or levy imposed upon the products sold, or upon the manufacture, sale, transportation, or delivery of them or whenever any tax, excise, levy law, or governmental regulation has the effect, directly or indirectly, of increasing the cost of manufacture, sale, or delivery. If any government action or law should have the effect of establishing a maximum price on product to be delivered, Veyance may, at its option and without liability to Customer, terminate its obligation with respect to future shipments upon thirty (30) days written notice.
- 8. Veyance shall not be liable or deemed in default for failure to deliver or delay in delivery due to any cause beyond its reasonable control. If unable to meet delivery schedules, Veyance will endeavor to allocate material fairly among its Customers, but reserves to itself final determination of the deliveries to be made without liability.
- 9. Veyance will indemnify its Customer against all claims and demands for infringement of any United States patent by the product furnished under any accepted order, provided the Customer notifies Veyance of any patent infringement and upon request tenders Veyance the defense of the claim. CUSTOMERS WHO FURNISH SPECIFICATION TO VEYANCE AGREE TO HOLD VEYANCE HARMLESS AGAINST ANY CLAIMS WHICH ARISE OUT OF VEYANCE'S COMPLIANCE WITH SUCH CUSTOMER SPECIFICATIONS.
- 10. Title to the goods shall pass to Customer upon passage of the risk of loss; provided, however, that to the extent permitted by law, until each of the goods delivered hereunder has been paid for in full, Veyance shall retain title to the goods; however, all risk of loss and responsibility for transportation and storage, taxes, and duties shall transfer in accordance with these terms of sale. Customer hereby agrees that notwithstanding any information shown in this confirmation regarding any estimated shipment, production, or requested date(s) for the goods, Veyance is not obligated to produce, deliver or ship the goods by that estimated shipment, production, or requested date(s). Customer hereby agrees that unless Customer notifies Veyance in writing within ninety (90) calendar days of the estimated shipment date as shown on the last dated Confirmation referencing the goods, there shall be a presumption that goods conforming to the goods ordered were received by Customer.
- 11. Due to the varying location of the operations of Customer and Veyance and the locations that may be involved in the performance and documentation of an order to which these Terms and Conditions of Sale are applicable, in order to settle upon and to eliminate any doubt as to the rights of the Customer and Veyance, Customer and Veyance agree that this Confirmation shall be governed by and construed in accordance with the laws of the State of Ohio, United States of America, applicable to agreements to be performed in the State of Ohio, except that for sales or orders originating and to be performed in Canada by Canadian subsidiaries or affiliates of The Veyance, Customer and Veyance agree that this Confirmation shall be governed by and construed in accordance with the laws of the Province of Ontario, Canada, applicable to agreements to be performed in Canada. Customer and Veyance exclude the application of the United Nations Convention on Contracts for the International Sale of Goods to this Confirmation and order.



INDUSTRIAL HOSE INDEX BY ALPHABET

Name	Properties	Page	Name	Properties	Page
Α			Flexdock 300		166
Advantage		. 148	Flexible Downspout		
_			Flexshield SAE J1527 USCG Type A	1-15 /	
	er, grout, & concrete)		ISO 7840 Marine Barrier Hose .		NEW 98
			Flexsteel 250 CB Steam		
			Flexsteel 250 CB-20 Steam		
			Flexsteel 250 ORS Steam		
	UL, CUL		Flexsteel 250 Steam		
	•		Flexsteel Futura		
	NEV		Flexities Charles Air		
Autogrip	A, M, NC	36	Flexsteel Service Station Air		
			Flexsteel Futura Vapor Assist		
В			Flextra Dry Material		
	UL, CUL		Flextra Oilfield		
BC Marina	UL, CUL	.161	Flextra Rock Dust	M	138
Black Softwall		.122	Flexwing Oilfield		185
Blue Flexwing		45	Flexwing VersaFuel		176
Braidair		27	Flexwing Water S&D		NEW 234
Brigade Mine	M	. 137	Fortress 300		
			Fortress 1000		
			Fortress 3000		
			G		
Dido i di li dod dod i i			Galvanator 3000	Δ	62
С			Gauntlet 1500		
-	A NI	EW 42	Gauntlet 3000		
			Gauntlet 4500		
			Gemini Twin Line Welding (Grade R)		
Crimped Steam Assem	nbly	. 203	_		
D			Gemini Twin Line Welding (Grade RI		
D			Gemini Twin Line Welding (Grade T)		
	fueling		Gorilla		
	e		Gray Flextra LT		
			Green Hornet XF		
			Green XLPE		46
Diversipipe 150		.110			
			Н		
E			Harvest		
Explorer Air		30	Heavy Duty Steam Pile Driver		204
Explorer Plus Air		31	HI-PER		48
Exstatic		67	Horizon 200		12-13
			Horizon 250		12-13
F			Horizon 300		12-13
		EW 22	Hot Tar & Asphalt Rough & Smooth	Bore	172
		44	. 5		
			1		
•			Infinity		NEW 177
. 10,40011 220 11111		. 100			//
Properties Legend:	A - Superior Abrasion		M - USMSHA Approved	NC - Non Cor	nductive









F - FDA, 3-A, & USDA



UL - Underwriter's Laboratory Approved







INDUSTRIAL HOSE INDEX BY ALPHABET

Name Properties	Page	Name	Properties	Page
Infinity HD	NEW 178	Neptune 4500		56
Infinity Stainless Steel &		Neptune 6000		
Aluminum Crimp Sleeves	260	NR Spray		196
Insta-Grip 250		Nutriflex Suction & Discharge		
Insta-Grip 300		Nutriflex Static Wire		
Insta-Grip TC		Nutriflo Suction & Discharge		
Insta-Lock Dust Cap		5		
Insta-Lock Dust Plug		0		
Insta-Lock Gaskets		Orange Flexwing		49
Insta-Lock Interlocking Ferrules		Ortac 250		
Insta-Lock Interlocking Stainless		Ortac 300		
Steel NPT Male Hose Stem	254	Ortac 400		
Insta-Lock Repair Kits			,	
Insta-Lock Type A Fitting		Р		
Insta-Lock Type B Fitting		Pacer	UL. CUL	157
Insta-Lock Type C Fitting		Paladin		
Insta-Lock Type D Fitting		Paladin Stainless Steel &		
Insta-Lock Type E Fitting		Aluminum Crimp Sleeves		260
Insta-Lock Type F Fitting		Pathfinder Garden Hose		
		Plicord 250 Steam		
J		Plicord Air Green 400		
Jet Ranger	147	Plicord Ammonium Nitrate Pellet		
Set Hanger	,	Plicord Arctic Flexwing		
L		Plicord Auger Arc Piling		
Lightwing	NFW 173	Plicord Blast (2 ply & 4 ply)		
LPG Delivery Pro		Plicord Blue Flour		
LW Arctic Tank Truck		Plicord Brewline		
Liv Aretic failt fraction	100	Plicord Dredge Sleeve		
M		Plicord ExtremeFlex Food Grade		
M&P Mine Conduit	139	Plicord ExtremeFlex Petroleum		
Marine Fuel Feed Vent		Plicord Flexwing Petroleum		
USCG/SAE J1527 Type A2	99	Plicord Fuel Discharge		
Marine Fuel Feed Vent		Plicord Furnace Door		
USCG/SAE J1527 Type B2	100	Plicord Gray Food		
Marine Fuel Line		Plicord Gunite (tan)		
USCG/SAE J1527 & ISO 7840 Type A1	97	Plicord Hardwall Wet Exhaust		
Maxxim Premier		Plicord HD Industrial Vacuum		
Maxxim Premier Plus		Plicord HD Water Discharge		
MIL A-A-59565		Plicord Hydrovator		
MIL-DTL-29210E		Plicord LW Black Flextra II		
Mine Spray		Plicord Mine Conduit		
Sprag	100	Plicord Oilfield Frac Hose		
N		Plicord RVC		
Neptune 1500	53	Plicord SAE J1527 Type A2 (fuel fil		
Neptune 3000		Plicord Sand Suction		
Neptune 4001-R		Plicord Softwall Wet Exhaust		
,				
Properties Legend: A - Superior Abrasion		M - USMSHA Approved	NC - Non Co	nductive

Properties Legend:







NC - Non Conductive



F - FDA, 3-A, & USDA




UL - Underwriter's Laboratory Approved






INDUSTRIAL HOSE INDEX BY ALPHABET

Name	Properties Page	Name	Properties Page
Plicord Super Black Flexwing		Spiraflex Grassvac	
Plicord Super Rock Drill)
Plicord Torridair Hot Air Blower			ose NEW 126
Plicord Vacuum (HD & LW)			oor Recovery 192
Plicord Versiflo 125			ity) M 220
Plicord Washdown		-	
Plicord Waste Mate			210
Plicord Waste Mate		-	y Duty NEW 232
Plicord Wineline			2700) M 221
			52
Plicord XF Blast		-	118
Pliovic Ag Spray (1800 & 2400)			120
Pliovic FG (FDA-3A)			
Pliovic GS		•	
Pliovic Plus 250			m Crimp Sleeves 260
Pliovic PVC Tubing			
Potable Water		•	
Pressure Washer Fittings			NEW 89
Pulp & Paper Washdown			237
Purple Flexwing			
Pyroflex II Hot Air			
Pyroflex Hot Tar & Asphalt II			
Pyroflex Hot Tar Wand	194	_	F 127
R			169
Red Flextra 100			
Red Flextra 150		TunnelCote Rock Dust	M NEW 144
Redwing Fuel Oil	163		
Refueling Sensing	150		
		Ultra-Grip	A, M, NC 40
S			
SAE J1527 Type A2 (fuel fill)			
Sandblast Deadman			
Sani-Wash 300			235
Service Station Air			UL NEW 215
Smooth Bore Dock 200	167		F
Smooth Bore Dock 300	168	Viper	A 43
Spectra 300			
Spectra 1000		w	
Spectra 3000		White Flexwing	
Spiraflex 1600	231	Whitewater	
Spiraflex Aggie PVC	233	Wingcraft	
Spiraflex Air Seeder Hose			NC 16-17
Spiraflex Black Lay-Flat Super Duty		_	NC 16-17
Spiraflex Blue (Extra Light Duty)			R)
Spiraflex Cable Guard		•	RM) NC 245
Spiraflex Ducting			7)
Properties Legend: A - Super	ior Abrasion	M - USMSHA Approved	NC - Non Conductive









F - FDA, 3-A, & USDA



UL - Underwriter's Laboratory Approved





INDUSTRIAL HOSE INDEX BY APPLICATION

Name	Properties	Page	Name	Properties Page
Air & Multipurpose: General Purpose			Gauntlet 3000	A 60
Arctic Ortac Plus		19		A 61
Braidair				
F5				
Flexsteel Service Station Air				
Gorilla				
Horizon 200				
Horizon 250				
Horizon 300				
MIL A-A-59565			•	
Ortac 250			Whitewater	
Ortac 300				
Ortac 400			Food: Food Transfer	
Pliovic FG (FDA-3A)				
Pliovic GS				
Pliovic Plus 250				F 68
Pliovic PVC Tubing				scharge F 70
Service Station Air				
Wingfoot 200				charge F 69
Wingfoot 300	NC	. 16-17		
Air & Multipurpose: Heavy Duty			Plicord ExtremeFlex Fo	ood Grade NEW 74
Explorer Air		30	Plicord Gray Food	
Explorer Plus Air			Plicord Wineline	
Plicord Air Green 400	NC	33	Pliovic FG (FDA-3A)	
Plicord Super Rock Drill	M	32	Potable Water	F
Steel Air			Spirathane PT	F 119
Super Ortac	M	34	Vintner	
•			White Flexwing	F 64
Air & Multipurpose: Push-on				
AutoGrip	A, M, NC .	36	Food: Food Washdown	
Insta-Grip 250	A, NC	38		NEW 84
Insta-Grip 300				
Insta-Grip TC				
Ultra-Grip	A, M, NC .	40		A 83
				A 59
Chemical Transfer				
Blue Flexwing				
Brown Flexwing		47	Spectra 300	
Chem One	A	NEW 42		
Fabchem		44	Spectra 3000	
Green XLPE		46	Super Sani-Wash 300	NEW 89
HI-PER		48		
Orange Flexwing		49	Marine	
Purple Flexwing			Flexshield Marine Barr	ier Hose SAE
Viper			J1527 USCG Type	A1-15 / ISO 7840 NEW 98
·			Marine Fuel Feed Vent	Hose
Cleaning Equipment			USCG/SAE J1527 Ty	pe A299
Fortress 1000	A	82	Marine Fuel Feed Vent	•
Fortress 3000	A	83	USCG/SAE J1527 Ty	pe B2100
Galvanator 3000	A	62	,	
Gauntlet 1500				
				O 112 11 1
Properties Legend: Properties Legend: A - Supering A - Supering Resistance	or Abrasion	(%)	M - USMSHA Approved	NC - Non Conductive
		II IIndom	witor's	CIII Underwriter's Laboratory
F - FDA, 3-A, & USDA Compliant	(Մ) ւ	IL - Underw	tory Approved	CUL - Underwriter's Laboratory Approved (Canada)
Oomphant		Labora	, rippiored	Approved (oditada)



INDUSTRIAL HOSE INDEX BY APPLICATION

Name	Properties	Page	Name	Properties	Page
Marine Fuel Line			Spiraflex Rock Dust	M	.143
USCG/SAE J1527 & ISO 7840 Type	e A1	97	Spiraflex Yellow (Spiraflex 27		
Plicord Hardwall Wet Exhaust		92-93	TunnelCote Rock Dust	M NEW	144
Plicord SAE J1527 Type A2 (fuel fill))	96			
Plicord Softwall Wet Exhaust		94-95	Petroleum: Aircraft Fueling		
			Advantage		
Material Handling: Abrasives			Deadman Aircraft Refueling .		
Artrac			Jet Ranger		
Arvac SW			Refueling Sensing		
Blucor			Wingcraft		.146
Blucor Couplings			Potroloum, Potroloum Disnon	ring.	
Diversiflex			Petroleum: Petroleum Dispens Aggie Gas		158
Diversipipe 150			Arctic Softwall		
Flexible Downspout			BC Gasoline		
Nutriflex Static Wire			BC Marina		
Plicord Blast (2 ply & 4 ply)			DEF Dispensing Hose		
Plicord Dredge Sleeve			Flexsteel Futura		
Plicord Hydrovator			Flexsteel Hardwall		
Plicord RVC			Flexsteel Futura Vapor Assist	UL	.154
Plicord Sand Suction			Maxxim Premier		
Plicord XF Blast (2 ply & 4 ply)			Maxxim Premier Plus		
Sandblast Deadman			Pacer		
Spiraflex Air Seeder Hose			Redwing Fuel Oil		.163
Spirathane HD					
Spirathane LD	<u>.</u>	120	Petroleum: Petroleum Dock H		165
Spirathane PT	F	119	Flexdock 225		
Material Handling: Bulk Transfer			Flexdock 300 Hot Tar & Asphalt Rough & S		
Black Softwall		122	Lightwing		
Flextra Dry Material			Smooth Bore Dock 200		
Plicord Torridair Hot Air Blower			Smooth Bore Dock 300		
Pyroflex II Hot Air			Tanker Barge Discharge		.169
Spiraflex Mulch Blower Hose			Thor Submarine		.171
Tan Flextra	F	128	Vapor Recovery Dock		.170
Tan Flexwing					
Tan Softwall	F	129	Petroleum: Petroleum Transfe		
	-		Arctic ExtremeFlex		
Material Handling: Cement & Concre		120	Flextra Oilfield		
Allerete Textile (plaster, grout & conc			Flexwing Oilfield		
Allcrete Wire		121	Flexwing VersaFuel		
Plicord Gunite (tan)			Infinity		
Theore define (tan)		54	LW Arctic Tank Truck		
Mining			Paladin		
Brigade Mine	М	137	Plicord Arctic Flexwing		187
Flextra Rock Dust			Plicord ExtremeFlex Petroleur		
M&P Mine Conduit	M	139	Plicord Flexwing Petroleum .		
Mine Spray	M	136	Plicord Fuel Discharge		
Plicord Ammonium Nitrate Pellet			Plicord LW Black Flextra II		.184
Plicord Mine Conduit			Plicord Oilfield Frac Hose		
Spiraflex Cable Guard	M	142	Plicord Super Black Flexwing		.182
Properties Legend: A - Superi	or Abrasion		M - USMSHA Approved	NC - Non Conduc	tive
Resist				igoremsize	
F - FDA, 3-A, & USDA	(JL) u	L - Underw		- Underwriter's Laboratory	
Compliant		Labora	tory Approved	Approved (Canada)	



INDUSTRIAL HOSE INDEX BY APPLICATION

Name	Properties	Page	Name	Properties	Page
Plicord Waste Mate		193 194 181 181 163	Water: Suction & Discharge Hose Cold Blue	NEW	1 230 1 234 .231 .233 1 232
Spray Hose Mine Spray	M	136	Water: Washdown Hose		
NR Spray		196	Fortress 300	A	82
Steam Hose			Gauntlet 1500	A	59
Flexsteel 250 CB Steam Flexsteel 250 CB-20 Steam Flexsteel 250 ORS Steam	NEW	201 202 199	Plicord Washdown		.239 88 85
Flexsteel 250 Crimped Steam Assemined Privary Duty Steam Pile Driver			Spectra 1000		
MIL-DTL-29210E			Super Sani-Wash 300		
Plicord 250 Steam		206	Sureline		
willtewater		.36	Welding Hoses		
Vacuum Hose Plicord HD Industrial Vacuum Plicord Vacuum (HD & LW) Spiraflex Ducting Spiraflex Grassvac Spiraflex Vacuum Spirathane HD Spirathane LD		212 209 208 210 118	Gemini Twin Line Welding (Grade R) Gemini Twin Line Welding (Grade RN Gemini Twin Line Welding (Grade T) Wingfoot Welding (Grade R) Wingfoot Welding (Grade RM) Wingfoot Welding (Grade T) Coupling Systems	1) NC	.242 .243 .244 .245
Spirathane PT			Infinity Stainless Steel &		0.00
Veyance LPG Delivery Pro	UL NEW	215	Aluminum Crimp Sleeves		.255 .256
Water: Discharge Hose			Insta-Lock Interlocking Ferrules		
Brigade Mine Fire Engine Booster Pathfinder Garden Hose Plicord Furnace Door Plicord HD Water Discharge Plicord Versiflo 125 Plicord Water Discharge 150 Potable Water Spiraflex Black (Lay-Flat Super Duty Spiraflex Blue (Extra Light Duty) Spiraflex Gray (Light Duty)	F NEW	222 223 224 225 226 227 .77 217 218 219	Insta-Lock Interlocking Stainless Steel Male NPT Hose Stem Insta-Lock Repair Kits Insta-Lock Type A Fitting Insta-Lock Type B Fitting Insta-Lock Type C Fitting Insta-Lock Type D Fitting Insta-Lock Type E Fitting Insta-Lock Type F Fitting Paladin Stainless Steel & Aluminum Crimp Sleeves		.257 .248 .249 .250 .251 .252 .253
Spiraflex Red (Medium Duty) Spiraflex Yellow (Heavy Duty)			Pressure Washer Fittings		.261

Properties Legend:



M - USMSHA Approved



NC - Non Conductive



F - FDA, 3-A, & USDA



UL - Underwriter's Laboratory Approved





AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GENERAL PURPOSE



	Page	Superior Abrasion Cover	MSHA	Non- conductive	Oil Resistance Tube*	Oil Resistance Cover*	Temp Range	Thermo- plastic	Rubber
Arctic Ortac® Plus	19				А	А	-65°F to 180°F		Yes
Braidair [™]	27				А	В	-20°F to 190°F		Yes
Flexsteel® Service Station Air	20				В	В	-20°F to 190°F		Yes
F5 [™]	22				В	В	-40°F to 158°F	Yes	
Gorilla®	11	Yes	Yes	Yes	А	А	-20°F to 190°F		Yes
Horizon® 200	12-13				С	С	-40°F to 190°F		Yes
Horizon° 250	12-13				С	С	-40°F to 190°F		Yes
Horizon® 300	12-13				С	С	-40°F to 190°F		Yes
Mil A-A-59565 Light Duty	18				С	С	-40°F to 190°F		
Ortac® 250	14-15	Yes		Yes	А	А	-20°F to 190°F		Yes
Ortac® 300	14-15	Yes		Yes	А	А	-20°F to 190°F		Yes
Ortac° 400	14-15	Yes	Yellow only	Yes	А	А	-20°F to 190°F		Yes
Pliovic* FG (FDA-3A)	76			Yes	В	В	-10°F to 158°F	Yes	
Pliovic* GS	24-25			Yes	В	В	-10°F to 158°F	Yes	
Pliovic* Plus 250	24-25			Yes	В	В	-10°F to 158°F	Yes	
Pliovic* PVC Tubing	26				В	В	-10°F to 158°F		
Service Station Air	21				С	С	-40°F to 190°F		Yes
Wingfoot® 200	16-17			Yes	А	В	-20°F to 190°F		Yes
Wingfoot® 300	16-17			Yes	А	В	-20°F to 190°F		Yes
*Based on RMA oil classif	ication Ec	or more info	rmation	coo Annondiy	C				

^{*}Based on RMA oil classification. For more information, see Appendix C.



GORILLA®



GORILLA BY GOOD YEAR



SUZZET ABRAS RESISTA

CHEMICAL TRANSFER

MULTIPURPOSE

General Purpose Heavy Duty

> CLEANING EQUIPMENT

AIR &

Push-on

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

A premium-quality, multipurpose industrial hose with a wide range of applications in

factories, construction, agriculture, quarries, mines, railroads, the oil and gas industry, and shipbuilding. All sizes are rated at 500 psi (3.4 Mpa) maximum working pressure. Nonconductive, minimum electrical resistance greater than one (1) megaohm per inch of hose length at 1000 Volts DC.

CONSTRUCTION

APPLICATION:

TUBE: Nitrile synthetic rubber, RMA Class A (High Oil Resistance)

COVER: Yellow Carbryn synthetic rubber, RMA Class A (High Oil Resistance) MSHA approved

REINFORCEMENT: Spiral Flexten® yarn, 2" is braided synthetic yarn

TEMPERATURE: -20°F to 190°F (-29°C to 88°C)

PACKAGING: 3/16"-3/4" 500' reels, maximum 3 pieces, 50' increments

1" 450' reels, maximum 3 pieces, 50' increments
1¼" 250'-450' reels, maximum 3 pieces, 50' increments
1½" 150'-350' reels, maximum 3 pieces, 50' increments
2" 200' carton, maximum 3 pieces, 50' increments

Coupled assemblies available: 1/4", 3/8", 1/2", and 3/4".

BRANDING: Example: Gorilla® 1" (25.4 mm) 500 psi. Made in USA Goodyear®.

Flame Resistant USMSHA No. 2G-14C/14.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 569-035 536-446 (2")

GORILI A®

GURILLA							
I	D	NOM	1. OD	MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/16	4.8	0.47	11.9	500	3.45	0.08	0.12
1/4	6.4	0.61	15.5	500	3.45	0.17	0.25
5/16	7.9	0.69	17.5	500	3.45	0.20	0.30
3/8	9.5	0.73	18.6	500	3.45	0.22	0.33
1/2	12.7	0.89	22.6	500	3.45	0.28	0.42
5/8	15.9	1.06	26.9	500	3.45	0.35	0.52
3/4	19.1	1.19	30.2	500	3.45	0.41	0.61
1	25.4	1.50	37.8	500	3.45	0.58	0.86
11/4	31.8	1.77	45.6	500	3.45	0.79	1.18
1½	38.1	2.04	51.8	500	3.45	0.86	1.27
2	50.8	2.62	66.6	500	3.45	1.22	1.82



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

HORIZON®



Product Specifications

APPLICATION: An economical air and water hose, Horizon® is for a wide range of industrial, construction

and agricultural applications. Available in 200, 250, and 300 PSI working pressures.

CONSTRUCTION

TUBE: Versigard® synthetic rubber, RMA Class C (Limited Oil Resistance)

COVER: Black, Red, Yellow, Green or Blue Versigard® synthetic rubber

REINFORCEMENT: Spiral synthetic yarn, 2" is braided

TEMPERATURE: -40°F to 190°F (-40°C to 88°C)

PACKAGING: 3/16"-3/4" 500' reels, maximum 3 pieces, 50' increments

1" 450' reels, maximum 3 pieces, 50' increments 1¼" 400' reels, maximum 3 pieces, 50' increments 1½" 300' reels, maximum 3 pieces, 50' increments 2" 200', cartons, maximum 3 pieces, 50' increments Coupled assemblies available in 1/4", 3/8", 1/2", and 3/4" in red.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

BRANDING: Example: 1/2" Horizon® Goodyear® 300 psi WP.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: See next page.

Versigard® is a registered trademark of The Goodyear Tire & Rubber Company.



HORIZON [®]	200	ORDE		35 (2" black) 111 (red)	536-040 (2" re 569-038 (yello	•	9-009 (black) 9-547 (blue)
- 1	D	NOM. OD		MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/16	4.8	0.44	11.2	200	1.38	0.08	0.12
1/4	6.4	0.50	12.7	200	1.38	0.09	0.13
5/16	7.9	0.58	14.7	200	1.38	0.12	0.18
3/8	9.5	0.67	17.0	200	1.38	0.15	0.22
1/2	12.7	0.81	20.6	200	1.38	0.20	0.30
5/8	15.9	0.97	24.6	200	1.38	0.27	0.40
3/4	19.1	1.12	28.5	200	1.38	0.34	0.51
1	25.4	1.44	36.8	200	1.38	0.54	0.80
11/4	31.8	1.73	44.0	200	1.38	0.75	1.12
1½	38.1	1.98	50.3	200	1.38	0.86	1.28
2	50.8	2.50	63.5	200	1.38	1.16	1.73

HORIZON®	250	ORDE		10 (black) 606 (green)	569-012 (red) 569-548 (blue)	569	9-039 (yellow)
- 1	D	NOM. OD		MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/4	6.4	0.53	13.5	250	1.72	0.11	0.16
5/16	7.9	0.59	15.0	250	1.72	0.13	0.19
3/8	9.5	0.70	17.8	250	1.72	0.17	0.25
1/2	12.7	0.84	21.3	250	1.72	0.22	0.33
5/8	15.9	0.98	24.9	250	1.72	0.27	0.40
3/4	19.1	1.14	29.0	250	1.72	0.35	0.52

HORIZON®	300	ORDE	R CODES: 569-5	16 (yellow)	569-557 (red)	569	9-560 (green)
1	D	NOM. OD		MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/4	6.4	0.53	13.5	300	2.07	0.10	0.15
3/8	9.5	0.70	17.8	300	2.07	0.17	0.25
1/2	12.7	0.84	21.3	300	2.07	0.22	0.33
3/4	19.1	1.15	29.2	300	2.07	0.37	0.55
1	25.4	1.48	37.3	300	2.07	0.58	0.86



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

ORTAC®



Product Specifications



APPLICATION: Ortac® (Oil Resistant Tube and Cover) is our most popular premium-quality multipurpose

hose. Used in the most abusive industrial applications, Ortac will handle air, oil, water, kerosene and some chemicals. Nonconductive, minimum electrical resistance greater than one (1) megohm per inch of hose length; at 1000 Volts DC. Available in 250, 300 and 400 PSI

working pressures. NOTE: Ortac 400 Yellow is USMSHA approved.

CONSTRUCTION

TUBE: Nitrile synthetic rubber, RMA Class A (high oil resistance)

COVER: Red or Yellow Carbryn[™] synthetic rubber, RMA Class A (high oil resistance)

REINFORCEMENT: Spiral synthetic yarn, 2" is braided

TEMPERATURE: -20°F to 190°F (-29°C to 88°C)

PACKAGING: 3/16"-3/4" 500' reels, maximum 3 pieces, 50' increments

1" 450' reels, maximum 3 pieces, 50' increments 1¼" 400' reels, maximum 3 pieces, 50' increments 1½" 300' reels, maximum 3 pieces, 50' increments 2" 200' cartons, maximum 3 pieces, 50' increments

BRANDING: Example: 11/2" (38.1 mm) Ortac® 300 psi WP. Made in USA Goodyear®.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: See next page.



ORTAC® 2	50	ORDER CODES: 569-058 (1/4" - 11/2") red 536-465 (2") red 536-010 (2") black						
I	D	NOM. OD		MAX	MAX. WP		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/4	6.4	0.53	13.5	250	1.72	0.09	0.13	
5/16	7.9	0.62	17.5	250	1.72	0.14	0.21	
3/8	9.5	0.69	17.5	250	1.72	0.15	0.22	
1/2	12.7	0.84	21.3	250	1.72	0.20	0.30	
5/8	15.9	1.00	25.4	250	1.72	0.26	0.39	
3/4	19.1	1.14	29.0	250	1.72	0.34	0.51	
1	25.4	1.47	37.3	250	1.72	0.51	0.76	
11/4	31.8	1.77	45.2	250	1.72	0.70	1.04	
1½	38.1	2.08	52.8	250	1.72	0.96	1.43	
2	50.8	2.50	63.5	200	1.37	1.08	1.61	

ODTAC® 200

URTAL 3	UU						
II.	ID		NOM. OD		MAX. WP		GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/16	4.8	0.44	11.8	300	2.07	0.07	0.10
1/4	6.4	0.61	15.7	300	2.07	0.14	0.21
5/16	7.9	0.68	17.3	300	2.07	0.16	0.24
3/8	9.5	0.73	18.6	300	2.07	0.18	0.27
1/2	12.7	0.89	22.6	300	2.07	0.25	0.37
5/8	15.9	1.06	26.9	300	2.07	0.35	0.52
3/4	19.1	1.19	30.2	300	2.07	0.40	0.60
1	25.4	1.50	38.1	300	2.07	0.59	0.88
11/4	31.8	1.81	46.0	300	2.07	0.76	1.13
1½	38.1	2.08	52.8	300	2.07	0.88	1.31

ORDER CODES: 569-065 (yellow) (USMSHA rated) 569-066 (red)

ORTAC® 4	00	ORDER CODES: 569-065 (yellow) (USMSHA rated) 569-066 (red)						
- 1	ID		NOM. OD		MAX. WP		EIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/4	6.4	0.61	15.7	400	2.76	0.16	0.24	
3/8	9.5	0.73	18.8	400	2.76	0.20	0.30	
1/2	12.7	0.89	22.8	400	2.76	0.26	0.39	
3/4	19.1	1.18	30.0	400	2.76	0.41	0.61	
1	25.4	1.50	38.1	400	2.76	0.61	0.91	



AIR & **MULTIPURPOSE** General Purpose Heavy Duty Push-on

> **CHEMICAL TRANSFER**

CLEANING EQUIPMENT

> FOOD Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER Suction & Washdown

WELDING

COUPLING **SYSTEMS**

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

WINGFOOT®



Product Specifications



APPLICATION: A good-quality, economical general purpose hose for industrial air service, compressor lines,

pneumatic tools, low-pressure spray and many other applications where the need for oil resistance is moderate. Nonconductive, minimum electrical resistance greater than one (1) megohm per inch of length of hose at 1000 V DC. Available in 200 and 300 PSI working

 $\begin{array}{c} & \text{pressures.} \\ \textbf{Construction} \end{array}$

TUBE: Nitrile synthetic rubber, RMA Class A (high oil resistance)

COVER: Red, Blue, or Black Chemivic[™] synthetic rubber, RMA Class B (medium oil resistance)

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -20°F to 190°F (-29°C to 88°C)

PACKAGING: 3/16" – 3/4" 500' reels, maximum 3 pieces, 50' increments

1" 450' reels, maximum 3 pieces, 50' increments 114" 400' reels, maximum 3 pieces, 50' increments 114" 300' reels, maximum 3 pieces, 50' increments

Coupled assemblies available in 1/4", 3/8", and 1/2" in red.

BRANDING: Example: Wingfoot® Nonconductive 1/2" (12.7 mm) 200 psi WP. Made in USA Goodyear®.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: See next page.



WINCEOUT® 200

WINGF00	T [®] 200	ORDE	R CODES: 569-	005 (black)	569-007 (red	569-036 (blue)		
- 1	D	NOM	1. OD	MAX	. WP	WEI	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
3/16	4.8	0.44	11.2	200	1.38	0.07	0.10	
1/4	6.4	0.53	13.5	200	1.38	0.10	0.15	
5/16	7.9	0.63	16.0	200	1.38	0.14	0.21	
3/8	9.5	0.69	17.5	200	1.38	0.15	0.22	
1/2	12.7	0.84	21.3	200	1.38	0.21	0.31	
5/8	15.9	1.00	25.4	200	1.38	0.27	0.40	
3/4	19.1	1.13	28.7	200	1.38	0.38	0.57	
1	25.4	1.47	37.3	200	1.38	0.58	0.86	

ORDER CODES: 569-006 (black) 569-008 (red $3/16^{\circ}-1\frac{1}{2}^{\circ}$) 569-037 (blue) 569-037 (red 2°)

WINGFUU	300						
- 1	D	NOM. OD		MAX. WP		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/16	4.8	0.44	11.2	200	1.38	0.07	0.10
1/4	6.4	0.54	13.7	300	2.07	0.14	0.21
5/16	7.9	0.64	16.3	300	2.07	0.18	0.27
3/8	9.5	0.69	17.5	300	2.07	0.19	0.28
1/2	12.7	0.86	21.8	300	2.07	0.26	0.39
5/8	15.9	1.02	25.9	300	2.07	0.33	0.49
3/4	19.1	1.19	30.2	300	2.07	0.42	0.63
1	25.4	1.50	38.1	300	2.07	0.62	0.92
11/4	31.8	1.77	45.6	250	1.72	0.84	1.25
1½	38.1	2.08	53.2	250	1.72	1.04	1.55
2	50.8	2.50	63.5	300	2.07	1.02	1.52

AIR & MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

> SPRAY STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

MIL A-A-59565 MILITARY AIR HOSE



Product Specifications

APPLICATION: This commercial item description (CID) covers rubber hose and rubber hose assemblies with yarn,

cord or fabric reinforcement intended for light-duty air applications.

The General Services Administration has authorized the use of this commercial item description for

all federal agencies

5:1 Safety Factor.

CONSTRUCTION

TUBE: Versigard® EPDM, RMA Classs C Oil Resistance

COVER: Versigard EPDM, RMA Classs C Oil Resistance

REINFORCEMENT: 2-spiral synthetic cord, 1/4" ID through 5/8" ID

4-spiral synthetic cord, 3/4" ID through 11/4" ID

TEMPERATURE: -40°F to 190°F (-40°C to 88°C)

PACKAGING: Bulk reels (Alternative packaging specs available upon request)

BRANDING: Example: PNEUMATIC A-A-59565 GOODYEAR® 200 PSI W.P.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure

MATERIAL CODE: 569-536

MIL A-A-59565 MILITARY AIR HOSE

SIZE	ID		NOM. OD		MAX WP		WEIGHT	
CODE	in.	mm.	in.	mm.	psi	Мра	lbs./ft.	kg./m.
04	1/4	6.4	0.55	13.9	200	1.38	0.10	0.15
06	3/8	9.5	0.75	19.1	200	1.38	0.17	0.25
07	7/16	11.1	0.83	21.2	150	1.03	0.21	0.31
08	1/2	12.7	0.87	22.2	150	1.03	0.21	0.31
10	5/8	15.9	1.00	25.4	125	0.86	0.25	0.37
12	3/4	19.1	1.14	29.0	125	0.86	0.35	0.52
16	1	25.4	1.52	38.5	125	0.86	0.58	0.86
20	11/4	31.8	1.75	44.4	100	0.69	0.63	0.94



ARCTIC ORTAC® PLUS



Product Specifications

APPLICATION: A low-temperature hose construction for air, water, oil, kerosene, fuel oil and some chemical

operations where temperatures fall as low as -65°F (-54°C).

CONSTRUCTION

TUBE: Black low-temp, ECO oil-resistant synthetic rubber, RMA Class A (High Oil Resistance)

COVER: Black ultra-low temperature, ECO oil resistant synthetic rubber (with a blue stripe), RMA Class A

(High Oil Resistance)

REINFORCEMENT: One textile braid

TEMPERATURE: -65°F to 180°F (-54°C to 82°C)

PACKAGING: 500' reels, maximum 3 pieces, 50' minimum length

BRANDING: Example: 9.5mm 3/8" Arctic Ortac® Plus 2.1 MPA/300 PSI Goodyear® Made in the U.S.A.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and

coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 536-275

ARCTIC ORTAC® PLUS

ı	D	NOM. OD		MAX. WP		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/4	6.4	0.63	16.0	300	2.07	0.16	0.22
3/8	9.5	0.75	19.1	300	2.07	0.20	0.28
1/2	12.7	0.91	23.1	300	2.07	0.27	0.37
3/4	19.1	1.18	30.0	300	2.07	0.40	0.54
1	25.4	1.50	38.1	300	2.07	0.57	0.86

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Vashdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

FLEXSTEEL® SERVICE STATION AIR



Product Specifications

APPLICATION: For tire inflation service from towers, reels, or curb connections.

CONSTRUCTION

TUBE: Nitrile synthetic rubber, RMA Class B (medium/high oil resistance)

COVER: Red or Black nitrile synthetic rubber, abrasion- and oil-resistant, RMA Class B

(medium/high oil resistance)

REINFORCEMENT: Braided (1) steel wire braid

TEMPERATURE: -20°F to 190°F (-29°C to 88°C)

PACKAGING: 500' reels, maximum 3 pieces, 25' minimum

BRANDING: Example: Goodyear® 1/4" Flexsteel® Service Station Air. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-078 (red) 539-097 (black)

FLEXSTEEL® SERVICE STATION AIR

II.	ID NOM. OD		MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/4	6.4	0.61	15.5	250	1.72	0.18	0.28
3/8	9.5	0.72	18.3	250	1.72	0.23	0.34



SERVICE STATION AIR



Product Specifications

APPLICATION: For general air line service stations, automobile repair shops, garages, etc.

CONSTRUCTION

TUBE: Versigard® synthetic rubber, RMA Class C (Limited Oil Resistance)

COVER: Versigard synthetic rubber (red)

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -40°F to 190°F (-40°C to 88°C)

PACKAGING: 500' reels, maximum 3 pieces, 50' increments

BRANDING: Example: Service Station Air Made in the USA Goodyear[®].

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 569-018

SERVICE STATION AIR

- 1	D	NOM. OD		MAX. WP		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/4	6.35	0.59	14.99	250	1.72	0.16	0.24
3/8	9.53	0.71	18.03	250	1.72	0.21	0.31

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

F5[™] AIR HOSE



Product Specifications

APPLICATION: A hybrid Thermoplastic hose that provides durability, flexibility and low drag resistance and

is lightweight. F5 is non-marking, oil resistant and performs well under cold temperatures to -40°F. This 300psi hose is designed for a variety of pneumatic applications in industries

such as construction and manufacturing.

CONSTRUCTION

TUBE: Blue Flexible TPE, RMA Class B (medium oil resistance)

COVER: Matte Blue Flexible TPE, RMA Class B (medium oil resistance)

REINFORCEMENT: Polyester fiber

TEMPERATURE: -40°F to 158°F (-40°C to 70°C)

PACKAGING: 25', 50', 100' coils or 750' reels

BRANDING: Example: F5[™] 300psi Made in USA Goodyear[®].

COUPLINGS: MxM NPT for coupled assemblies

ORDER CODES: 540-438 (blue)

F5™ AIR HOSE

II	D	NOM. OD		MAX. WP		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/4	6.6	.50	11.5	300	2.07	0.06	0.09
5/16	7.9	.59	15.0	300	2.07	0.09	0.15
3/8	9.8	.64	16.2	300	2.07	0.10	0.16
1/2	12.7	.81	20.0	300	2.07	0.16	0.24
3/4	18.9	1.11	28.1	300	2.07	0.26	0.36
1	25.4	1.37	34.8	200	1.38	0.35	0.52



NOTES	MULTIPURPOSE
	General Purpose Heavy Duty Push-on
	CHEMICAL TRANSFER
	CLEANING EQUIPMENT
	FOOD Transfer Washdown
	MARINE
	MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete
	MINING
	PETROLEUM Aircraft Fueling Dispensing Dock Transfer
	SPRAY
	STEAM
	VACUUM
	VEYANCE
	WATER Discharge Suction & Discharge Washdown
	WELDING
	COUPLING SYSTEMS



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLIOVIC®



Product Specifications



APPLICATION: A lightweight, economical general purpose hose for carrying air, water and many spray solu-

tions. Pliovic® is suitable for a wide range of industrial, construction, agricultural hand sprayers and many multipurpose applications. Nonconductive, minimum electrical resistance greater than one (1) megohm per inch of hose length at 1000 Volts DC. Available in Pliovic® GS construction or a thick cover, Pliovic® Plus construction. Non-marking cover.

CONSTRUCTION

TUBE: Black Pliovic®, RMA Class B (Medium Oil Resistance)

COVER: Pliovic®, smooth finish, RMA Class B (Medium Oil Resistance)

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -10°F to 158°F (-23°C to 70°C) for GS and Pliovic® Plus 250

PACKAGING: 1/4"-1/2" 750' reels, maximum 3 pieces, 50' increments

5/8" 500' reels, maximum 3 pieces, 50' increments (Pliovic® Plus 250 Only) 3/4" 450' reels, maximum 3 pieces, 50' increments (Pliovic® Plus 250 Only) 1" 400' reels, maximum 3 pieces, 50' increments (Pliovic® Plus 250 Only) 1½"-2" 300' reels, maximum 3 pieces, 50' increments (Pliovic® Plus 250 Only) Coupled assemblies available upon request. Contact hose marketing for availability on cut,

coiled, and tied hose lengths.

BRANDING: Example: Pliovic® GS 3/8" ID (9.5 mm) 250 psi WP. Made in USA. Goodyear®.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: See next page.



PLIOVIC® GS			•	540-350 (blue) 540-35 540-358 (green) 540-40		540-472 (black)		
I	D	NOM. OD		MAX	MAX. WP		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/4	6.4	0.45	11.4	300	2.07	0.06	0.09	
5/16	7.9	0.59	15.0	300	2.07	0.11	0.16	
3/8	9.5	0.60	15.2	300	2.07	0.09	0.13	
1/2	12.7	0.78	19.8	300	2.07	0.15	0.22	

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

PLIOVIC® I	PLUS 250		ORDER CODES	540-201 (red 540-233 (bla	•	27 (blue) 57 (yellow)	540-232 (green)
II.	D	NOM	I. OD	MAX	. WP	WE	IGHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/4	6.4	0.50	12.7	250	1.72	0.08	0.12
3/8	9.5	0.66	16.8	250	1.72	0.13	0.19
1/2	12.7	0.81	20.6	250	1.72	0.17	0.25
5/8	15.9	0.94	23.9	250	1.72	0.20	0.30
3/4	19.1	1.11	28.2	250	1.72	0.28	0.42
1	25.4	1.38	35.1	200	1.38	0.37	0.55
11/4	31.75	1.72	43.6	125	0.86	0.60	0.89
1½	38.1	1.98	50.2	125	0.86	0.72	1.07
2	50.8	2.51	63.8	100	0.69	1.00	1.48



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE


WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

PLIOVIC® PVC TUBING



Product Specifications

APPLICATION:

The new full line of domestically manufactured Pliovic® PVC Food and Industrial Tubing offers Class B oil/chemical resistance at a wide temperature range. Pliovic PVC Tubing conforms to USDA, 3-A Sanitary and FDA Standards and can be used for transmission of raw and pasteurized milk and other high content dairy items. Pliovic PVC tubing can also be used in industrial applications such as air lines, chemical tubing for transfer of chemical products, fuel and lubricant tubing for non-automotive applications, laboratory equipment, irrigation tubing for weep irrigation of crops, telecommunications tubing (ducts), water and fluid lines (drain lines, spray tubing, etc.), glass and window wash systems, cable insulation, abrasion-resistant sleeving, analytical instruments, aeration applications and more.

CONSTRUCTION

TUBE: Clear PVC (FDA, 3-A and USDA compliant)

COVER: Clear PVC

TEMPERATURE: -10°F to 158°F (-23°C to 70°C)

PACKAGING: Coiled

BRANDING: None

NON-STOCK/SIZES: Contact your Goodyear Engineered Products representative for special production run minimum

requirements.

ORDER CODES: 540-442

PLIOVIC® PVC TUBING

II.	D	NOM	I. OD	MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/16	1.6	0.126	3.2	60	.413	0.005	0.0074
3/32	2.4	0.157	4.0	42	.289	0.006	0.0089
1/8	3.2	0.189	4.8	44	.303	0.008	0.0119
3/16	4.8	0.311	7.9	55	.379	0.025	0.0372
1/4	6.4	0.437	11.1	60	.413	0.052	0.0774
3/8	9.5	0.559	14.2	40	.256	0.070	0.1042
7/16	11.1	0.681	17.3	50	.344	0.110	0.1637
9/16	14.3	0.748	19.0	40	.275	0.098	0.1458
5/8	15.9	0.870	22.1	40	.275	0.148	0.2202
11/16	17.5	1.000	25.4	40	.275	0.213	0.3169
7/8	22.2	1.120	28.4	30	.206	0.197	0.2931
1	25.4	1.378	35.0	45	.310	0.376	0.5595
$1\frac{1}{4}$	31.8	1.630	38.2	31	.213	0.291	0.4340
13/8	34.9	1.750	44.5	28	.193	0.495	0.7366
$1\frac{1}{2}$	38.1	1.880	47.7	26	.179	0.535	0.7961
13/4	44.5	2.000	50.7	16	.110	0.383	0.5699
2	50.8	0.934	63.4	35	.241	0.934	1.3898



BRAIDAIR™



Product Specifications

APPLICATION: A quality braided general purpose hose for industrial service, compressor lines, pneumatic

tools, water service and low-pressure spray where the need for oil resistance is moderate.

CONSTRUCTION

BRANDING:

TUBE: Black synthetic, RMA Class A (High Oil Resistance)

COVER: Red synthetic, RMA Class B (Medium Oil Resistance)

REINFORCEMENT: Braided (1) synthetic yarn

TEMPERATURE: -20°F to 190°F (-29°C to 88°C)

PACKAGING: 1/4"-1" 400'-750' reels, maximum 3 pieces, 50' minimum

1¼" – 1½" 300' reels, maximum 3 pieces, 50' minimum 2" 150'–250' carton, maximum 2 pieces, 50' minimum

Example: Goodyear® Braidair™ 300 psi WP (20 Bar) 3/8" (9.5mm).

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 536-422 (1/4" - 1½") 536-421 (2")

BRAIDAIR	тм							
ID		NOM. OD		MAX	MAX. WP		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/4	6.4	0.55	14.0	300	2.07	0.11	0.16	
3/8	9.5	0.72	18.3	300	2.07	0.18	0.26	
1/2	12.7	0.85	21.6	300	2.07	0.21	0.31	
3/4	19.1	1.13	28.7	300	2.07	0.32	0.48	
1	25.4	1.47	37.3	300	2.07	0.50	0.74	
11/4	31.8	1.80	45.7	300	2.07	0.75	1.12	
1½	38.1	2.09	53.1	300	2.07	1.00	1.49	
2	50.8	2.50	63.5	200	1.38	1.09	1.62	

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

HEAVY DUTY



	Page	MSHA	Oil Resistance Tube*	Oil Resistance Cover*	Temp Range	Textile	Wire	Braided	Wrapped Finish
Explorer® Air	30		С	С	-40°F to 220°F	Yes		Yes	Yes
Explorer® Plus Air	31		С	С	-40°F to 220°F	Yes		Yes	Yes
Plicord® Air Green 400	33		С	С	-25°F to 180°F	Yes			Yes
Plicord® Super Rock Drill	32	Yes	А	В	-40°F to 220°F		Yes		Yes
Steel Air	29	Yes	В	В	-40°F to 200°F		Yes	Yes	Yes
Super Ortac®	34	Yes	В	В	-20°F to 200°F		Yes	Yes	

^{*}Based on RMA oil classification. For more information, see Appendix C.



STEEL AIR



Product Specifications

STEEL AIR

APPLICATION: A heavy-duty, wrapped finish, single wire-braid or spiral ply wire air hose for higher

pressure service in severe industrial applications including service in mines, quarries and

construction jobs.

CONSTRUCTION

TUBE: Black Nitrile synthetic rubber, RMA Class B

COVER: Yellow Chemivic[™] synthetic rubber (wrapped impression), RMA Class B, MSHA approved

REINFORCEMENT: Braided (1) steel wire (1/2" - 11/2") Spiral-plied steel wire (2" - 4")

TEMPERATURE: -40°F to 200°F (-40°C to 93°C)

PACKAGING: 50' and 100' length, coiled

BRANDING: Example: Goodyear® Steel Air 500 psi 3.4 MPA 2" 50.8 mm.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

MINING

ORDER CODES: 539-159 (1/2" - 1 1/2") MSHA IC 11/9 **STEEL AIR** ID NOM. OD MAX. WP WEIGHT in. in. mm. psi Mpa lb./ft. kg./m. mm. 1/2 12.7 0.91 750 23.1 5.17 0.34 0.51 3/4 19.1 1.14 29.0 750 5.17 0.45 0.67 1 25.4 1.45 36.6 750 5.17 0.66 1.00 11/4 31.8 1.81 46.0 500 3.45 0.98 1.46 1½ 38.1 1.98 50.2 500 3.45 0.97 1.44

ORDER CODES:	549-209 (2" - 4")	MSHA IC 11/7
UNDER UUDES.	043 203 (Z 4)	111011/110 11//

OILLE AII	,						
ID		NOM. OD		MAX. WP		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
2	50.8	2.66	67.6	500	3.45	1.59	2.36
2½	63.5	3.33	84.6	500	3.45	2.63	3.91
3	76.2	3.81	96.8	500	3.45	3.07	4.57
4	101.6	4.90	124.5	500	3.45	4.36	6.49

Also available with Versigard® synthetic rubber tube and cover where superior heat resistance is more important than oil resistance.



AIR & **MULTIPURPOSE** General Purpose Heavy Duty Push-on

> **CHEMICAL** TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer

> > MARINE

MATERIAL HANDLING

Bulk Transfer Cement & Concrete

PETROLEUM Dock

SPRAY

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

EXPLORER® AIR



Product Specifications

APPLICATION: A versatile, heavy-duty air hose for mining, construction and industrial applications.

CONSTRUCTION

TUBE: Black Versigard® synthetic rubber, RMA Class C (limited oil resistance) (536-509)

Black SBR synthetic rubber, RMA Class C (limited oil resistance) (549-943)

COVER: Yellow Versigard® synthetic rubber (wrapped impression), RMA Class C (limited oil resistance)

REINFORCEMENT: Braided (1) synthetic yarn (1/2" - 2"); Spiral-plied synthetic fabric $(2\frac{1}{2}" - 3")$

TEMPERATURE: -40°F to 220°F (-40°C to 104°C)

PACKAGING: 50' length, coiled

BRANDING: Example: 1" 24.4mm Explorer® Air 300 psi 2.1 MPa W.P.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 536 -509 (1/2" - 1") 549-943 $(1\frac{1}{4}" - 3")$

EXPLORER® AIR

ID		NOM. OD		MAX. WP		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/2	12.7	0.89	22.6	300	2.07	0.24	0.36
3/4	19.1	1.19	30.2	300	2.07	0.37	0.55
1	25.4	1.49	37.9	300	2.07	0.53	0.79
11/4	31.8	1.66	42.2	300	2.07	0.58	0.86
1½	38.1	2.01	51.1	300	2.07	0.83	1.24
2	50.8	2.57	65.3	300	2.07	1.20	1.79
21/2	63.7	3.13	79.4	300	2.07	1.56	2.32
3	76.1	3.56	90.6	300	2.07	1.67	2.48



EXPLORER® PLUS AIR



Product Specifications

APPLICATION: A versatile, heavy-duty air hose for mining, construction, and industrial applications where

medium pressures are encountered.

CONSTRUCTION

TUBE: Black Versigard® synthetic rubber (536-508), RMA Class C

Black Versigard synthetic rubber (549-317)

COVER: Yellow Versigard® (wrapped impression)

REINFORCEMENT: Braided (1) synthetic yarn (1/2" - 11/4"); Spiral-plied synthetic fabric (11/2" - 4")

TEMPERATURE: -40°F to 220°F (-40°C to 104°C)

PACKAGING: 50' length, coiled

BRANDING: Example: 1" 25.4mm Explorer® Plus Air 400psi 2.8 MPa W.P. Goodyear®

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 536-508 (1/2"-1") 549-317 $(1\frac{1}{4}"-4")$

EXPLORER® PLUS AIR

ı	D	NOM	1. OD	MAX. WP		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/2	12.7	0.94	23.9	400	2.76	0.24	0.36
3/4	19.1	1.19	30.2	400	2.76	0.38	0.57
1	25.4	1.49	37.9	400	2.76	0.54	0.80
11/4	31.8	1.66	42.2	400	2.76	0.56	0.83
1½	38.1	2.01	51.1	400	2.76	0.83	1.24
2	50.8	2.54	64.4	400	2.76	1.08	1.61
2½	63.5	3.17	80.6	400	2.76	1.70	2.53
3	76.2	3.66	93.0	400	2.76	2.00	2.98
4	101.6	4.78	121.5	400	2.76	2.92	4.35

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

WIIIAIIAG

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Discharge Suction &

Discharge Washdown

WELDING

COUPLING SYSTEMS



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® SUPER ROCK DRILL



Product Specifications



APPLICATION: An extra heavy-duty, high-pressure hose for pneumatic service in mining, construction and industrial service where working conditions are especially severe.

CONSTRUCTION

N

TUBE:

: Black, heat-resistant Nitrile (ORS) synthetic rubber, RMA Class A (High Oil Resistance)

COVER: BI

Blue Chemivic™ synthetic with spiral yellow transfer stripe (wrapped impression) MSHA approved,

RMA Class B (medium oil resistance)

REINFORCEMENT: Spiral-plied steel wire

TEMPERATURE: -40°F to 220°F (-40°C to 104°C)

PACKAGING: 100' length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Plicord® Super Rock Drill ORS 500 psi WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-285

PLICORD® SUPER ROCK DRILL

ı	ID		NOM. OD		. WP	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
2½	63.5	3.45	87.7	500	3.45	2.96	4.40
3	76.2	3.94	100.1	500	3.45	3.44	5.12
4	101.6	4.96	126.0	400	2.76	4.55	6.77



PLICORD® AIR GREEN 400



8

Product Specifications

APPLICATION: A

A versatile, heavy-duty air hose for use in rough industrial applications or for severe service

in mines, quarries and construction jobs.

CONSTRUCTION

TUBE: Black Plioflex® synthetic rubber, RMA Class C (Limited Oil Resistance) (nonconductive)

COVER: Green Plioflex® synthetic rubber (wrapped impression), RMA Class C (Limited Oil Resistance)

REINFORCEMENT: Spiral-plied synthetic fabric

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 100' length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Plicord® Air Green 400 psi WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-006

MINING

AIR &

Push-on

CHEMICAL TRANSFER

CLEANING

Washdown

MARINE

MATERIAL HANDLING

Abrasives

Bulk Transfer Cement & Concrete

FOOD Transfer

EQUIPMENT

MULTIPURPOSE

General Purpose Heavy Duty

PETROLEUM

Aircraft Fueling Dispensing

Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER

Discharge Suction & Discharge

Washdowi

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® AIR GREEN 400

I	D	NOM	NOM. OD MAX.		. WP	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/2	12.7	0.880	22.4	400	2.76	0.23	0.34
5/8	15.9	1.050	26.7	400	2.76	0.32	0.48
3/4	19.1	1.230	31.2	400	2.76	0.45	0.67
1	25.4	1.500	38.1	400	2.76	0.58	0.86
11/4	31.8	1.790	45.5	400	2.76	0.74	1.10
15/16	33.3	1.890	48.0	400	2.76	0.83	1.24
1½	38.1	2.040	51.8	400	2.76	0.86	1.28
2	50.8	2.546	64.7	400	2.76	1.11	1.65
2½	63.5	3.156	80.2	400	2.76	1.64	2.44
3	76.2	3.700	94.0	400	2.76	2.14	3.18



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SUPER ORTAC®



Product Specifications

APPLICATION: For heavy-duty service in handling air, water, oil, petroleum-based solvents and agricultural spray

CONSTRUCTION

TUBE: Nitrile synthetic rubber, RMA Class B (Medium Oil Resistance)

COVER: Yellow Chemivic[™] synthetic rubber, RMA Class B (Medium Oil Resistance), smooth finish,

pinpricked, MSHA approved

REINFORCEMENT: Braided (1) steel wire

TEMPERATURE: -20°F to 200°F (-29°C to 93°C)

PACKAGING: 1/2"-1" 500' reels, maximum 3 pieces, 50' increments

 $1\frac{1}{4}$ " $-1\frac{1}{2}$ " 300' reels, maximum 3 pieces, 50' increments

2" 100'-200' per carton, maximum 3 pieces, 50' increments Also stocked in cut and coiled 50' lengths, 2 pieces per carton, all sizes.

BRANDING: Example: Goodyear® 1" Super Ortac® 1000 psi. Fire Resistant USMSHA IC-11/9. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-152

SUPER ORTAC®

ID		NOM. OD		MAX. WP		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/2	12.7	0.91	23.1	1000	6.9	0.34	0.51
3/4	19.1	1.14	29.0	1000	6.9	0.44	0.65
1	25.4	1.45	36.8	1000	6.9	0.63	0.94
11/4	31.8	1.75	44.5	1000	6.9	0.86	1.28
1½	38.1	1.98	50.8	1000	6.9	1.08	1.61
2	50.8	2.55	64.3	1000	6.9	1.57	2.34



PUSH-ON



	Page	Superior Abrasion Cover	MSHA	Non- conductive	Oil Resistance Tube*	Oil Resistance Cover*	Braided	Robotic Service	General Industrial
Autogrip®	36	Yes	Yes	Yes	В	Α	Yes	Yes	Yes
Insta-Grip™ 250	38			Yes	А	В			Yes
Insta-Grip™ 300	37		Yes	Yes	А	В	Yes		Yes
Insta-Grip™ TC	39				А	В	Yes		Yes
Ultra-Grip™	40	Yes	Yes	Yes	Α	А	Yes	Yes	Yes

^{*}Based on RMA oil classification. For more information, see Appendix C.

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

AUTOGRIP®



Product Specifications

25.4

1

1.34





APPLICATION: A premium-quality push-on hose specifically designed for the rigors of robotic and automated

applications where flexibility, high abuse resistance and strength are desired. It is ideally suited for use in the demanding applications of the automotive assembly, pharmaceutical, material handling and welding industries. Nonconductive, minimum electrical resistance greater than one

(1) megohm per inch of hose length at 1000 Volts DC. CONSTRUCTION

TUBE: Silicone not used in the manufacturing of this hose. Neoprene, seamless, heat- and oil-resistant,

RMA Class B (Medium Oil Resistance)

COVER: Weather-, abrasion- and oil-resistant Carbryn™ synthetic rubber, RMA Class A

(High Oil Resistance), MSHA approved

REINFORCEMENT: Braided (1) high-strength yarn laid at the most effective angle for maximum coupling

holding ability

TEMPERATURE: -40°F to 200°F (-40°C to 93°C)

PACKAGING: 1/4" - 1" 500' reels, 4 piece maximum, 10' minimum

BRANDING: Example: Autogrip® 9.5 mm (3/8") 21 Bar (300 psi) WP Flame Resistant USMHA 2G-14C/28.

Made in USA Goodyear®.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

USE ONLY WATER-BASED INSTALLATION LUBRICANTS.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 535-571 (black) 535-572 (blue) 535-573 (gray)

535-574 (green) 535-575 (red) 535-576 (white)

535-577 (brown) 535-578 (vellow)

AUTOGRIP® NOM. OD MAX. WP ID WEIGHT in. mm. in. mm. psi Mpa lb./ft. kg./m. 1/4 0.50 12.7 0.09 6.4 300 2.07 0.13 3/8 16.8 0.12 0.18 9.5 0.66 300 2.07 1/2 12.7 0.76 19.3 300 2.07 0.14 0.21 5/8 15.9 0.92 23.4 300 2.07 0.17 0.25 3/4 19.1 26.9 300 2.07 0.22 0.33 1.06

300

2.07

0.31

0.46



34.0

INSTA-GRIP™ 300



Product Specifications







APPLICATION:

For use with push-on fittings at working pressures of 300 psi. For low-pressure hydraulic and pneumatic systems such as shop air systems, general industrial, maintenance and automotive assembly applications. Nonconductive, minimum electrical resistance, greater than one (1) megohm per inch of hose length at 1000 Volts DC. MSHA approved covers.

CONSTRUCTION

TUBE:

Silicone not used in the manufacturing of this hose. Chemivic™ oil- and heat-resistant

synthetic rubber, RMA Class A (High Oil Resistance)

COVER:

Black, Green, Blue, Red, Yellow and Gray (others: contact customer service); MSHA approved, weather-, abrasion-, and oil-resistant synthetic rubber. RMA Class B.

(Medium Oil Resistance)

REINFORCEMENT:

Braided (1) high-strength synthetic yarn laid at the most effective angle for maximum

strength and coupling holding ability

TEMPERATURE:

-40°F to 190°F (-40°C to 88°C)

PACKAGING:

VG: 500' reels, maximum 4 pieces, 10' minimum

BRANDING:

Example: Insta-Grip[™] 1/4" 300 psi WP Flame Resistant USMSHA 2G-IC-14C/33

Made in USA Goodyear®.

COUPLINGS:

Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES:

For special production run minimum requirements, see Appendix D.

ORDER CODES:

535-278 (black) 535-280 (red)

535-279 (green) 535-281 (blue) 535-294 (gray) 535-277 (yellow)

Insta-Grip™ 300

II.	D	NOM	1. OD	MAX	. WP	BEND I	RADIUS	WE	IGHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	lb./ft.	kg./m.
1/4	6.4	0.54	13.7	300	2.07	3	64	0.09	0.13
3/16	4.8	0.38	9.7	300	2.07	3	64	0.05	0.07
5/16	7.9	0.62	15.7	300	2.07	3	76	0.12	0.18
3/8	9.5	0.69	17.5	300	2.07	3	76	0.14	0.21
1/2	12.7	0.81	20.6	300	2.07	5	127	0.17	0.25
5/8	15.9	0.93	23.6	300	2.07	6	152	0.20	0.30
3/4	19.1	1.07	27.2	300	2.07	7	178	0.26	0.39

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

INSTA-GRIP™ 250



Product Specifications



APPLICATION: For use with push-on fittings at working pressures of 250 psi for industrial service.

Nonconductive, minimum electrical resistance greater than one (1) megohm per inch of hose

length at 1000 Volts DC.

CONSTRUCTION

TUBE: Chemivic™ oil- and heat-resistant synthetic rubber, RMA Class A (High Oil Resistance)

COVER: Red, Black, or Green Chemivic[™], RMA Class B (Medium Oil Resistance)

REINFORCEMENT: Spiral Flexten® yarn

TEMPERATURE: -20°F to 190°F (-29°C to 88°C)

PACKAGING: 500' reels, maximum 3 pieces, 50' increments

BRANDING: Example: Insta-Grip™ Nonconductive 3/8" (9.5mm) 250 psi WP. Made in USA Goodyear®.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 569-013 (red) 569-014 (black) 569-015 (green)

569-016 (grey)

Insta-Grip™ 250

- 1	D	NOM	1. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/4	6.4	0.51	12.7	250	1.72	0.08	0.12	
3/8	9.5	0.65	16.5	250	1.72	0.12	0.18	
1/2	12.7	0.80	20.3	250	1.72	0.17	0.25	
5/8	15.9	0.94	23.9	250	1.72	0.23	0.34	
3/4	19.1	1.08	27.4	250	1.72	0.28	0.42	



INSTA-GRIP™ TC



Product Specifications

APPLICATION: For low-pressure hydraulic and pneumatic systems such as shop air systems, general

industrial, maintenance and automotive assembly applications. CONSTRUCTION

TUBE:

Chemivic[™] oil- and heat-resistant synthetic rubber, RMA Class A (High Oil Resistance)

COVER: Black, dyed textile braid, mildew- and oil-resistant

REINFORCEMENT: Braided (1) high-strength synthetic yarn laid at an angle for strength and coupling

holding ability

TEMPERATURE: -40°F to 190°F (-40°C to 88°C)

PACKAGING: 500' reels, maximum 4 pieces, 10' minimum length

BRANDING: Example: Insta-Grip™ TC 3/8" 300 psi WP. Made in USA Goodyear®.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 535-230

Insta-Grip™ TC			
	TM TO		Г
		KADHHI	ı
IIISta-uliu i G	, ,		ı

II.	D	NOM	I. OD	MAX	. WP	BEND F	RADIUS	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	lb./ft.	kg./m.
1/4	6.4	0.50	12.7	300	2.07	3	64	0.08	0.12
5/16	7.9	0.56	14.2	300	2.07	3	76	0.09	0.13
3/8	9.5	0.64	16.3	300	2.07	3	76	0.11	0.16
1/2	12.7	0.75	19.1	300	2.07	5	127	0.13	0.19
5/8	15.9	0.91	23.1	300	2.07	6	152	0.19	0.28
3/4	19.1	1.03	26.2	300	2.07	7	178	0.21	0.31

AIR & **MULTIPURPOSE** General Purpose Heavy Duty Push-on

> **CHEMICAL** TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer

> > MARINE

MATERIAL HANDLING

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING **SYSTEMS**



AIR & **MULTIPURPOSE** General Purpose Heavy Duty Push-on

CHEMICAL

EQUIPMENT

FOOD

MARINE

MATERIAL HANDLING Abrasives Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING

APPENDIX

ULTRA-GRIP™



Product Specifications







APPLICATION:

For use with push-on fittings at maximum working pressures of 400 psi*. For low-pressure hydraulic pneumatic systems such as robotics, shop air systems, general industrial, maintenance and automotive assembly applications. Nonconductive, minimum electrical resistance greater than one (1) megohm per inch of hose length at 1000 Volts DC. MSHA approved covers.

CONSTRUCTION

TUBE:

Chemivic™ oil and heat-resistant synthetic rubber, RMA Class A (High Oil Resistance)

COVER:

MSHA approved Black (USMSHA 2G-1C-14C/27). Blue, Gray, Green, Red, White, Brown, and Yellow (USMSHA 2G-1C-14C/28) (others: contact customer service), weather-, abrasion-, and

oil-resistant Carbryn™ rubber, RMA Class A (High Oil Resistance)

REINFORCEMENT:

Braided (1) high-strength synthetic yarn laid at an angle for strength and coupling holding ability

TEMPERATURE:

-40°F to 200°F (-40°C to 93°C)

PACKAGING:

500' reels, maximum 4 pieces, 10' minimum length

BRANDING:

Example: Ultra-Grip™ Non-Conductive 3/8" 400 psi WP; Flame Resistant; USMSHA 2G-IC-14C/27

Made in USA. Goodyear®.

COUPLINGS:

Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES:

For special production run minimum requirements, see Appendix D.

ORDER CODES:

535-283 (black) 535-284 (blue) 535-286 (green) 535-289 (red) 535-292 (brown) 535-551 (yellow) 535-285 (gray) 535-290 (white)

ULTRA-GRIP™

WEIGHT		
t. kg./m.		
4 0.06		
0.12		
0.19		
4 0.21		
9 0.28		
6 0.37		
4 0.51		
3 4 9 6		

^{* 1-}inch rated at 300 psi.



CHEMICAL TRANSFER



	Page	Temp Range*	Superior Flexibility	Superior Abrasion Cover	Cover Color
Blue Flexwing®	45	-25°F to 150°F			Blue
Brown Flexwing®	47	-30°F to 275°F	Yes		Brown
Chem One [™]	42	-40°F to 250°F	Yes	Yes	Black
Fabchem [*]	44	-40°F to 150°F	Yes		Green
Green XLPE	46	-25°F to 150°F			Green
HI-PER°	48	-40°F to 300°F			Blue
Orange Flexwing®	49	-25°F to 250°F			Orange
Purple Flexwing®	50	-40°F to 221°F	Yes		Purple
Viper ⁻	43	-40°F to 250°F	Yes	Yes	Black

^{*}Temperature is contingent on the specific chemical conveyed.

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

CHEM ONE™



Product Specifications

APPLICATION: For the transfer of a variety of current industrial chemicals used today. (Refer to Goodyear

Engineered Products Chemical Resistance Guide for compatibility.) For use in pressure, gravity

flow and/or suction service.

CONSTRUCTION

TUBE: Alphasyn® Modified Cross-Linked Polyethylene (Mod XLPE).

COVER: Black corrugated abrasion-resistant Omegasyn™ EPDM with Red Spiral Stripe

REINFORCEMENT: Spiral plied synthetic fabric with double wire helix

TEMPERATURE: -40°F to 250°F (-40°C to 121°C)

PACKAGING: Coiled and polywrapped. Contact customer service for cut length.

BRANDING: Example: CHEM ONE™ chemical transfer hose Alphasyn® 200 PSI WP Goodyear®

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

ORDER CODES: 546-661

C	HEM	ONE™										
	ı	D	NOM	1. OD	MAX	. WP	BEND	RADIUS	VACUI	JM HG	WE	IGHT
	in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
	3/4	19.0	1.2	30.5	200	1.38	2	50.8	29	737	0.39	0.58
	1	25.3	1.4	36.8	200	1.38	3	76.2	29	737	0.49	0.73
	11/4	32.0	1.6	42.2	200	1.38	3	76.2	29	737	0.53	0.78
	1½	38.0	1.9	48.3	200	1.38	4	101.6	29	737	0.63	0.93
	2	51.0	2.4	61.8	200	1.38	5	127.0	29	737	0.86	1.28
	2½	63.0	2.9	75.6	200	1.38	6	152.4	29	737	1.24	1.84
	3	76.0	3.4	88.1	200	1.38	8	203.2	29	737	1.46	2.17
	4	102.0	4.5	115.0	200	1.38	11	279.4	29	737	2.06	3.06





VIPER™



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: For the transfer of a variety of industrial chemicals used today. (Refer to Goodyear Engineered

Products Chemical Resistance Guide for compatibility.) For use in pressure, gravity flow and/or suction service. Hose may be cleaned using open-end steam up to 50 psi or in a bath containing

10% Sodium Hydroxide (NaOH), up to 212°F (100°C).

CONSTRUCTION

TUBE: Beige Alphasyn® Modified Cross-Linked Polyethylene (Modified XLPE)

COVER: Black Omegasyn[™] abrasion-resistant EPDM with white spiral stripe

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

TEMPERATURE: -40°F to 250°F (-40°C to 121°C)

PACKAGING: 100' length coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Viper™ Chemical Transfer Alphasyn® 200 psi WP.

COUPLINGS: Fittings should be permanently attached for fluid temperatures above 125°F (52°C) and up to

250°F (121°C). Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this

product. See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 546-345

VIPER	тм										
	ID	NOM	1. OD	MAX	. WP	BEND I	RADIUS	VACU	JM HG	WE	IGHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
3/4	19.1	1.25	31.7	200	1.38	4	100	29	737	0.45	0.67
1	25.4	1.45	36.9	200	1.38	4	100	29	737	0.53	0.79
11/4	32.0	1.71	43.6	200	1.38	5	125	29	737	0.64	0.95
1½	38.1	1.95	49.6	200	1.38	5	125	29	737	0.74	1.10
2	50.8	2.54	64.5	200	1.38	7	175	29	737	1.16	1.73
2½	63.5	3.05	77.5	200	1.38	8	200	29	737	1.41	2.10
3	76.2	3.59	91.2	200	1.38	10	250	29	737	1.82	2.71
4	101.6	4.64	117.8	200	1.38	14	350	29	737	2.42	3.61

Note: Refer to the Goodyear Engineered Products Chemical Resistance Charts pages in Appendix B for specific chemical and temperature compatibility.

Viper chemical hose will handle fluid up to 250°F, however, this rating is contingent on the specific chemical conveyed. Contact Customer Service at 1-800-235-4632 for any chemical above the temperature stated in the Goodyear Engineered Products Chemical Resistance Guide. Refer to the Goodyear Engineered Products Chemical Resistance Chart for Specific Chemical and Temperature Compatibility.



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

FABCHEM[™] PLIOSYN[™] (UHMWPE) TUBE



Product Specifications

APPLICATION: A significant improvement to our chemical hose line. It handles the majority of common industrial

chemicals in pressure, gravity flow and suction service.

CONSTRUCTION

TUBE: Pliosyn™ Ultra-High Molecular Weight Polyethylene (UHMWPE)

COVER: Green Versigard® synthetic rubber with bright orange longitudinal stripe, corrugated

(wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

TEMPERATURE: -40°F to 150°F (-40°C to 66°C)

PACKAGING: 100' exact length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Fabchem™ Chemical Transfer Hose, 200 psi WP.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 546-065

FABCHEM™ PLIOSYN (UHMWPE) TUBE

ı	D	NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1/2	12.7	0.95	24.1	200	1.38	3	76	29	737	0.33	0.49
3/4	19.1	1.22	31.0	200	1.38	4	89	29	737	0.46	0.68
1	25.4	1.47	37.3	200	1.38	4	102	29	737	0.60	0.89
11/4	31.8	1.73	43.9	200	1.38	4	102	29	737	0.73	1.09
1½	38.1	1.97	50.0	200	1.38	5	127	29	737	0.84	1.25
2	50.8	2.55	64.8	200	1.38	6	152	29	737	1.22	1.82
2½	63.5	3.14	79.8	200	1.38	8	203	29	737	1.78	2.65
3	76.2	3.63	92.2	200	1.38	9	229	29	737	2.11	3.14
4	101.6	4.67	118.6	200	1.38	10	254	29	737	2.81	4.18



BLUE FLEXWING® SPECLAR® (XLPE)



AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

> SPRAY STEAM

VACUUM

VEYANCE

WATER

Discharge Suction & Discharge

Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: Handles the majority of today's industrial chemicals in pressure, gravity flow or suction service.

CONSTRUCTION

TUBE: Clear Speclar® synthetic rubber Cross-Linked Polyethylene (XLPE)

COVER: Blue Versigard® synthetic rubber with spiral white stripe (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

TEMPERATURE: -25°F to 150°F (-32°C to 66°C)

PACKAGING: 100' exact length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Blue Flexwing® Chemical Transfer Hose with Speclar® 200 psi WP.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 546-066 (1/2" - 4")

541-066 (6")

BLUE FLEXWING®

ı	ID		NOM. OD		MAX. WP		RADIUS	VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1/2	12.7	0.96	24.4	200	1.38	6	152	29	737	0.30	0.45
3/4	19.1	1.22	31.0	200	1.38	7	178	29	737	0.45	0.67
1	25.4	1.47	37.3	200	1.38	8	203	29	737	0.55	0.82
11/4	31.8	1.75	44.5	200	1.38	9	229	29	737	0.70	1.04
1½	38.1	2.04	51.8	200	1.38	10	254	29	737	0.95	1.41
2	50.8	2.58	65.5	200	1.38	12	305	29	737	1.22	1.82
2½	63.5	3.13	79.5	200	1.38	15	381	29	737	1.65	2.46
3	76.2	3.70	94.0	200	1.38	18	457	29	737	2.24	3.33
4	101.6	4.73	120.1	200	1.38	24	610	29	737	3.01	4.48
6	152.4	6.89	175.0	200	1.38	36	914	29	737	6.14	9.14



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GREEN XLPE CROSS LINK POLYETHYLENE



Product Specifications

APPLICATION: Handles the majority of today's industrial chemicals in pressure, gravity flow or suction service.

CONSTRUCTION

TUBE: Clear Speclar® synthetic rubber Cross-Linked Polyethylene (XLPE)

COVER: Green Versigard® synthetic rubber with spiral white stripe (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

TEMPERATURE: -25°F to 150°F (-32°C to 66°C)

PACKAGING: 100' exact length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® XLPE Chemical Transfer 150 psi.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 546-666 (1/2" - 4")

541-666 (6")

GR	EEN	I X	LP	2

ı	D	NOM	I. OD	MAX	. WP	BEND I	RADIUS	VACUI	JM HG	WE	IGHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1/2	12.7	0.97	24.6	150	1.03	6	152	29	737	0.31	0.46
3/4	19.1	1.23	31.2	150	1.03	7	178	29	737	0.44	0.65
1	25.4	1.47	37.3	150	1.03	8	203	29	737	0.54	0.80
11/4	31.8	1.73	43.9	150	1.03	9	229	29	737	0.66	0.98
1½	38.1	2.03	51.6	150	1.03	10	254	29	737	0.92	1.37
2	50.8	2.61	66.3	150	1.03	12	305	29	737	1.32	1.96
2½	63.5	3.11	79.0	150	1.03	15	381	29	737	1.65	2.46
3	76.2	3.61	91.7	150	1.03	18	457	29	737	2.02	3.01
4	101.6	4.69	119.1	150	1.03	24	610	29	737	2.95	4.39
6	152.4	6.86	174.1	150	1.03	36	900	29	737	6.07	9.04



BROWN FLEXWING® CHEMRIN® (CPE) TUBE



AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer

> > MARINE

HANDLING Abrasives Bulk Transfer Cement & Concrete

MATERIAL

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: A versatile chemical hose capable of handling a wide variety of acids, alcohols, salt solutions and

petroleum-based products.

CONSTRUCTION

TUBE: Black Chemrin® synthetic rubber

COVER: Brown Versigard® synthetic rubber with white spiral brand (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

TEMPERATURE: -30°F to 275°F (-34°C to 135°C)

PACKAGING: 100' exact length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Brown Flexwing® with Chemrin® 150 psi WP.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 546-069

541-069 Custom lengths with fittings.

BROWN FLEXWING®

ı	D	NOM	1. OD	MAX	. WP	BEND I	RADIUS	VACUI	JM HG	WE	GHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
3/4	19.1	1.22	31.0	150	1.03	3	76	29	737	0.45	0.67
1	25.4	1.47	37.3	150	1.03	4	89	29	737	0.57	0.85
11/4	31.8	1.73	43.9	150	1.03	4	102	29	737	0.69	1.03
1½	38.1	2.02	51.3	150	1.03	4	102	29	737	0.95	1.41
2	50.8	2.55	64.8	150	1.03	5	127	29	737	1.26	1.88
2½	63.5	3.09	78.5	150	1.03	6	152	29	737	1.71	2.54
3	76.2	3.61	91.7	150	1.03	7	178	29	737	2.11	3.14
4	101.6	4.69	119.1	150	1.03	10	254	29	737	3.04	4.52
6	152.4	6.91	175.5	150	1.03	30	762	29	737	6.32	9.41



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

HI-PER®



Product Specifications

APPLICATION: A premium hose which is Teflon® lined to handle a broad spectrum of fluids and materials in a

wide variety of applications.

CONSTRUCTION

TUBE: Teflon® Fluoroethylenepropylene (FEP) has FDA/USDA compliant materials

COVER: Blue Versigard® synthetic rubber with bright orange spiral transfer tape (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

TEMPERATURE: -40°F to 300°F (-40°C to 149°C)

PACKAGING: Custom lengths available (minimum 5')

BRANDING (SPIRAL): Example: Goodyear® Hi-Per® Universal Chemical Hose Teflon® lined.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: Order in increments of 100' for 1/2"-2"

Order in increments of 60' for 21/2" and larger sizes

ORDER CODES: 546-256

HI-PER®

- 1	D	NOM	1. OD	MAX	. WP	BEND I	RADIUS	VACU	JM HG	WE	IGHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1/2	12.7	0.97	24.6	200	1.38	3	76	29	737	0.37	0.55
3/4	19.1	1.11	28.2	200	1.38	5	127	29	737	0.56	0.83
1	25.4	1.52	38.6	200	1.38	8	191	29	737	0.71	1.06
11/4	31.8	1.73	43.9	200	1.38	11	279	29	737	0.84	1.25

3/4	19.1	1.11	28.2	200	1.38	5	12/	29	/3/	0.56	0.83
1	25.4	1.52	38.6	200	1.38	8	191	29	737	0.71	1.06
11/4	31.8	1.73	43.9	200	1.38	11	279	29	737	0.84	1.25
1½	38.1	2.13	54.1	200	1.38	14	356	29	737	1.24	1.85
2	50.8	2.69	68.3	200	1.38	18	457	29	737	1.71	2.54
2½	63.5	3.14	79.8	200	1.38	22	559	29	737	2.01	2.99
3	76.2	3.67	93.2	200	1.38	35	889	29	737	2.52	3.75

Note: Refer to the Goodyear Engineered Products Chemical Resistance Charts pages in Appendix B for specific chemical and temperature compatibility.

Teflon® is a registered trademark of E.I. Du Pont De Nemours and Company Corporation.



ORANGE FLEXWING® FLOSYN® TUBE



AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: A versatile chemical hose capable of handling a wide variety of acids, alcohols, salt solutions and

petroleum-based products.

CONSTRUCTION

TUBE: Black Flosyn® synthetic rubber

COVER: Orange Chemivic[™] synthetic rubber with white spiral brand (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

TEMPERATURE: -25°F to 250°F (-32°C to 121°C)

PACKAGING: 100' exact length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Orange Flexwing® with Flosyn® 150 psi WP.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: Order in increments of 100'

ORDER CODES: 541-063

ORANGE FLEXWING®

	D	NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1	25.4	1.44	36.6	150	1.03	4	89	29	737	0.61	0.91
11/4	31.8	1.73	43.9	150	1.03	4	102	29	737	0.79	1.18
1½	38.1	1.97	50.0	150	1.03	4	102	29	737	0.95	1.41
2	50.8	2.58	65.5	150	1.03	5	127	29	737	1.45	2.16
2½	63.5	3.08	78.2	150	1.03	6	152	29	737	1.77	2.63
3	76.2	3.59	91.2	150	1.03	7	178	29	737	2.26	3.36
4	101.6	4.69	119.1	150	1.03	10	254	29	737	3.31	4.93
6	152.4	6.81	173.0	150	1.03	30	762	29	737	6.29	9.36



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PURPLE FLEXWING®



Product Specifications

APPLICATION: A versatile hose developed to handle a wide range of chemicals, acids and alcohols in both

suction and discharge service.

CONSTRUCTION

TUBE: Black Versigard® synthetic rubber

COVER: Purple Versigard® with yellow spiral brand (wrapped impression)

REINFORCEMENT: Spiral plied synthetic fabric with double wire helix

TEMPERATURE: -40°F to 221°F (-40°C to 104°C)

PACKAGING: 100' exact length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Purple Flexwing® with Versigard® 150 psi Max WP.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 546-805

PURPLE FLEXWING®

ID		NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1½	38.1	2.02	51.3	150	1.03	4	102	29	737	0.95	1.41
2	50.8	2.53	64.3	150	1.03	5	127	29	737	1.16	1.73
3	76.2	3.58	90.9	150	1.03	7	178	29	737	2.00	2.98
4	101.6	4.69	119.1	150	1.03	10	254	29	737	3.03	4.51



CLEANING EQUIPMENT



AIR & **MULTIPURPOSE** General Purpose Heavy Duty Push-on

> CHEMICAL **TRANSFER**

CLEANING EQUIPMENT

FOOD Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER Suction & Washdown

WELDING

COUPLING **SYSTEMS**

	Page	Superior Abrasion Cover	Oil Resistance Cover	Microban Cover	Temp Range	Non- Marking*	Wire	Textile	Coupled Assemblies
Fortress® 300	81	Yes	Yes		-20°F to 200°F	Yes		Yes	
Fortress® 1000	82	Yes	Yes	Yes	-20°F to 200°F	Yes		Yes	Yes
Fortress® 3000	83	Yes	Yes	Yes	-20°F to 250°F	Yes	Yes		Yes
Galvanator® 3000	62	Yes	Yes		-20°F to 250°F	Yes	Yes		Yes
Gauntlet® 1500	59	Yes	Yes		-20°F to 200°F	Yes		Yes	Yes
Gauntlet® 3000	60	Yes	Yes		-20°F to 250°F	Yes	Yes		Yes
Gauntlet® 4500	61	Yes	Yes		-20°F to 250°F	Yes	Yes		Yes
Neptune [™] 1500	53				-20°F to 200°F	Yes		Yes	Yes
Neptune™ 3000	54				-20°F to 250°F	Yes	Yes		Yes
Neptune [™] 4001-R	55				-20°F to 250°F	Yes	Yes		Yes
Neptune [™] 4500	56				-20°F to 250°F	Yes	Yes		Yes
Neptune [™] 6000	57				-20°F to 250°F	Yes	Yes		Yes
Spectra® 1000	86				-20°F to 250°F	Yes	Yes		Yes
Spectra® 3000	87				-20°F to 250°F	Yes	Yes		Yes
SpiraFlow®	52				-20°F to 250°F	Yes	Yes		Yes
Whitewater®	58				-20°F to 250°F**	Yes	Yes		Yes



^{*} Nonblack Colors ** Hot water for Steam Cleaner Service at 325°F and 350 psi

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SPIRAFI OW®



Product Specifications

APPLICATION: Designed specifically for the pressure washer industry. A pressure washer hose that reduces

damming which can cause clean spots. Ideal for surface cleaning applications such as parking decks and lots; beef, dairy and poultry operations; gas stations; garages; and auto mechanic

shops

CONSTRUCTION

TUBE: Black Nitrile synthetic rubber

COVER: Black, Blue, or Gray oil-resistant synthetic rubber, RMA Class B (medium/high oil resistance)

REINFORCEMENT: Braided (1) steel wire

TEMPERATURE: -20°F to 250°F (-29°C to 121°C)

PACKAGING: 500' reels, maximum 3 pieces, 50' increments, coupled lengths available.

BRANDING: None

COUPLINGS: Contact fitting manufacturer for proper fitting recommendations and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-185 (black) 539-186 (blue) 539-187 (gray)

SPIRAFLOW®

ı	D	NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
3/8	9.53	0.78	19.69	4000	27.58	0.30	0.44	



NEPTUNE™ 1500



AIR & MULTIPURPOSE General Purpose Heavy Duty

> CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD

Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: For pressure washer equipment, agricultural sprayers and high-pressure air lines.

CONSTRUCTION

TUBE: Nitrile synthetic rubber

COVER: Blue, Gray, Red, Yellow or Black oil-resistant synthetic rubber, RMA Class B

(Medium Oil Resistance)

REINFORCEMENT: Braided (1) synthetic yarn up through 1/2". Braided (2) synthetic yarn for 3/4".

TEMPERATURE: -20°F to 200°F (-29°C to 93°C)

PACKAGING: 1/4" – 5/16" 550' to 750' reels, max 8 pieces, 25' minimum

3/8" 500' reels, max 3 pieces, 50' increments 1/2"- 3/4" 450' to 550' reels, max 5 pieces, 10' minimum

BRANDING: Example: Neptune[™] 1500 3/8" 1500 psi WP. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

Coupled lengths with MxMS fittings and Kink Guards available.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 536-374 (blue) 536-387 (gray) 536-388 (black)

536-490 (yellow)

NEPTUNE™ 1500

-								
ı	D	NOM. OD		MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/4	6.4	0.59	15.0	1500	10.34	0.11	0.16	
5/16	7.9	0.69	17.5	1500	10.34	0.15	0.22	
3/8	9.5	0.75	19.1	1500	10.34	0.18	0.27	
1/2	12.7	0.84	21.3	1200	8.27	0.19	0.28	
3/4	19.1	1.25	31.8	1500	10.34	0.42	0.62	

Note: Not recommended for steam service.

Neptune 1500 in 1/2" ID size is rated at a working pressure rating of 1200 psi. All other sizes listed above are rated at a working pressure of 1500 psi.



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

NEPTUNE™ 3000



Product Specifications

APPLICATION: For use on pressure washer machines with working pressures up to 3000 psi.

CONSTRUCTION

TUBE: Nitrile synthetic rubber

COVER: Black, Blue, Yellow or Gray oil-resistant synthetic rubber, RMA Class B

(Medium Oil Resistance)

REINFORCEMENT: Braided (1) steel wire

TEMPERATURE: -20°F to 250°F (-29°C to 121°C)

PACKAGING: 500' reel, maximum 3 pieces, 50' increments

BRANDING: Example: Neptune[™] 3000 Goodyear[®] 3/8" 3000 psi WP. Made in USA.

COUPLINGS: Use Goodyear Engineered Products pressure washing fittings with this product. See the

Couplings Systems information pages at the back of the catalog for available sizes. Refer to the Goodyear Engineered Products Hose Assembly Manual for crimp procedures. Coupled

lengths with MxMS fittings and Kink Guards available.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-085 (black) 539-089 (blue) 539-104 (yellow) 539-090 (gray)

NEPTUNE™ 3000

	- 1	D	NOM	I. OD	MAX	. WP	WEIGHT		
	in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
_	1/4	6.4	0.53	13.5	3000	20.69	0.15	0.22	
	3/8	9.5	0.69	17.5	3000	20.69	0.24	0.36	
	1/2	12.7	0.82	20.8	3000	20.69	0.32	0.48	



NEPTUNE™ 4001-R



AIR & **MULTIPURPOSE** Heavy Duty

CLEANING

FOOD

Transfer

MARINE

MATERIAL

HANDLING

Bulk Transfer

Cement & Concrete

EQUIPMENT

Product Specifications

APPLICATION: For high-pressure washer equipment with working pressures up to 4000 psi.

CONSTRUCTION

TUBE: Nitrile synthetic rubber

COVER: Black, Yellow, Blue or Gray oil resistant synthetic rubber, RMA Class B (Medium Oil

Resistance)

REINFORCEMENT: Braided (1) steel wire

TEMPERATURE: -20°F to 250°F (-29°C to 121°C)

PACKAGING: 500' reel, maximum 3 pieces, 50' increments

BRANDING: Example: Neptune[™] 4001-R 3/8" 4000 psi WP. Made in USA. Goodyear®

COUPLINGS: Use Goodyear Engineered Products pressure washing fittings with this product. See the

> Couplings Systems information pages at the back of the catalog for available sizes. Refer to the Goodyear Engineered Products Hose Assembly Manual for crimp procedures. Coupled

lengths with MxMS fittings and Kink Guards available.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-261 (black) 539-266 (yellow) 539-265 (blue)

539-262 (gray) 539-111 (red)

MINING

PETROLEUM

Dock

SPRAY

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING

APPENDIX

NEPTUNE™ 4001-R

ID		NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
3/8	9.5	0.69	17.5	4000	27.58	0.25	0.37	



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

NEPTUNE™ 4500



Product Specifications

APPLICATION: For use on pressure washer machines with working pressures up to 4500 psi.

CONSTRUCTION

TUBE: Nitrile synthetic rubber

COVER: Black or Blue oil-resistant synthetic rubber, RMA Class B (Medium Oil Resistance)

REINFORCEMENT: Braided (2) steel wires

TEMPERATURE: -20°F to 250°F (-29°C to 121°C)

PACKAGING: 1/4" – 3/8" 500' reels, maximum 3 pieces, minimum of 50' lengths

1/2" 500' reels, maximum 3 pieces, minimum of 50' lengths

BRANDING: Example: Neptune[™] 4500 3/8" 4500 psi WP. Made in USA.

COUPLINGS: Use Goodyear Engineered Products pressure washing fittings with this product. See the

Couplings Systems information pages at the back of the catalog for available sizes. Refer to the Goodyear Engineered Products Hose Assembly Manual for crimp procedures. Coupled

lengths with MxMS fittings and Kink Guards available.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-091 (black) 539-124 (blue)

NEPTUNE™ 4500

ı	D	NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/4	6.4	0.54	13.7	4500	31.03	0.20	0.30	
3/8	9.5	0.69	17.5	4500	31.03	0.28	0.42	
1/2	12.7	0.82	20.8	4500	31.03	0.35	0.52	



NEPTUNE™ 6000



AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Product Specifications

APPLICATION: For use on pressure washer machines with working pressures up to 6000 psi.

CONSTRUCTION

TUBE: Nitrile synthetic rubber

COVER: Black oil resistant synthetic rubber, RMA Class B (Medium Oil Resistance)

REINFORCEMENT: Braided (2) steel wires

TEMPERATURE: -20°F to 250°F (-29°C to 121°C)

PACKAGING: 500' reels, maximum 3 piece, 50' increments, coupled lengths available

BRANDING: Example: Neptune[™] 6000 3/8" 6000 psi WP. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-149 (black) 539-148 (gray)

CLEANING EQUIPMENT

FOOD

Transfer Washdown

MARINE

MATERIAL HANDLING

Abrasives Bulk Transfer Cement & Concrete

TICHE & CONCICIO

MINING

PETROLEUM Aircraft Fueling

> Dispensing Dock

> > SPRAY

STEAM

VACUUM

VEYANCE

WATER ischarge

Suction & Discharge

Washdov

WELDING

COUPLING SYSTEMS

APPENDIX

NEPTUNE™ 6000

ID		NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
3/8	9.5	0.69	17.5	6000	41.37	0.30	0.45	



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

WHITEWATER®



Product Specifications

APPLICATION: For use on either steam cleaner machines or combination steam cleaner/pressure

washer machines.

CONSTRUCTION

TUBE: Pyrosyn® synthetic rubber

COVER: Black and Red Hysunite[™] synthetic rubber, RMA Class B (Medium Oil Resistance)

REINFORCEMENT: Braided (1) steel wire

TEMPERATURE: Handles hot water at 325°F/163°C and 350 psi for Steam Cleaning Service, handles hot

water at 250°F/121°C and 3000 psi (2500 psi on 1/2") for Pressure Washer Service

PACKAGING: 500' reel, maximum 3 pieces, 50' increments coupled lengths available

BRANDING: Example: Goodyear® 3/8" Whitewater® Pressure Washer 3000 psi/250°F Steam Cleaner

350 psi/325°F. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-095 (black) 539-110 (red)

WHITEWATER® - STEAM CLEANER SERVICE - up to 325°F (163°C)

NOM. ID		NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
3/8	9.50	0.69	17.50	350	2.40	0.23	0.34	
1/2	12.70	0.83	21.20	350	2.40	0.31	0.46	

WHITEWATER® - PRESSURE WASHER SERVICE - up to 250°F (121°C)

NOM. ID		NON	1. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	in. mm.		Мра	lb./ft.	kg./m.	
3/8	9.50	0.69	17.50	3,000	20.6	0.23	0.34	
1/2	12.70	0.83	21.20	2,500	16.9	0.31	0.46	



GAUNTLET® 1500



SUPERIOR ABRASION RESISTANCE

Product Specifications

APPLICATION: Gauntlet® 1500 is for pressure washer equipment with working pressures up to 1500 psi. Its

super abrasion-resistant cover provides maximum protection against adverse affects of oil

 $\qquad \qquad \text{and animal fats.} \\ \textbf{CONSTRUCTION}$

TUBE: Nitrile synthetic rubber

COVER: Black or Yellow oil-resistant Carbryn™ synthetic rubber, RMA Class A (High Oil Resistance)

REINFORCEMENT: Braided (1) synthetic yarn up through 1/2". Braided (2) synthetic yarn for 3/4".

TEMPERATURE: -20°F to 200°F (-29°C to 93°C)

PACKAGING: 500' reel, maximum 3 pieces, 50' increments

BRANDING: Example: Goodyear® Gauntlet® 1500 3/8" 1500 psi. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

Coupled lengths with MxMS fittings and Kink Guards available.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 536-480 (black) 536-474 (yellow) 536-574 (red)

GAUNTLET® 1500

ID		NON	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/4	6.4	0.59	15.0	1500	10.34	0.11	0.16	
3/8	9.5	0.75	19.1	1500	10.34	0.18	0.27	
1/2	12.7	0.84	21.3	1200	8.27	0.18	0.27	
3/4	19.1	1.25	31.8	1500	10.34	0.41	0.61	

Note: Not recommended for steam service.

Gauntlet 1500 in the 1/2" ID is rated at a working pressure of 1200 psi. All other sizes listed above are rated at a working pressure of 1500 psi.

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer

MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

ischarge

Suction & Discharge Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GAUNTLET® 3000



Product Specifications

SUPERIOR ABRASION RESISTANCE

APPLICATION: For use on pressure washer machines with working pressures up to 3000 psi. Its super

abrasion-resistant cover provides maximum protection against adverse affects of oil and

 $\begin{array}{c} \text{animal fats.} \\ \textbf{CONSTRUCTION} \end{array}$

TUBE: Nitrile synthetic rubber

COVER: Black or Yellow oil-resistant Carbryn™ synthetic rubber, RMA Class A (High Oil Resistance)

REINFORCEMENT: Braided (1) steel wire

TEMPERATURE: -20°F to 250°F (-29°C to 121°C)

PACKAGING: 500' reels, maximum 3 pieces, 50' increments

BRANDING: Example: Goodyear® Gauntlet® 3000 3/8" 3000 psi. Made in USA.

COUPLINGS: Use Goodyear Engineered Products pressure washing fittings with this product. See the

Couplings Systems information pages at the back of the catalog for available sizes. Refer to the Goodyear Engineered Products Hose Assembly Manual for crimp procedures. Coupled

lengths with MxMS fittings and Kink Guards available.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-099 (black) 539-100 (yellow)

GAUNTLET® 3000

ID		NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
3/8	9.5	0.69	17.5	3000	20.69	0.24	0.36	
1/2	12.7	0.82	20.8	3000	20.69	0.32	0.48	



GAUNTLET® 4500



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: For use on pressure washer machines with working pressures up to 4500 psi. Its super

abrasion-resistant cover provides maximum protection against adverse affects of oil and

animal fats.

CONSTRUCTION

TUBE: Nitrile synthetic rubber

COVER: Black or Yellow oil-resistant Carbryn™ synthetic rubber, RMA Class A (High Oil Resistance)

REINFORCEMENT: Braided (2) steel wires

TEMPERATURE: -20°F to 250°F (-29°C to 121°C)

PACKAGING: 1/4" – 3/8" 500' reels, maximum 3 pieces, minimum of 50' lengths,

coupled lengths available

1/2" 500' reels, maximum 3 pieces, minimum of 50' lengths,

coupled lengths available

BRANDING: Example: Goodyear® Gauntlet® 4500 3/8" 4500 psi WP. Made in USA.

COUPLINGS: Use Goodyear Engineered Products pressure washing fittings with this product. See the

Couplings Systems information pages at the back of the catalog for available sizes. Refer to the Goodyear Engineered Products Hose Assembly Manual for crimp procedures. Coupled

lengths with MxMS fittings and Kink Guards available.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-122 (black) 539-120 (yellow)

GAUNTLET® 4500

ID		NOM	1. OD	MAX	. WP	WEIGHT			
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.		
1/4	6.4	0.54	13.7	4500	31.03	0.20	0.30		
3/8	9.5	0.69	17.5	4500	31.03	0.27	0.40		
1/2	12.7	0.82	20.8	4500	31.03	0.34	0.51		



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GALVANATOR® 3000



Product Specifications

SUPERIOR ABRASION RESISTANCE

APPLICATION: For pressure washer equipment. Its rust-resistant reinforcement and superior abrasion-

resistant cover provides maximum protection against adverse affects of water, oil and

animal fats.

CONSTRUCTION
TUBE: Nitrile synthetic rubber

COVER: Yellow or Black Carbryn[™] synthetic rubber (wrapped finish), ORS, RMA Class A

(High Oil Resistance)

REINFORCEMENT: Braided (2) steel wires

TEMPERATURE: -20°F to 250°F (-29°C to 121°C)

PACKAGING: 500' reels, maximum 3 pieces, 50' increments

BRANDING: Example: Galvanator® 3000 3/8" (9.5mm) 3000 psi (20.7 Mpa). Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

Coupled lengths with MxMS fittings and Kink Guards available.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-200 (yellow) 539-201 (black)

GALVANATOR® 3000

ID		NOM. OD		MAX. WP		BEND RADIUS		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	lb./ft.	kg./m.
3/8	9.5	6.9	17.5	3000	20.69	2.0	64	0.26	0.39
1/2	12.7	0.82	20.8	3000	20.69	3.5	89	0.31	0.49



FOOD TRANSFER



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD
Transfer
Washdown
MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

	Page	Dry or Liquid	Temp Range	Beer/ Wine	Dairy	Clear	Thermo- plastic	Rubber	3-A, FDA, USDA	NSF 61	Static Wire	Helica Wire
Exstatic®	67	Dry	-25°F to					Yes	FDA,			Yes
			180°F						USDA			
Gray Flextra® LT	66	Liquid	-25°F to	Yes	Yes			Yes	Yes			Yes
			212°F									
Harvest™	68	Dry	-25°F to					Yes	Yes			Yes
N. 1.161 TH 2.2.7			180°F		,,	,,				,,		
Nutriflex™ S&D	70	Both	-15°F to	Yes	Yes	Yes	Yes		Yes	Yes		
Nutriflex [™] Static Wire	71	Dry	-15°F to 158°F		Yes	Yes	Yes		Yes	Yes	Yes	
Nutriflo® S&D	69	Both	-15°F to	Yes	Yes	Yes	Yes		Yes	Yes		
Plicord® Blue Flour	72	Dry	-40°F to					Yes	FDA		Yes	
2740 1 1041	-		180°F					. 55	. 5,,		.55	
Plicord® Brewline®	73	Liquid	-40°F to	Yes				Yes	Yes			
			220°F									
Plicord® Extremeflex™	74	Dry	-25°F to		Yes			Yes	Yes			Yes
			212°F									
Plicord® Gray Food	65	Liquid	-25°F to		Yes			Yes	Yes			Yes
			230°F									
Plicord® Wineline®	75	Liquid	-40°F to	Yes				Yes	Yes			
DUi-@ FO (FD 1 0)	7.0	D 11	220°F	\ <u>'</u>	V	V	V		V			
Pliovic® FG (FDA-3A)	76	Both	-10°F to 158°F	Yes	Yes	Yes	Yes		Yes	Yes		
Potable Water	77	Liquid	-40°F to					Yes	Yes			
Spirathane™ PT	119	Dry	0°F to			Yes	Yes		FDA		Yes	
			158°F									
Vintner™	78-79	Liquid	-30°F to	Yes				Yes	Yes			
	<u> </u>		220°F									
White Flexwing®	64	Both	-25°F to		Yes			Yes	Yes			Yes
			230°F									



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD

Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

WHITE FLEXWING®



Product Specifications



APPLICATION: A highly flexible hose for gravity flow, pressure, or suction service transferring oily and nonoily

edibles from tank truck and in-plant service.

CONSTRUCTION
TUBE: White Chemivic™ synthetic rubber (FDA/USDA compliant and conforms to 3-A Sanitary

Standard 18-03)

COVER: White Chemivic synthetic rubber (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with galvanized wire helix

TEMPERATURE: -25°F to 230°F (-32°C to 110°C)

PACKAGING: 100' length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® White Flexwing® 150 psi WP; FDA, 3-A, and USDA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendations and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-151

WHITE FLEXWING®

ı	D	NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
3/4	19.1	1.20	30.5	150	1.03	2	51	29	737	0.47	0.70
1	25.4	1.44	36.6	150	1.03	3	76	29	737	0.57	0.85
11/4	31.8	1.70	43.2	150	1.03	4	102	29	737	0.69	1.03
1½	38.1	1.97	50.0	150	1.03	4	102	29	737	0.86	1.28
2	50.8	2.53	64.3	150	1.03	5	114	29	737	1.23	1.83
2½	63.5	3.10	78.7	150	1.03	6	146	29	737	1.81	2.69
3	76.2	3.60	91.4	150	1.03	7	178	29	737	2.16	3.21
4	101.6	4.64	117.9	150	1.03	10	254	29	737	3.05	4.54
5	127.0	5.97	151.6	150	1.03	20	508	29	737	5.73	8.53



PLICORD® GRAY





Product Specifications

APPLICATION: A flexible hose for gravity flow, pressure, or suction service transferring edibles from tank truck

and in-plant service.

CONSTRUCTION TUBE:

White Chemivic™ synthetic rubber (FDA/USDA compliant and conforms to 3-A Sanitary

Standard 18-03)

COVER: Gray Chemivic synthetic rubber (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with Galvanized Wire helix

TEMPERATURE: -25°F to 230°F (-32°C to 110°C)

PACKAGING: 100' length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Plicord® Gray Food; FDA, 3-A, and USDA 150 psi.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendations and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-834

PLICORD® GRAY FOOD

ı	D	NOM. OD		MAX. WP		BEND RADIUS		VACUI	JM HG	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1	25.4	1.45	36.7	150	1.03	3	75	29	737	0.58	0.86
1½	38.1	1.97	50.0	150	1.03	4	102	29	737	0.85	1.26
2	50.8	2.59	65.8	150	1.03	5	114	29	737	1.42	2.11
2½	63.5	3.09	78.5	150	1.03	6	152	29	737	1.77	2.63
3	76.2	3.59	91.2	150	1.03	7	178	29	737	2.10	3.13
4	101.6	4.68	118.9	150	1.03	10	254	29	737	3.19	4.75

For Goodyear Engineered Products food hose compliance information, see Appendix C.

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

> CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Vashdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD

Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE


WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GRAY FLEXTRA® LT



Product Specifications

APPLICATION: A lightweight, highly flexible hose used for transferring edibles in gravity flow, pressure, or

suction service. Larger I.D. sizes (5" and 6") applicable as "must" hoses in the wine industry.

CONSTRUCTION

TUBE: White Chemivic[™] (complies with FDA, USDA and 3-A)

COVER: Gray Chemivic[™] (corrugated, wrapped impression)

REINFORCEMENT: Synthetic textile fabric plies and two galvanized wire helix

TEMPERATURE: -25°F to 212°F (-32°C to 100°C)

PACKAGING: Coiled-polyethylene wrapped/bagel pack

BRANDING (SPIRAL): Example: Goodyear® Gray Flextra® LT 150 psi WP; FDA, 3-A and USDA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-357

GRAY FLEXTRA® LT

ID		NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1½	38.1	1.92	48.8	150	1.03	3	64	29	737	0.77	1.15
2	50.8	2.44	62.0	150	1.03	3	76	29	737	1.00	1.49
2½	63.5	3.00	76.2	150	1.03	5	127	29	737	1.46	2.17
3	76.2	3.51	89.2	150	1.03	6	140	29	737	1.95	2.90
4	101.6	4.55	115.6	150	1.03	7	191	29	737	2.59	3.85
5	127.0	5.66	143.8	150	1.03	12	305	29	737	3.84	5.71
6	152.4	6.66	169.2	150	1.03	17	432	29	737	4.55	6.77



EXSTATIC®



AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION:

Exstatic® hose is for tank truck and/or in-plant transfer of dry, bulk foodstuffs where there is a

potential for electrical static build-up.

CONSTRUCTION

TUBE: FDA UHMWPE (static dissipating/static conductive) has FDA/USDA compliant materials

COVER: Blue Plioflex® synthetic rubber (corrugated)/spiral transfer brand (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 100' length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Plicord® Exstatic® FDA Dry Material handling 150 psi.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure. Use

Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product. See the

Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-608

EXSTATIC®

LAGIA	110										
ID		NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
2	50.8	2.50	63.5	150	1.03	8	203	29	737	1.07	1.59
3	76.2	3.56	90.4	150	1.03	12	305	29	737	1.83	2.72
4	101.6	4.59	116.6	150	1.03	16	406	29	737	2.49	3.71
5	127.0	5.67	144.0	150	1.03	20	508	29	737	3.69	5.49



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD

Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

HARVEST™



Product Specifications

APPLICATION: For tank truck and/or in-plant applications for the transfer of dry, nonoily bulk foodstuffs.

CONSTRUCTION FDA, White Pureten™ (natural rubber) (FDA/USDA compliant and conforms to 3-A Sanitary

TUBE: Standard 18-03)

COVER: Gray Versigard® synthetic rubber (corrugated)/orange branding tape (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with double galvanized wire helix

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 100' length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Harvest™ 150 psi WP; FDA/USDA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.


NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-627

HARVEST™											
- 1	ID NO		1. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
2	50.8	2.73	69.3	150	1.03	5	127	29	737	1.57	2.34
3	76.2	3.74	95.0	150	1.03	7	178	29	737	2.32	3.45
4	101.6	4.78	121.4	150	1.03	10	254	29	737	3.44	5.12
5	127.0	5.91	150.1	150	1.03	15	381	29	737	4.76	7.08



NUTRIFLO® SUCTION AND **DISCHARGE HOSE**



Heavy Duty

CHEMICAL TRANSFER

AIR &

CLEANING EQUIPMENT

> **FOOD** Transfer Washdown

> > MARINE

MATERIAL HANDLING Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING **SYSTEMS**

APPENDIX

Product Specifications

APPLICATION:

For handling almost every type of dry bulk food material or liquid in gravity flow and vacuum

service. Nutriflo conforms to USDA Meat and Poultry, 3-A Sanitary, and FDA Standards and is used for the transmission of raw and pasteurized milk and other high water content dairy items.

CONSTRUCTION

Clear Pliovic® (FDA, 3-A, USDA compliant), NSF-61 TUBE:

COVER: Clear Pliovic

REINFORCEMENT: White or Clear high-density Pliovic® helix

-15°F to 158°F (-26°C to 70°C) **TEMPERATURE:**

PACKAGING: 100' length, coiled, polywrapped

BRANDING: Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 586-416 (white) 586-421 (clear)

ID		NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
3/4	19.1	0.99	25.2	120	0.83	3	83	29	737	0.18	0.27
1	25.4	1.24	31.5	106	0.73	5	114	29	737	0.26	0.39
11/4	31.8	1.55	39.4	99	0.68	5	127	29	737	0.36	0.54
1½	38.1	1.78	45.2	89	0.61	6	152	29	737	0.43	0.64
2	50.8	2.37	60.2	79	0.54	8	203	29	737	0.67	1.00
2½	63.5	2.89	73.4	65	0.45	10	254	29	737	0.89	1.32
3	76.2	3.48	88.4	65	0.45	12	305	29	737	1.15	1.71
4	101.6	4.50	114.3	55	0.38	16	406	29	737	1.65	2.46
6	152.4	6.63	168.4	47	0.32	36	914	29	737	3.39	5.04



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD

Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

NUTRIFLEX™ SUCTION AND DISCHARGE HOSE



Product Specifications



APPLICATION: Nutriflex[™] S&D hose is capable of handling almost every type of dry bulk food material or liquid in

gravity flow and vacuum service. Nutriflex conforms to USDA Meat and Poultry, 3-A Sanitary, and FDA Standards and is used for transmission of raw and pasteurized milk and other high water

content dairy items.

CONSTRUCTION

TUBE: Clear Pliovic® (FDA, 3-A, USDA compliant), NSF-61

COVER: Clear Pliovic (corrugated construction)

REINFORCEMENT: Clear high-density rigid Pliovic® helix

TEMPERATURE: -15°F to 158°F (-26°C to 70°C)

PACKAGING: 100' length, coiled, polywrapped

BRANDING: Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 586-417 (white) 586-422 (clear)

N	U	R	ŀL	ΕX	9

ID		NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1	25.4	1.29	32.8	60	0.41	2	38	29	737	0.22	0.33
11/4	31.8	1.56	39.6	50	0.34	3	64	29	737	0.28	0.42
1½	38.1	1.88	47.8	50	0.34	4	81	29	737	0.31	0.46
2	50.8	2.43	61.7	40	0.28	4	81	29	737	0.51	0.76
2½	63.5	3.00	76.2	35	0.24	5	114	29	737	0.82	1.22
3	76.2	3.58	90.9	35	0.24	7	165	29	737	1.05	1.56
4	101.6	4.71	119.6	35	0.24	10	264	29	737	1.67	2.49
5	127.0	5.62	142.8	25	0.17	30	747	29	737	2.03	3.02
6	152.4	6.72	170.7	25	0.17	30	747	29	737	2.27	3.38



NUTRIFLEX® STATIC WIRE



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION:

For handling almost every type of dry bulk food material or liquid in gravity flow and vacuum

service. Nutriflex Static Wire conforms to USDA Meat and Poultry, 3-A Sanitary, and FDA Standards

and is recommended for transmission of powder pellets or granular materials.

CONSTRUCTION

TUBE: Clear Pliovic® (FDA, 3-A, USDA compliant), NSF-61

COVER: Clear Pliovic (corrugated construction) static wire placed between the tube and cover

REINFORCEMENT: Clear, high-density Pliovic® helix

TEMPERATURE: -15°F to 158°F (-26°C to 70°C)

PACKAGING: 100' length, coiled, polywrapped

BRANDING: Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 586-472

NUTRIFLEX® STATIC WIRE

I	D	NOM	1. OD	MAX	. WP	BEND I	RADIUS	VACUI	JM HG	WE	GHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1	25.4	1.30	33.0	60	0.41	2	38	29	737	0.23	0.34
11/4	31.8	1.56	39.6	50	0.34	3	64	29	737	0.29	0.43
1½	38.1	1.84	46.8	50	0.34	4	81	29	737	0.36	0.54
1¾	44.5	2.09	53.1	45	0.31	4	81	29	737	0.40	0.60
2	50.8	2.43	61.7	40	0.28	4	89	29	737	0.52	0.77
2½	63.5	3.00	76.2	35	0.24	5	114	29	737	0.80	1.19
3	76.2	3.58	90.9	35	0.24	7	165	29	737	1.09	1.62
4	101.6	4.65	118.1	35	0.24	11	264	29	737	1.51	2.25
5	127.0	5.75	146.1	35	0.24	22	559	29	737	2.15	3.20
6	152.4	6.87	174.5	25	0.17	30	747	28	711	2.98	4.43



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD

Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® BLUE FLOUR



Product Specifications



APPLICATION: Tank truck or in-plant service hose is for discharge transfer of abrasive materials and dry foods

such as flour, cake mixes, etc.

CONSTRUCTION

TUBE: 3/16" gauge white Pureten™ tube (FDA compliant)

COVER: Blue Plioflex® rubber (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with 2 antistatic wires

TEMPERATURE: -40°F to 180°F (-40°C to 82°C)

PACKAGING: 100' length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Plicord® Blue Flour Discharge FDA 150 psi.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-503

PLICORD® BLUE FLOUR

ı	ID		1. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
2	50.8	2.68	68.1	150	1.03	1.39	2.07	
3	76.2	3.69	93.7	150	1.03	2.02	3.01	
4	101.6	4.71	119.6	150	1.03	2.63	3.91	
5	127.0	5.72	145.3	150	1.03	3.27	4.87	



PLICORD® BREWLINE®





Product Specifications

APPLICATION: A quality discharge hose designed specifically for the highly demanding service of transferring

nonoily liquid products in wineries and breweries.

CONSTRUCTION

TUBE: White chlorobutyl rubber (FDA/USDA compliant and conforms to 3-A Sanitary Standard 18-03)

COVER: Red Versigard® with a white spiral stripe (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric, 4 plies to 1½" I.D.; 6 plies over 1½" I.D.

TEMPERATURE: -40°F to 220°F (-40°C to 104°C)

PACKAGING: 100' length, coiled, polywrapped

BRANDING: Example: Goodyear® Plicord® Brewline® hose 250 psi; FDA, 3-A, and USDA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-885

PLICORD® BREWLINE®

1	D	NOM. OD		MAX	MAX. WP		RADIUS	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	lb./ft.	kg./m.
3/4	19.1	1.34	34.0	250	1.72	20	508	0.54	0.80
1	25.4	1.69	42.9	250	1.72	20	508	0.81	1.21
11/4	31.8	2.00	50.8	250	1.72	20	508	1.05	1.56
1½	38.1	2.23	56.6	250	1.72	20	508	1.19	1.77
2	50.8	2.88	73.2	250	1.72	20	508	1.86	2.77
2½	63.5	3.51	89.2	250	1.72	20	508	2.66	3.96
3	76.2	4.09	103.9	250	1.72	20	508	3.57	5.31
4	101.6	5.31	134.9	250	1.72	20	508	5.43	8.08

For Goodyear Engineered Products food hose compliance information, see Appendix C.

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD

Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® EXTREMEFLEX™



Product Specifications



APPLICATION: A high-tech, flexible corrugated hose with pretzel-like agility and proven performance. Best of all,

it's available at a non-corrugated price, making it a great value. With ExtremeFlex, there's even

more to appreciate:

• Flexible Handling: Easier to move in and out of tight spaces and around sharp corners.

• Lightweight: Easier to lift and carry, so there are fewer workplace injuries.

• Lower Force to Bend: Easier to connect and disconnect, keeping productivity high.

CONSTRUCTION

TUBE:

White Chemivic[™] synthetic rubber (FDA/USDA compliant and conforms to 3-A Sanitary Standard 18-03)

COVER: White or gray Chemivic[™] corrugated synthetic rubber (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with galvanized wire helix

TEMPERATURE: - 25°F to 212°F (- 32°C to 100°C)

PACKAGING: Coiled & polywrapped

BRANDING (SPIRAL): Goodyear® Plicord® ExtremeFlex® Food Grade 150 PSI WP

COUPLINGS: Contact fitting manufacturer for proper fitting recommendations and coupling procedure

NON-STOCK/SIZES: 400' minimum order

ORDER CODES: 549-462 (white) 549-164 (gray)

EXTREMEFLEX FOOD GRADE

ID		NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m
2	51.2	2.4	62.0	150	1.03	2	51	29	737	1.00	1.48
2½	63.7	3.0	77.5	150	1.03	2½	63	29	737	1.61	2.38
3	76.1	3.5	89.9	150	1.03	3	76	29	737	1.89	2.79
4	102.1	4.6	116.6	150	1.03	4	102	29	737	2.69	3.98





PLICORD® WINELINE®



Product Specifications

APPLICATION: A quality, nontoxic hose for handling wine, potable water, and other nonoily liquid food products

where the hose must meet FDA requirements. For discharge service and suction service up to 20"

hg vacuum at ambient temperature.

CONSTRUCTION

TUBE: White chlorobutyl rubber (FDA/USDA compliant and conforms to 3-A Sanitary Standard 18-03)

COVER: White Versigard® rubber with a purple spiral stripe (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric, 4 plies to 1½" I.D.; 6 plies over 1½" I.D.

TEMPERATURE: -40°F to 220°F (-40°C to 104°C)

PACKAGING: 100' length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Plicord® Wineline® hose 250 psi; FDA, 3-A, and USDA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-887

PLICORD® WINELINE®

- 1	D	NOM. OD		MAX. WP		BEND I	RADIUS	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	lb./ft.	kg./m.
3/4	19.1	1.39	35.3	250	1.72	20	508	0.60	0.89
1	25.4	1.69	42.9	250	1.72	20	508	0.80	1.19
11/4	31.8	2.00	50.8	250	1.72	20	508	1.04	1.55
1½	38.1	2.23	56.6	250	1.72	20	508	1.20	1.79
2	50.8	2.92	74.2	250	1.72	20	508	1.98	2.95
2½	63.5	3.50	88.9	250	1.72	20	508	2.65	3.94
3	76.2	4.09	103.9	250	1.72	20	508	3.55	5.28
4	101.6	5.30	134.6	250	1.72	20	508	5.40	8.04

For Goodyear Engineered Products food hose compliance information, see Appendix C.

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD

Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLIOVIC® FG (FDA-3A)



Product Specifications



APPLICATION: A versatile, lightweight, reinforced tubing for the food and beverage, general air, multipurpose,

pharmaceutical and cosmetics industries; computer component manufacturers; textile mills; and

air-actuated equipment.

CONSTRUCTION

TUBE: Clear Pliovic® compound, conforms to FDA, USDA, NSF-61 and 3-A standards

COVER: Clear Pliovic compound, conforms to FDA, USDA, NSF-61 and 3-A standards

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -10°F to 158°F (-23°C to 70°C)

PACKAGING: 1/4" – 5/8" 300' Bagel Pack, one piece 3/4" and 1" 200' Bagel Pack, one piece

BRANDING: Example: Goodyear® Pliovic® FG 3/8" ID (9.5 mm) 250 psi WP (1.7 Mpa). Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: Contact customer service for availability on cut, coiled, and tied hose lengths.

ORDER CODES: 540-337

PLIOVIC® FG

I	D	NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/4	6.4	0.44	11.2	250	1.72	0.05	0.07	
5/16	7.9	0.50	12.7	250	1.72	0.07	0.10	
3/8	9.5	0.59	15.0	250	1.72	0.08	0.12	
1/2	12.7	0.75	19.1	200	1.38	0.12	0.18	
5/8	15.9	0.87	22.1	200	1.38	0.15	0.22	
3/4	19.1	1.02	25.9	150	1.03	0.19	0.28	
1	25.4	1.34	34.0	125	0.86	0.31	0.46	
11/4	31.75	1.72	43.6	125	0.86	0.60	0.89	
1½	38.1	1.98	50.2	125	0.86	0.72	1.07	
2	50.8	2.51	63.8	100	0.69	1.00	1.48	



POTABLE WATER



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: Designed to handle water suitable for drinking. Used in oilfield or industrial applications. Used in discharge service only. This hose is not NSF approved.

CONSTRUCTION

TUBE: White natural rubber (complies with FDA requirements)

COVER: Blue SBR (smooth, wrapped impression)

REINFORCEMENT: Synthetic textile fabric plies

TEMPERATURE: -40°F to 180°F (-40°C to 82°C)

PACKAGING: Coiled-polyethylene wrapped/bagel pack

BRANDING (SPIRAL): Example: Goodyear® Potable Water Hose.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 542-445

POTABLE WATER

- 1	ID		NOM. OD		. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1	25.4	1.49	37.9	250	1.72	0.55	0.82	
1½	38.1	1.98	50.3	250	1.38	0.77	1.15	
2	50.8	2.50	63.5	150	1.03	0.96	1.43	
3	76.2	3.58	91.0	150	1.03	1.72	2.56	
4	101.6	4.56	115.8	150	1.03	1.99	2.96	



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD

Transfer

Washdown

MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

VINTNER™



Product Specifications



APPLICATION: For handling in-plant and/or tank truck transfer of wine, beer, potable water and other nonoily,

liquid foodstuffs.

CONSTRUCTION TUBE:

BE: White Chlorobutyl (FDA/USDA compliant and conforms to 3-A Sanitary Standard 18-03)

COVER: Gray Versigard® synthetic rubber (wrapped) / purple branding tape

REINFORCEMENT: Spiral-plied synthetic fabric with Monofilament Helix

TEMPERATURE: - 30°F to 220°F (- 34°C to 104°C)

PACKAGING: 100' length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Plicord® Vintner™ 250 psi; FDA, 3 - A, and USDA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-886

VINTN	ER™										
ID		NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1	25.4	1.62	41.1	250	1.72	3	76	27	686	0.71	1.06
1½	38.1	2.11	53.6	250	1.72	4	102	27	686	0.98	1.46
2	50.8	2.68	68.1	250	1.72	7	178	27	686	1.38	2.05
2½	63.5	3.21	81.5	250	1.72	10	254	27	686	1.78	2.65
3	76.2	3.85	97.8	250	1.72	12	305	27	686	2.59	3.86



FOOD TRANSFER

Refer to Food Hose Recommendation Guide below for specific hose application capabilities.

FOOD HOSE RECOMMENDATION GUIDE

FU	OD HOSE KE	COMME	NUALION	GUIDE	
TUBE: Compound TUBE: Color	CHEMIVIC WHITE	PURETEN TAN	PURETEN White	CHLOROBUTYL WHITE	PLIOVIC CLEAR
HOSE NAME	WHITE FLEXWING, WHITE FLEXTRA, GRAY FLEXTRA LT, GRAY FOOD, WHITE SOFTWALL	FLEXWING, TAN FLEXTRA, TAN SOFTWALL	BLUE FLOUR DISCHARGE, HARVEST	WINELINE, Brewline, Vintner	PLIOVIC FG, NUTRIFLO, NUTRIFLEX, NUTRIFLEX SW
FOOD					
(B)					
Beet Sugar, granular Buttermilk, dried (C)	I X	A A	A A	X X	B B
Cane Sugar, granular	1	A	A	Χ	В
Cashew Nut Oil	Å	X	X	X	X
Castor Oil	A	Х	Χ	Χ	X
Citric Acid	A	A	A	Α	В
Cocoa Butter	A	X	X	X	l
Coconut Oil Corn Oil	A A	X X	X X	X X	X X
Cottonseed Oil	A	X	X	X	X
(F)	n	^	X	٨	Λ
Fish Meal	A	Х	X	Χ	В
Flour	î.	A	A	X	b
(G)					
Grape Juice	A	X	Χ	Α	В
(L)					
Lactic Acid	A	В	В	В	Χ
Lard Oil	A	Х	Х	Х	Χ
Linseed Oil	A	Х	X	Х	X
Liquor (spirits)	В	Х	Х	Х	В
(M)					
Milk	A	X	X	A	В
Mineral Oil Molasses	A A	X A	X A	X A	B A
(0)	,,	,,	N	N	^
Olive Oil	A	Х	Х	Χ	Χ
Orange Juice	A	X	X	Ä	A
(P)					
Palm Oil	A	Х	Χ	Χ	Χ
Paraffin	A	Х	Χ	Χ	В
Peanut Oil	A	X	X	Х	X
Potato Flour	1	A	А	Х	А
(S)				V	
Salt, granular, table grade Shortening	I A	A X	A X	X X	A I
Soybean Oil	A	X	X	X	X
Sucrose	A	Ä	Ä	X	A
Sugar, granulated	Ï	A	A	X	A
Sugar, syrup	A	A	A	Α	A
(T)					
Tallow	A	Х	X	Χ	Χ
Tomato Juice, paste	A	X	X	I	В
& puree sauce					
(V)	Δ.	v	V	V	V
Vegetable Oil Vinegar	A A	X X	X X	X A	X A
=	Н	^	٨	А	А
(W) Water, Potable	A	Х	Х	Α	A
Whiskey	В	X	X	X	X
Wine	A	X	X	Â	Î
·-	.,	. "	.,		

Key: A - Excellent; B - Good; X - Not recommended; I - Insufficient information. Note: For temperatures in excess of 150°F, consult Customer Service.



AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

FOOD WASHDOWN



	Page	Non- Marking	Superior Oil Resistance Tube and Cover	Superior Abrasion Cover	Anti Microbial Cover	Tapered Nozzle	Wire	Textile
Fortress® 300	81	Yes	Yes	Yes	Yes			Yes
Fortress® 1000	82	Yes	Yes	Yes	Yes			Yes
Fortress® 3000	83	Yes	Yes	Yes	Yes		Yes	
Gauntlet® 1500	59	Yes*	Yes	Yes				Yes
Plicord® Washdown	238					Yes		Yes
Sani-Wash™ 300	88	Yes						Yes
Spectra® 300	85	Yes	Yes					Yes
Spectra® 1000	86	Yes	Yes				Yes	
Spectra® 3000	87	Yes	Yes				Yes	
Blue Fortress® 300	84	Yes	Yes	Yes	Yes			Yes
Super Sani-Wash™ 300	89	Yes			Yes			Yes

^{*}Nonblack Colors



FORTRESS® 300 WITH Microban PRODUCT PROTECTION

FORTRESS 300 WITH OMICTODAN

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

HANDLING Abrasives Bulk Transfer Cement & Concrete

MATERIAL

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Vashdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION:

A high-quality construction for hot water up to 200°F (93°C) cleanup service in food processing plants, dairies, packing houses, bottling plants, breweries, canneries and creameries. Its super abrasion and oil-resistant cover provides maximum protection against the adverse affects of oil and animal fats. The cover of our Fortress® 300 hose incorporates Microban's®* antimicrobial built-in product protection.

CONSTRUCTION

COVER:

TUBE: Black Nitrile synthetic rubber

Yellow Carbryn™ synthetic rubber, RMA Class A (High Oil Resistance) with Microban®

product protection

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -20°F to 200°F (-29°C to 93°C)

PACKAGING: 1/2"-3/4" 500' reels, maximum 3 pieces, 50' increments 1" 450' reels, maximum 3 pieces, 50' increments

BRANDING: Example: Fortress® 300 with Microban® Antimicrobial Product Protection 3/8" 300 psi WP.

Made in USA Goodyear®.

COUPLINGS: Use Goodyear Engineered Products pressure washing fittings with this product. See the Couplings

Systems information pages at the back of the catalog for available sizes. Refer to the Goodyear Engineered Products Hose Assembly Manual for crimp procedures. Coupled lengths with MxMS fit-

tings and Kink Guards available.

NON-STOCK/SIZES: Contact customer service for availability on cut, coiled, and tied hose lengths.

ORDER CODES: 569-120 (Yellow) 569-121 (Blue)

FORTRESS® 300

ID		NOM. OD		MAX	. WP	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/2	12.7	0.90	22.8	300	2.07	0.29	0.43
5/8	15.9	1.06	27.0	300	2.07	0.36	0.54
3/4	19.1	1.19	30.2	300	2.07	0.41	0.61
1	25.4	1.50	38.1	300	2.07	0.60	0.89

^{*}Microban® antimicrobial product protection inhibits the growth of bacteria, mold, and fungi that can cause odor, stains, or degradation of the hose cover.

Microban® is intended to protect the hose cover only. It is not a substitute for good sanitary practices.



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

FORTRESS® 1000 WITH Microban PRODUCT PROTECTION



Product Specifications



APPLICATION: For use on pressure washer machines with working pressures up to 1000 psi. Applications include

washdown service in food processing plants, dairies, packing houses, bottling plants, breweries, canneries and creameries. Its super abrasion and oil-resistant cover provides maximum protection against the adverse affects of oil and animal fats. The cover of our Fortress® Washdown hose incorporates Microban's®* antimicrobial built-in product protection.

CONSTRUCTION

TUBE: Nitrile synthetic rubber

COVER: Carbryn™ synthetic rubber, RMA Class A (High Oil Resistance) with Microban® product protection.

REINFORCEMENT: Braided (1) synthetic yarn

TEMPERATURE: -20°F to 200°F (-29°C to 93°C)

PACKAGING: 500' reels, maximum 3 pieces, 50' increments: coupled lengths available

BRANDING: Example: Fortress® 1000 with Microban® Antimicrobial Product Protection 3/8" 1000 psi WP.

Made in USA Goodyear®.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 536-575 (yellow) 536-583 (red) 536-481 (blue)

FORTRESS® 1000

ID		NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/4	6.4	0.59	15.0	1000	6.9	0.12	0.18	
3/8	9.5	0.75	19.1	1000	6.9	0.18	0.27	
1/2	12.7	0.86	21.8	1000	6.9	0.20	0.30	
3/4	19.1	1.20	30.5	1000	6.9	0.42	0.62	

^{*}Microban® antimicrobial product protection inhibits the growth of bacteria, mold, and fungi that can cause odor, stains, or degradation of the hose cover.

Microban® is intended to protect the hose cover only. It is not a substitute for good sanitary practices.



FORTRESS® 3000 WITH Microban PRODUCT PROTECTION

FORTRESS 3000 WITH . Microban



SUPERIOR ABRASION RESISTANCE

Product Specifications

APPLICATION:

Fortress® 3000 is for use on pressure washer machines with working pressures up to 3000 psi. Applications include washdown service in food processing plants, dairies, packing houses, bottling plants, breweries, canneries and creameries. Its super abrasion and oil-resistant cover provides maximum protection against the adverse effects of oil and animal fats. The cover of Fortress® Washdown hose incorporates Microban's®* antimicrobial built-in product protection.

CONSTRUCTION

TUBE: Nitrile synthetic rubber

COVER: Carbryn[™] synthetic rubber, RMA Class A (High Oil Resistance) with Microban[®] built-in

product protection.

REINFORCEMENT: Braided (1) steel wire

TEMPERATURE: -20°F to 250°F (-29°C to 121°C)

PACKAGING: 500' reel, maximum 3 pieces, 50' increments: coupled lengths available

BRANDING: Example: Fortress® 3000 with Microban® Antimicrobial Product Protection 3/8" 3000 psi WP.

Made in USA Goodyear®.

COUPLINGS: Use Goodyear Engineered Products pressure washing fittings with this product. See the Couplings

Systems information pages at the back of the catalog for available sizes. Refer to the Goodyear Engineered Products Hose Assembly Manual for crimp procedures. Coupled lengths with MxMS fit-

tings and Kink Guards available.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-400 (Yellow) 539-401 (Blue)

FORTRESS® 3000

ID		NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/4	6.4	0.53	13.5	3000	20.69	0.15	0.22	
3/8	9.5	0.69	17.5	3000	20.69	0.24	0.36	
1/2	12.7	0.82	20.8	3000	20.69	0.32	0.48	

^{*}Microban® antimicrobial product protection inhibits the growth of bacteria, mold, and fungi that can cause odor, stains, or degradation of the hose cover.

Microban® is intended to protect the hose cover only. It is not a substitute for good sanitary practices.

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Discharge Suction &

Washdowr

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

BLUE FORTRESS® 300 WITH MICROBAN TOURCE TO COMPANY

WITH FDA COMPLIANT WHITE TUBE



Product Specifications



APPLICATION: A high-quality construction for hot water up to 200°F (93°C) cleanup service in food processing

plants, dairies, packing houses, bottling plants, breweries, canneries and creameries. Its super abrasion and oil-resistant cover provides maximum protection against the adverse effects of oil and animal fats. The cover of our Blue Fortress® 300 hose incorporates Microban's® antimicrobial built-in product protection. The white tube is comprised of FDA compliant materials.

CONSTRUCTION

TUBE: White FDA compliant nitrile synthetic rubber

COVER: Blue Carbryn[™] synthetic rubber, RMA Class A (High Oil Resistance) with Microban® product protection

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -20°F to 200°F (-29°C to 93°C)

PACKAGING: Bulk

BRANDING: Example: Fortress® 300 with Microban® Antimicrobial Product Protection 3/4" 300 psi WP.

Made in USA Goodyear®.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

ORDER CODES: 569-121

BLUE FORTRESS® 300 WITH FDA COMPLIANT WHITE TUBE

SIZE	ID		OD		MAX	. WP	WEIGHT		
in.	in.	mm.	in.	mm.	psi	Мра	lbs/ft	kg./m.	
1/2	0.50	12.7	0.90	22.8	300	2.07	0.30	0.45	
3/4	0.75	19.1	1.19	30.2	300	2.07	0.44	0.65	
1	1.00	25.4	1.50	38.1	300	2.07	0.64	0.95	



SPECTRA® 300



Product Specifications

APPLICATION: A high-quality, economical construction for hot water up to 200°F (93°C) cleanup service in food

processing plants, dairies, packing houses, bottling plants, breweries, canneries and creameries.

CONSTRUCTION

TUBE: Black Nitrile synthetic rubber, RMA Class A (High Oil Resistance), non-FDA

COVER: White Chemivic[™] synthetic rubber, RMA Class A (High Oil Resistance)

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -20°F to 200°F (-29°C to 93°C)

PACKAGING: 1/2"- 3/4" 500' reels, maximum 3 pieces, 50' increments 1" 450' reels, maximum 3 pieces, 50' increments

BRANDING: Example: Spectra® (19.1 mm) 300 psi WP. Made in USA Goodyear®.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 569-019

SPECTRA® 300

ID		NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/2	12.7	0.91	23.1	300	2.07	0.27	0.40	
3/4	19.1	1.18	30.0	300	2.07	0.40	0.60	
1	25.4	1.50	38.1	275	1.90	0.60	0.89	

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SPECTRA® 1000



Product Specifications

APPLICATION: For use on pressure washer machines with working pressures up to 1000 psi. Its oil-resistant

cover provides protection against the effects of oil and animal fats.

CONSTRUCTION

TUBE: Nitrile synthetic rubber

COVER: Yellow oil-resistant synthetic rubber, RMA Class A (High Oil Resistance)

REINFORCEMENT: Braided (1) steel wire

TEMPERATURE: -20°F to 250°F (-29°C to 121°C)

PACKAGING: 500' reel, maximum 3 pieces, 50' increments, coupled lengths available

BRANDING: Example: Spectra® 1000 3/8" 1000 psi WP. Made in USA Goodyear®.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-404

SPECTRA® 1000

ID		NOM. OD		MAX	. WP	WEIGHT	
in.	mm.	in. mm.		psi	Мра	lb./ft.	kg./m.
3/8	9.5	0.69	17.5	1000	6.90	0.23	0.34
1/2	12.7	0.81	20.6	1000	6.90	0.28	0.42
3/4	19.1	1.10	27.9	1000	6.90	0.42	0.63

Note: Not recommended for steam service.



SPECTRA® 3000



Product Specifications

APPLICATION: For use on pressure washer machines with working pressures up to 3000 psi. Its oil-resistant

cover provides protection against the effects of oil and animal fats.

CONSTRUCTION

TUBE: Nitrile synthetic rubber

COVER: Yellow oil-resistant synthetic rubber, RMA Class A (High Oil Resistance)

REINFORCEMENT: Braided (1) steel wire

TEMPERATURE: -20°F to 250°F (-29°C to 121°C)

PACKAGING: 500' reels, maximum 3 pieces, 50' increments, coupled lengths available

BRANDING: Example: Spectra® 3000 3/8" 3000 psi WP. Made in USA Goodyear®.

COUPLINGS: Use Goodyear Engineered Products pressure washing fittings with this product. See the Couplings

Systems information pages at the back of the catalog for available sizes. Refer to the Goodyear Engineered Products Hose Assembly Manual for crimp procedures. Coupled lengths with MxMS fit-

tings and Kink Guards available.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-413

SPECTRA® 3000

ID		NOM. OD		MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/4	6.4	0.54	13.7	3000	20.69	0.16	0.24	
3/8	9.5	0.69	17.5	3000	20.69	0.24	0.36	
1/2	12.7	0.82	20.8	3000	20.69	0.32	0.48	

Note: Not recommended for steam service.

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

F00D Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SANI-WASH™ 300



Product Specifications

APPLICATION: An economical hose for hot water washdown up to 205°F cleanup in food processing plants,

dairies, packing houses, bottling plants, breweries, canneries and creameries.

CONSTRUCTION

TUBE: Versigard® synthetic rubber

COVER: White Versigard® synthetic rubber

REINFORCEMENT: Textile reinforced

TEMPERATURE: -40°F to 205°F (-40°C to 93°C)

PACKAGING: 1/2"- 3/4" 500' reels, maximum 3 pieces, 50' increments 1" 450' reels, maximum 3 pieces, 50' increments

BRANDING: Example: Goodyear® Sani-Wash™ 300 psi WP 3/4" (19.1 mm) Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 569-020

SANI-WASH™ 300

ID		NOM. OD		MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/2	12.7	0.84	21.3	300	2.07	0.26	0.39	
5/8	15.9	1.00	25.4	300	2.07	0.31	0.46	
3/4	19.1	1.17	29.7	300	2.07	0.42	0.63	
1	25.4	1.47	37.3	300	2.07	0.62	0.92	



SUPER SANI-WASH™ 300



NEW

Product Specifications

APPLICATION: An economical hose for hot water washdown up to 200°F cleanup in food processing plants,

dairies, packing houses, bottling plants, breweries, canneries and creameries. The cover of the Super Sani-Wash™ Washdown hose incorporates Microban's® antimicrobial built-in product

protection.

CONSTRUCTION

TUBE: Versigard® synthetic rubber

COVER: White Versigard® synthetic rubber with Microban® product protection

REINFORCEMENT: Spiral textile reinforced

TEMPERATURE: - 40°F to 200°F (- 40°C to 93°C)

PACKAGING: Reels

BRANDING: Example: Goodyear® Super Sani-Wash™ 300 with Microban® antimicrobial product protection 300

PSI WP. 3/4" (19.1 MM) Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

For special production run minimum requirements, see Appendix C.

NON-STOCK/SIZES: Contact a Goodyear Engineered Products representative for special production run minimum

requirements.

ORDER CODES: 569-021

SUPER SANI-WASH™ 300

ID		NOM. OD		MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/2	12.7	0.84	21.3	300	2.07	0.26	0.39	
3/4	19.1	1.17	29.7	300	2.07	0.42	0.63	
1	25.4	1.47	37.3	300	2.07	0.62	0.92	

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose	NOTES
Heavy Duty Push-on	
CHEMICAL TRANSFER	
CLEANING EQUIPMENT	
FOOD Transfer Washdown	
MARINE	
MATERIAL HANDLING Abrasives	
Bulk Transfer Cement & Concrete	
MINING	
PETROLEUM Aircraft Fueling Dispensing	
Dock Transfer	
SPRAY	
STEAM	
VACUUM	
VEYANCE	
WATER Discharge	
Suction & Discharge Washdown	
WELDING	
COUPLING SYSTEMS	



MARINE



	Page	SAE	USCG	Hardwall	Softwall
Flexshield™ Marine Barrier Hose USCG/SAE J1527 & ISO 7840 Type A1-15	98	Yes	Yes		
Marine Fuel Feed Vent Hose USCG/SAE J1527 Type A2	99	Yes	Yes		
Marine Fuel Feed Vent Hose USCG/SAE J1527 Type B2	100	Yes	Yes		
Marine Fuel Line USCG/SAE J1527 & ISO 7840 Type A1	97	Yes	Yes		
Plicord® Hardwall Wet Exhaust	92-93		Yes	Yes	
Plicord® SAE J1527 Type A2 (fuel fill)	96	Yes	Yes	Yes	
Plicord® Softwall Wet Exhaust	94-95		Yes		Yes

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® HARDWALL WET EXHAUST



Product Specifications

APPLICATION: For water suction and discharge applications including: engine intake, bilge exhaust, toilet,

holding tank and scupper lines. Also for industrial water suction and discharge applications

where unique sizes are required to fit over pipe. Does not meet SAE J2006 R2 Spec.*

CONSTRUCTION

TUBE: Black Nitrile synthetic rubber RMA Class A (High Oil Resistance)

COVER: Black Plioflex® synthetic rubber (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -20°F to 180°F (-29°C to 82°C)

PACKAGING: $1/2" - 5\frac{1}{2}"$ 50' exact length, coiled and polywrapped

6"-8" 25' exact length, polywrapped

BRANDING (SPIRAL): Example: Industrial ORS/Wet Exhaust Goodyear®.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-193 (<6") 541-193 (>6")

*Spec 542-812 (<6") and 541-812 (>6") meet the SAE J2006 R2 Spec but the tube is non-oil resistant (Class C Oil Resistance)



PLICORD® HARDWALL WET EXHAUST

ı	D	NOM	I. OD	MAX	. WP	BEND I	RADIUS	VACU	UM HG	WE	IGHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1/2	12.7	0.95	24.3	250	1.72	2	51	29	737	0.35	0.52
5/8	15.9	1.07	27.3	200	1.38	2	51	29	737	0.40	0.59
3/4	19.0	1.19	30.4	200	1.38	3	76	29	737	0.46	0.68
7/8	22.2	1.32	33.5	200	1.38	3	76	29	737	0.52	0.77
1	25.4	1.44	36.6	150	1.03	3	76	29	737	0.57	0.84
11/8	28.6	1.58	40.3	150	1.03	4	102	29	737	0.64	0.95
11/4	31.8	1.70	43.3	150	1.03	4	102	29	737	0.70	1.04
15/16	33.3	1.76	44.8	125	0.86	4	102	29	737	0.72	1.07
1%	34.9	1.82	46.3	125	0.86	4	102	29	737	0.75	1.11
1½	38.1	1.94	49.3	100	0.69	4	102	29	737	0.81	1.20
15/8	41.3	2.07	52.8	100	0.69	4	102	29	737	0.87	1.29
1¾	44.4	2.22	56.4	100	0.69	4	102	29	737	0.94	1.40
11//8	47.6	2.33	59.3	100	0.69	6	152	29	737	0.99	1.47
2	50.8	2.44	62.4	75	0.52	6	152	29	737	1.05	1.56
21/8	54.0	2.59	65.8	75	0.52	6	152	29	737	1.11	1.65
21/4	57.1	2.70	68.6	75	0.52	6	152	29	737	1.16	1.72
23/8	60.3	2.83	72.1	75	0.52	8	203	29	737	1.22	1.81
21/2	63.5	3.02	76.8	75	0.52	8	203	29	737	1.57	2.33
25/8	66.7	3.16	80.3	75	0.52	8	203	29	737	1.65	2.45
23/4	69.8	3.28	83.3	50	0.34	8	203	29	737	1.72	2.56
21/8	73.0	3.40	86.5	50	0.34	8	203	29	737	1.79	2.66
3	76.2	3.51	89.1	50	0.34	10	254	29	737	1.77	2.63
31/8	79.4	3.66	93.0	50	0.34	10	254	29	737	1.86	2.77
31/4	82.5	3.78	96.2	50	0.34	10	254	29	737	1.92	2.86
31/2	88.9	4.05	103.0	50	0.34	10	254	29	737	2.07	3.08
4	101.6	4.53	115.2	50	0.34	12	305	29	737	2.45	3.65
41/8	104.8	4.66	118.4	30	0.21	12	305	29	737	2.52	3.75
41/2	114.3	5.10	129.7	30	0.21	14	356	29	737	3.47	5.17
5	127.0	5.61	142.5	30	0.21	24	610	29	737	3.83	5.70
51/8	130.2	5.74	145.8	30	0.21	24	610	29	737	4.19	6.24
5½	139.7	6.12	155.4	30	0.21	24	610	29	737	4.48	6.67
6	152.4	6.67	169.4	30	0.21	30	762	29	737	5.19	7.73
61/8	155.6	6.79	172.6	30	0.21	30	762	29	737	5.30	7.89
65/8	168.3	7.49	190.4	30	0.21	36	914	29	737	7.93	11.80
8	203.2	8.87	225.4	30	0.21	44	1118	29	737	8.92	13.20

AIR & MULTIPURPOSE General Purpose Heavy Duty

> CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &

Washdown

WELDING

COUPLING SYSTEMS



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® SOFTWALL WET EXHAUST



Product Specifications

APPLICATION: For water discharge applications for engines, toilets, scuppers and bilge pumps. Will not pant.

Does not meet SAE J2006 R1 Spec.*

CONSTRUCTION

TUBE: Black Nitrile synthetic rubber RMA Class A (High Oil Resistance)

COVER: Black Chemivic[™] synthetic rubber (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric

TEMPERATURE: -20°F to 180°F (-29°C to 82°C)

PACKAGING: 25' exact lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Industrial ORS/Wet Exhaust Goodyear®.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-154 (<6") 541-154 (>6")

*Spec 542-813 (<6") and 541-813 (>6") meet the SAE J2006 R1 Spec but the tube is non-oil resistant (Class C Oil Resistance)



PLICORD® SOFTWALL WET EXHAUST

ı	D	NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/2	12.7	0.94	23.9	250	1.72	0.29	0.43	
5/8	15.9	1.06	27.8	200	1.38	0.34	0.50	
3/4	19.0	1.18	30.0	200	1.38	0.26	0.38	
7/8	22.2	1.30	33.2	200	1.38	0.44	0.65	
1	25.4	1.43	36.3	150	1.03	0.48	0.71	
11//8	28.6	1.57	39.9	150	1.03	0.54	0.80	
11/4	31.8	1.69	43.0	150	1.03	0.59	0.87	
15/16	33.3	1.75	44.5	125	0.86	0.64	0.90	
1%	34.9	1.81	46.0	125	0.86	0.64	0.95	
1½	38.1	1.92	49.0	100	0.62	0.62	0.92	
1%	41.3	2.06	52.5	100	0.69	0.74	1.10	
1¾	44.4	2.20	56.0	100	0.69	0.80	1.19	
11//8	47.6	2.32	59.0	100	0.69	0.84	1.25	
2	50.8	2.51	63.7	75	0.52	1.04	1.54	
21/8	54.0	2.64	67.1	75	0.52	1.10	1.63	
21/4	57.1	2.75	69.9	75	0.52	1.15	1.71	
23/8	60.3	2.94	74.7	75	0.52	1.35	2.01	
21/2	63.5	3.05	77.6	75	0.52	1.41	2.10	
25/8	66.7	3.19	81.1	75	0.52	1.48	2.20	
21/8	73.0	3.44	87.4	75	0.52	1.61	2.31	
3	76.2	3.54	90.1	50	0.34	1.66	2.47	
31/8	79.4	3.70	94.0	50	0.34	1.74	2.59	
3½	88.9	4.09	109.0	50	0.34	1.94	2.89	
4	101.6	4.57	116.1	50	0.34	2.18	3.24	
41/8	104.8	4.69	119.3	30	0.21	2.24	3.33	
41/2	114.3	5.06	128.6	30	0.21	2.43	3.62	
5	127.0	5.56	141.3	30	0.21	2.68	3.99	
51/8	130.2	5.68	144.3	30	0.21	2.75	4.11	
5½	139.7	6.09	154.8	30	0.21	2.94	4.38	
6	152.4	6.56	166.6	30	0.21	3.19	4.75	
61//8	155.6	6.68	169.8	30	0.21	3.25	4.84	
65%	168.3	7.37	187.3	30	0.21	4.78	7.12	
8	203.2	8.75	222.2	30	0.21	5.72	8.52	
85/8	219.1	9.34	237.3	20	0.14	6.12	9.11	
10	254.0	10.73	272.7	20	0.14	7.08	10.54	

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &

Washdown WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® SAE J1527 TYPE A2 FUEL FILL



Product Specifications

APPLICATION: The Plicord® SAE J1527 Type A2, ISO 7840 and CE Fuel Fill hose is for marine gasoline tanks.

It is the connection from the boat's fuel fill port down to the boat's fuel tank. CONSTRUCTION

TUBE: Nitrile synthetic rubber RMA Class A (High Oil Resistance)

COVER: Chemivic[™] synthetic rubber (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -20°F to 180°F (-29°C to 82°C)

PACKAGING: 50' exact length, coiled, and polywrapped

BRANDING: Example: Goodyear® SAE J1527, USCG Type A2, ISO 7840.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-414

PLICORD® SAE J1527 TYPE A2

ID		NOM. OD		MAX. WP		VACUUM		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	lb./ft.	kg./m.
11/4	31.8	1.70	43.2	100	0.69	29	737	0.68	1.01
1½	38.0	1.86	47.1	100	0.69	29	737	0.65	0.97
11/8	47.6	2.30	58.4	100	0.69	29	737	0.96	1.43
2	50.8	2.43	61.7	50	0.34	29	737	1.01	1.50
2¾	69.9	2.80	71.1	50	0.34	29	737	1.19	1.77



MARINE FUEL LINE USCG/SAE J1527 & ISO 7840 TYPE A1



Product Specifications

APPLICATION: For marine gasoline tanks. For fuel feed and vent applications on marine pleasure craft. It meets

U.S. Coast Guard and International Marine Certification Institute requirements for type A1 service.

CONSTRUCTION

TUBE: Black Nitrile synthetic rubber RMA Class A (High Oil Resistance)

COVER: Black Chemivic[™] synthetic rubber

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: 0°F to 115°F (-17°C to 46°C)

PACKAGING: 200' reels, maximum 3 pieces, increments of 50'

BRANDING: Example: Goodyear® USCG/SAE J 1527 Type A1 ISO 7840-A1 CE.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 595-032

MARINE FUEL LINE SAE J1527 A1

II.	D	NOM	I. OD	MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/4	6.4	0.65	16.5	49	0.34	0.17	0.25
5/16	7.9	0.71	18.0	49	0.34	0.19	0.28
3/8	9.5	0.78	19.8	49	0.34	0.20	0.30
1/2	12.7	0.89	23.0	36	0.25	0.26	0.39
5/8	15.9	1.06	25.8	36	0.25	0.35	0.52

AIR & MULTIPURPOSE General Purpose Heavy Duty

> CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

FLEXSHIELD[™] SAE J1527 USCG TYPE A1-15 / ISO 7840 MARINE BARRIER HOSE



Product Specifications



APPLICATION: Designed for marine gasoline tanks for fuel feed and vent applications on marine pleasure craft.

Barrier style construction meets new EPA requirements for low permeation class A1-15 marine fuel

lines. Fire resistant cover provides minimum 2-1/2 minute fire resistivity for USCG type

A service.

CONSTRUCTION

TUBE: Black Chemivic[™] synthetic rubber

COVER: Nitrile synthetic rubber

REINFORCEMENT: Polyester spiral with nylon barrier

TEMPERATURE: - 20°F to 180°F (-29°C to 82°C)

PACKAGING: Reels

BRANDING: Example: FLEXSHIELD™ 5412 3/8" SAE J1527 USCG TYPE A1-15 / ISO 7840-A1 CE Goodyear®

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: Contact a Goodyear Engineered Products representative for special production run minimum

requirements and private label options.

ORDER CODES:

1/4 inch 475-412-008 5/16 inch 475-412-010 3/8 inch 475-412-012 1/2 inch 475-412-016

FLEXSHIELD™ SAE J1527 TYPE A1-15

ID		NOM. OD		WEI	GHT	MIN E	BURST
in.	mm.	in.	mm.	lb./ft.	kg./m.	psi	bar
1/4	5.95	0.627	15.92	0.15	0.23	250	17.2
5/16	7.54	0.658	16.71	0.16	0.24	250	17.2
3/8	9.12	0.725	18.41	0.20	0.30	250	17.2
1/2	12.11	0.890	18.85	0.17	0.25	175	12.1



MARINE FUEL FEED VENT HOSE USCG/SAE J1527 TYPE A2 FIRE RETARDANT



Product Specifications

APPLICATION: For fuel feed and vent application on marine pleasure craft.

CONSTRUCTION

TUBE: Black Nitrile synthetic rubber RMA Class A (High Oil Resistance)

COVER: Gray Chemivic[™] synthetic rubber

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: 0°F to 115°F (-17°C to 46°C)

PACKAGING: 500'-750' reels, maximum 3 pieces, minimum length 35'

BRANDING: Example: Goodyear® USCG/SAE J 1527 Type A2.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 595-022

MARINE FUEL FEED VENT HOSE

I	D	NOM	I. OD	MAX. WP		WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/4	6.4	0.66	16.8	35	0.24	0.19	0.28
5/16	7.9	0.72	18.3	35	0.24	0.22	0.33
3/8	9.5	0.78	19.8	35	0.24	0.24	0.36
1/2	12.7	0.91	23.1	35	0.24	0.3	0.45
5/8	15.9	0.96	25.8	35	0.24	0.34	0.51

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

MARINE FUEL FEED VENT HOSE USCG/SAE J1527 TYPE B2 NON-FIRE RETARDANT



Product Specifications

APPLICATION: For fuel feed and vent application on marine pleasure craft.

CONSTRUCTION

TUBE: Nitrile synthetic rubber RMA Class A (High Oil Resistance)

COVER: Gray Chemivic[™] synthetic rubber

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: 0°F to 115°F (-17°C to 46°C)

PACKAGING: 500'-750', maximum 3 pieces, minimum length 35'

BRANDING: Example: Goodyear® USCG/SAE J 1527 Type B2.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 595-009

MARINE FUEL FEED VENT HOSE

I	D	NOM	1. OD	MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/4	6.4	0.58	14.7	34	0.23	0.12	0.18
5/16	7.9	0.66	16.8	34	0.23	0.15	0.22
3/8	9.5	0.70	17.8	34	0.23	0.16	0.24
1/2	12.7	0.81	20.6	34	0.23	0.18	0.27
5/8	15.9	0.96	24.4	34	0.23	0.19	0.28



ABRASIVES



		Food		Static Dissipating/	Temperature	Static	Thermo-	
	Page	Grade	Clear	Static Dissipating/ Static Conductive Tube	Range	Wire	plastic	Rubber
Artrac®	107			Yes	-40°F to 158°F		Yes	
Arvac™ SW	106				-40°F to 158°F	Yes	Yes	
Blucor™	104			Yes*	-25°F to 180°F			Yes
Blucor Couplings™	105							
Diversiflex™	108			Yes*	-25°F to 180°F			Yes
Diversipipe® 75	109			Yes*	-40°F to 180°F			Yes
Diversipipe® 150	110			Yes*	-40°F to 180°F			Yes
Flexible Downspout	111				-25°F to 180°F			Yes
Nutriflex® Static Wire	71	Yes	Yes		-15°F to 158°F	Yes	Yes	
Plicord® Blast	102			Yes	-25°F to 180°F			Yes
Plicord® Dredge Sleeve	113			Yes	-25°F to 180°F			Yes
Plicord® Hydrovator™	112			Yes	-25°F to 180°F			Yes
Plicord® RVC	114				-20°F to 180°F			Yes
Plicord® Sand Suction	115			Yes	-25°F to 180°F			Yes
Plicord® XF Blast	103			Yes	-25°F to 180°F			Yes
Sandblast Deadman	116				-20°F to 190°F			Yes
Spiraflex® Air Seeder	117		Yes		0°F to 158°F			
Spirathane™ HD	118				0°F to 158°F		Yes	
Spirathane™ LD	120		Yes		0°F to 158°F		Yes	
Spirathane [™] PT	119	Yes	Yes		0°F to 158°F	Yes	Yes	

^{*} Black Tufsyn® Only

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING

Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® BLAST





Product Specifications

APPLICATION: Heavy-duty hose for steel shot or sand blasting in cleaning or finishing metal, stone, glass or

other surfaces

CONSTRUCTION

TUBE: Tufsyn® synthetic rubber (static dissipating/static conductive)

COVER: 2 ply: Black Plioflex® synthetic rubber (wrapped impression)

4 ply: Green Plioflex synthetic rubber (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 50' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Plicord® Blast 150 psi WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

PLICORD® BLAST (2 PLY)

ORDER CODES: 549-020

- 1	D	NOM. OD		MAX. WP		WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/2	12.7	1.13	28.7	150	1.03	0.41	0.61
3/4	19.1	1.48	37.6	150	1.03	0.68	1.01
1	25.4	1.88	47.8	150	1.03	1.05	1.56
11/4	31.8	2.16	54.9	150	1.03	1.26	1.88
1½	38.1	2.38	60.5	150	1.03	1.42	2.11
2	50.8	2.86	72.6	150	1.03	1.70	2.53

PLICORD® BLAST (4 PLY)

ORDER CODES: 549-027

ı	D	NOM	I. OD	MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/2	12.7	1.14	26.7	150	1.03	0.44	0.61
3/4	19.1	1.50	38.1	150	1.03	0.71	1.06
1	25.4	1.88	47.8	150	1.03	1.08	1.61
11/4	31.8	2.16	54.9	150	1.03	1.31	1.95
1½	38.1	2.38	60.5	150	1.03	1.45	2.16
2	50.8	2.88	73.2	150	1.03	1.75	2.60



PLICORD® XF BLAST





AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING

Abrasives Bulk Transfer Cement & Concrete

MINING

WIIIIII

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: Standard-duty hose for steel shot or sand blasting in cleaning or finishing metal, stone, glass or

other surfaces

 ${\color{blue}\textbf{CONSTRUCTION}}$

TUBE: Tufsyn® synthetic rubber (static dissipating/static conductive)

COVER: Black Plioflex® synthetic rubber (static dissipating/static conductive) (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 50' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® XF Blast 150 psi WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

PLICORD® XF BLAST (2 PLY)

ORDER CODES: 549-018

ı	D	NOM	I. OD	MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
5/8	15.9	1.13	28.7	150	1.03	0.37	0.55
7/8	22.2	1.51	38.4	150	1.03	0.61	0.91
11/8	28.6	1.88	47.8	150	1.03	0.92	1.37
1%	34.9	2.15	54.6	150	1.03	1.12	1.67
1%	41.3	2.38	60.5	150	1.03	1.21	1.80
21/8	54.0	2.89	73.4	150	1.03	1.53	2.28

PLICORD® XF BLAST (4 PLY)

ORDER CODES: 549-019

- 1	D	NOM	I. OD	MAX	. WP	WEI	GHT				
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.				
5/8	15.9	1.12	28.5	150	1.03	0.35	0.52				
7/8	22.2	1.50	38.1	150	1.03	0.71	1.06				
11/8	28.6	1.88	47.8	150	1.03	0.93	1.38				
13/8	34.9	2.16	54.9	150	1.03	1.11	1.65				
15/8	41.3	2.38	60.5	150	1.03	1.23	1.83				
21/8	54.0	2.88	73.2	150	1.03	1.48	2.20				



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING

Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE


WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

BLUCOR™



Product Specifications

APPLICATION: Blucor™ material handling hose with the Goodyear Engineered Products 150 psi bolt-on split

flange coupling is an easy and economical choice. Blucor has the high strength needed to handle pressure or suction service in the transfer of dry bulk, slurry, salt, cement, fertilizers and a limited

quantity of oil-based products.

CONSTRUCTION

TUBE:

3/8" Black Pureten™, 3/8" Black Tufsyn® (static dissipating/static conductive), or 3/8"

Tan Pureten™

COVER: Black corrugated abrasion-resistant Plioflex® (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 3"-8" Coiled or straight, polywrapped

10"-12" Straight, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Blucor™ Black Pureten™ Liner.

COUPLINGS: Blucor bolt-on split flange couplings, see next page.

NON-STOCK/SIZES: Maximum shipping length: 3"-8": 100'; 10" & 12": 50'

ORDER CODES: 541-789 (black Pureten) 541-458 (tan Pureten)

541-788 (black Tufsyn)

BLUCO	R™										
ID		NOM	1. OD	MAX. WP		BEND RADIUS		VACUI	JM HG	WE	IGHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
3	76.2	4.39	111.5	150	1.03	16	406	29	737	4.63	6.89
4	101.6	5.25	133.4	150	1.03	20	508	29	737	5.67	8.44
6	152.4	7.37	187.2	150	1.03	36	914	29	737	9.48	14.11
8	203.2	9.44	239.8	150	1.03	48	1219	29	737	14.20	21.13
10	254.0	11.38	289.1	150	1.03	60	1524	29	737	16.63	24.75
12	304.8	13.81	350.8	100	0.69	72	1829	29	737	23.40	34.82



BLUCOR[™] COUPLINGS BOLT-ON SPLIT FLANGE COUPLINGS



Product Specifications

SPECIFICATIONS: Each fitting is manufactured of high-tensile 432 aluminum alloy. All flanges are 150 lbs. ANSI

B16.5. Bolt-on split flange couplings are supplied with necessary mounting hardware (bolts, nuts and washers). Internal configurations of fitting corrugations has been designed specifically to

match the corrugation of the Blucor hose.

ORDER CODES: 604-189

BLUCOR™ COUPLINGS

I	D	NOM	. OD	WEIGHT			
in.	mm.	in.	mm.	lb./ft.	kg./m.		
3	76.2	7.5	190.5	3.6	5.36		
4	101.6	9.0	228.6	4.0	5.95		
6	152.4	11.0	279.4	8.2	12.20		
8	203.2	13.5	342.9	14.0	20.83		
10	254.0	16.0	406.4	25.0	37.20		
12	304.8	19.0	482.6	30.0	44.64		

AIR & MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING

Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

ARVAC™ SW



Product Specifications

APPLICATION: Heavy-duty abrasion-resistant suction hose used for a variety of abrasive material-handling

applications, including the transfer of sand, gravel, cement, fly ash, glass, metals, plastic

pellets, fertilizers, rock salts and slurries. Static wire for static dissipation.

CONSTRUCTION

TUBE: Higher-temperature urethane

COVER: Static-dissipating thermoplastic alloyed blend of nitrile, polyurethane and PVC

REINFORCEMENT: Rigid high-density PVC helix

8"-10"

TEMPERATURE: -40°F to 158°F (-40°C to 70°C)

PACKAGING: 1½"-6" 20' lengths, polytube

100' lengths, coiled and polywrapped 20', 40', 50' lengths, polytube

BRANDING: Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: Contact Goodyear Engineered Products for special production run minimum requirements.

ORDER CODES: 586-550

ARVA	C™ SW											
- 1	D	NOM	1. OD	MAX	(. WP	WEIGHT		VACUUM HG		BEND	RADIUS	LENGTH
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	in.	mm.	in.	mm.	feet
11/4	31.8	1.60	40.7	45	0.31	0.35	0.52	29	737	3.0	76	100'
1½	38.1	1.87	47.4	40	0.28	0.39	0.58	29	737	3.0	76	100'
2	50.8	2.46	62.5	40	0.28	0.67	0.99	29	737	2.5	63	100'
2½	63.5	3.03	77.0	35	0.24	0.9	1.33	29	737	4.0	101	100'
3	76.2	3.60	91.5	30	0.21	1.17	1.73	29	737	6.0	152	100'
4	101.6	4.74	120.5	30	0.21	1.97	2.91	29	737	7.0	177	100'
5	127.0	5.81	147.5	30	0.21	2.58	3.82	29	737	8.0	203	100'
6	152.4	6.89	175.0	25	0.17	3.32	4.91	29	737	8.0	203	20'
6	152.4	6.89	175.0	25	0.17	3.32	4.91	29	737	8.0	203	50'
6	152.4	6.89	175.0	25	0.17	3.32	4.91	29	737	8.0	203	100'
8	203.2	9.13	232.0	20	0.14	5.66	8.38	29	737	18.0	456	20'
8	203.2	9.13	232.0	20	0.14	5.66	8.38	29	737	18.0	456	50'
10	254.0	11.16	283.5	20	0.14	7.86	11.63	29	737	36.0	912	20'
10	254.0	11.16	283.5	20	0.14	7.86	11.63	29	737	36.0	912	40'



ARTRAC®



Product Specifications

APPLICATION: The Artrac® hose is used for a variety of abrasive, material-handling applications to transfer

sand, gravel, cement, fly ash, glass, metals, plastic pellets, fertilizers, rock salts and slurries.

CONSTRUCTION TUBE: Thermoplastic alloyed blend of polyurethane and PVC (static dissipating/static conductive)

> COVER: Thermoplastic alloyed blend of nitrile, polyurethane, and PVC (nonconductive)

(Available with conductive cover—see order code below.)

REINFORCEMENT: Rigid high-density PVC helix

TEMPERATURE: -40°F to 158°F (-40°C to 70°C)

PACKAGING: 100' lengths, coiled and polywrapped

8"-10" 20' lengths, polytube

BRANDING: Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: Contact customer service

ORDER CODES: 586-462 586-522 (with conductive cover)

ARTRAC® ABRASIVE MATERIAL HANDLING

1	D NOM. OD		1. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
11/4	31.8	1.63	41.4	45	0.31	3	76	29	737	0.34	0.51
1½	38.1	1.89	48.0	40	0.28	3	81	29	737	0.40	0.60
2	50.8	2.47	62.7	40	0.28	6	140	29	737	0.67	1.00
2½	63.5	3.05	77.5	35	0.24	6	152	29	737	0.87	1.29
3	76.2	3.69	93.7	30	0.21	8	191	29	737	1.16	1.73
4	101.6	4.81	122.2	30	0.21	11	279	29	737	2.16	3.21
5	127.0	5.78	146.8	30	0.21	10	381	29	737	2.60	3.87
6	152.4	7.08	179.8	25	0.17	20	508	29	737	3.43	5.10
8	203.2	9.22	234.2	20	0.14	30	762	29	737	5.84	8.69
10	254.0	11.21	284.7	20	0.14	45	1143	29	737	7.96	11.85

AIR & **MULTIPURPOSE** Heavy Duty

> **CHEMICAL** TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer

> > MARINE

MATERIAL HANDLING

Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING

Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

DIVERSIFLEX™



Product Specifications

APPLICATION: Provides the high strength needed to handle pressure or suction service in the movement

of nonoily dry bulk materials such as salt, cement, fertilizers and dry chemicals. Typical applications include unloading hoppers to rail cars or barges and transferring materials from

rail cars or barges to storage units.

CONSTRUCTION

TUBE: 1/4" Black Tufsyn® synthetic rubber for abrasion resistance (static dissipating/static conductive)

COVER: Abrasion-resistant Plioflex® synthetic rubber (corrugated surface) (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: Polywrapped

BRANDING: Example: Goodyear® Plicord® Diversiflex™ Hose 75 psi Max WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: Available up to 18" ID.

ORDER CODES: 541-400

DIVER	SIFLEX"	4									
	ID	NOM	NOM. OD		MAX. WP		BEND RADIUS		JM HG	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
4	101.6	4.88	124.0	75	0.52	20	508	29	737	3.43	5.10
5	127.0	6.25	158.5	75	0.52	25	635	29	737	6.32	9.41
6	152.4	6.92	175.8	75	0.52	36	914	29	737	5.84	8.69
65/8	168.3	7.60	193.0	75	0.52	40	1016	29	737	7.04	10.48
8	203.2	9.05	229.9	75	0.52	48	1219	29	737	9.22	13.72
85/8	219.2	9.69	246.1	75	0.52	52	1321	29	737	10.82	16.10
10	254.0	11.04	280.4	75	0.52	60	1524	29	737	12.04	17.92
12	304.8	13.16	334.3	75	0.52	72	1829	29	737	16.38	24.38
12¾	323.9	13.91	353.3	75	0.52	77	1956	29	737	17.78	26.46



DIVERSIPIPE® 75



Product Specifications

APPLICATION: A high-quality flexible hose for replacing cast iron pipes for the transfer of abrasive materials

or corrosive chemicals where installation requires minimum bends or where the inherit flexibility of a durable rubber hose is required. Diversipipe is also available in a softwall construction for

discharge service.

CONSTRUCTION

TUBE: Black Tufsyn® synthetic rubber (static dissipating/static conductive) for slurry and dry bulk

transfer, black Pureten™ for slurry, tan Pureten™ for slurry with high kinetic energy

COVER: Plioflex® synthetic rubber (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -40°F to 180°F (-40°C to 82°C)

PACKAGING: Polywrapped

BRANDING: Example: Goodyear® Plicord® Material Handling Hose, 75 psi Max WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: Available up to 18" ID

ORDER CODES: Black Tufsyn: 541-047 (1/4" tube gauge) 541-044* (3/8" tube gauge)

541-050* (1/2" tube gauge)

Black Pureten: 541-731 (1/4" tube gauge)

Tan Pureten: 541-335 (1/4" tube gauge) 541-353* (3/8" tube gauge)

DIVERSIPIPE® 75

ı	D	NOM	I. OD	MAX	. WP	BEND	RADIUS	VACUI	JM HG	WE	GHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
2	50.8	2.91	73.9	75	0.52	12	304.80	29	736.6	1.98	2.95
21/2	63.5	3.39	86.1	75	0.52	15	381.00	29	736.6	2.44	3.64
3	76.2	3.89	98.8	75	0.52	18	457.20	29	736.6	2.99	4.46
4	101.6	4.91	124.7	75	0.52	24	609.60	29	736.6	3.79	5.65
41/2	114.3	5.50	139.7	75	0.52	27	685.80	29	736.6	4.74	7.06
5	127.0	6.44	163.6	75	0.52	30	762.00	29	736.6	5.48	8.17
6	152.4	7.13	181.1	75	0.52	36	914.40	29	736.6	7.33	10.92
65/8	168.3	7.78	197.6	75	0.52	39.7	1009.65	29	736.6	8.36	12.46
8	203.2	9.19	233.4	75	0.52	48	1219.20	29	736.6	10.48	15.62
85/8	219.1	9.75	247.6	75	0.52	51.75	1314.45	29	736.6	11.43	17.03
10	254.0	11.23	285.2	75	0.52	60	1524.00	29	736.6	14.83	22.10
12	304.8	13.31	338.1	75	0.52	72	1828.80	29	736.6	18.16	27.06
12¾	323.8	14.22	361.2	75	0.52	76.5	1943.10	29	736.6	22.51	33.54

*Note: 3/8" and 1/2" tube gauge specs available on request. Contact Customer Service.



AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING

Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Discharge Suction & Discharge

WELDING

COUPLING SYSTEMS

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING

Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

DIVERSIPIPE® 150



Product Specifications

APPLICATION: A high-quality flexible hose for replacing cast iron pipes for the transfer of abrasive materials or

corrosive chemicals where installation requires minimum bends or where the inherent flexibility of a durable rubber hose is required. Diversipipe is also available in a softwall construction for a

discharge service.

CONSTRUCTION

TUBE: Black Tufsyn® (static dissipating/static conductive) for slurry and dry bulk transfer, black

Pureten[™] for slurry, tan Pureten[™] for slurry with high kinetic energy

COVER: Plioflex® synthetic rubber (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -40°F to 180°F (-40°C to 82°C)

PACKAGING: Polywrapped

BRANDING: Example: Goodyear® Plicord® Material Handling Hose, 150 psi Max WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: Available up to 18" ID

ORDER CODES: Black Tufsyn: 541-362 (1/4" tube gauge) 541-364* (3/8" tube gauge)

541-360* (1/2" tube gauge)

Black Pureten: 541-372 (1/4" tube gauge) 541-350* (3/8" tube gauge)

541-369* (1/2" tube gauge)

Tan Pureten: 541-380 (1/4" tube gauge) 541-366* (3/8" tube gauge)

541-373* (1/2" tube gauge)

DIVERSIPIPE® 150

		JII III 2	.00									
	ı	D	NOM	1. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
	in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
,	2	50.8	2.97	75.4	150	1.03	12	304.80	29	736.6	2.11	3.14
	21/2	63.5	3.44	87.4	150	1.03	15	381.00	29	736.6	2.65	3.95
	3	76.2	3.94	100.1	150	1.03	18	457.20	29	736.6	3.05	4.54
	4	101.6	5.00	127.0	150	1.03	24	609.60	29	736.6	4.10	6.11
	41/2	114.3	5.53	140.5	150	1.03	27	685.80	29	736.6	4.91	7.32
	5	127.0	6.09	154.7	150	1.03	30	762.00	29	736.6	6.01	8.95
	6	152.4	7.22	183.4	150	1.03	36	914.40	29	736.6	8.13	12.11
	65/8	168.3	7.84	199.1	150	1.03	40	1016.00	29	736.6	9.34	13.92
	8	203.2	9.06	230.1	150	1.03	48	1219.20	29	736.6	11.51	17.15
	85/8	219.1	10.03	254.8	150	1.03	52	1320.80	29	736.6	14.35	21.38
	10	254.0	11.38	289.1	150	1.03	60	1524.00	29	736.6	16.40	24.44
	12	304.8	13.47	342.1	150	1.03	72	1828.80	29	736.6	19.83	29.55
	12¾	323.8	14.31	363.5	150	1.03	76	1930.40	29	736.6	23.38	34.84

^{*}Note: 3/8" and 1/2" tube gauge specs available on request. Contact Customer Service.



FLEXIBLE DOWNSPOUT



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING

Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM VEYANCE

Discharge Suction &

Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: Flexible Downspout is an economical choice for gravity flow service. Install only in a

vertical position.

CONSTRUCTION

TUBE: 1/8" Black Tufsyn® synthetic rubber for abrasion resistance (static dissipating/static conductive)

COVER: Black Plioflex® synthetic rubber (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: Polywrapped

BRANDING: Example: Goodyear® Flexible Downspout.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: Available up to 18" ID.

ORDER CODES: 541-015

FLEXIBLE DOWNSPOUT

I	D	NOM	I. OD	MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
4	101.6	4.41	111.9	50	0.34	1.28	1.89
41/2	114.3	4.90	124.5	50	0.34	1.46	2.17
6	152.4	6.40	162.6	35	0.24	1.92	2.86
65/8	168.3	7.02	178.3	35	0.24	2.11	3.14
8	203.2	8.40	213.4	25	0.17	2.54	3.78
85/8	219.1	8.99	228.4	25	0.17	2.72	4.05
10	254.0	10.38	263.7	20	0.14	3.15	4.69
10¾	273.1	11.23	285.2	20	0.14	3.84	5.71
12	304.8	12.46	316.5	15	0.10	4.28	6.37
12¾	323.9	13.21	335.5	15	0.10	4.54	6.76
14	355.6	14.56	369.9	15	0.10	4.91	7.32
16	406.4	16.53	419.9	10	0.07	5.59	8.33



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING

Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® HYDROVATOR™

Product Specifications



APPLICATION: A rugged yet lightweight hose designed exclusively for Hydrovac operations. Plicord® Hydrovator™

from Goodyear Engineered Products combines the best in lightweight design and durability. Tufsyn® tube handles the toughest Hydro Excavation jobs. The unique corrugated Plioflex® cover provides superior flexibility in all applications. Hydrovator Hose rated for full vacuum. All sizes are

CONSTRUCTION

TUBE: Black natural rubber combined with a static dissipating Tufsyn® liner.

COVER: Static dissipating black Plioflex® synthetic rubber with a heavy corrugated profile for

high flexibility.

rated for full vacuum.

REINFORCEMENT: Double helix spiral steel wire with plies of synthetic fabric.

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: Coiled or straight length.

BRANDING: Example: Plicord® Hydrovator™ Vacuum Hose

COUPLINGS: Plain end, soft end or enlarged soft end.

STOCK LENGTH: Built to length

ORDER CODES: 541-289

PLICORD® HYDROVATOR™

- 1	ID		I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
6	152.6	7.10	180.3	12	0.24	6.4	2.86	
8	203.5	8.90	226.5	16	0.17	8.4	3.78	
10	253.9	11.10	281.9	20	0.14	11.8	4.69	



PLICORD® DREDGE SLEEVE



Product Specifications

APPLICATION: The Plicord® Dredge Sleeve is used as a flexible connection between pipe sections on the

discharge line of hydraulic-type dredges.

CONSTRUCTION

TUBE: 3/8" Tufsyn® abrasion-resistant rubber (static dissipating/static conductive). Other gauges

available upon request.

COVER: Black Plioflex® synthetic rubber (wrapped impression)

REINFORCEMENT: Multiple plies spirals synthetic and fabric

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: Polywrapped

BRANDING: Example: Goodyear® Plicord® Dredge Sleeve.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 541-107

Available on request

541-290 1/2" Tufsyn® tube 150 psi 541-177 1/2" Black Pureten™ 150 psi 541-081 3/4" Tufsyn® tube 150 psi 541-316 3/4" Black Pureten™ 150 psi

PLICORD® DREDGE SLEEVE

- 1	D	NOM	I. OD	MAX	. WP	BEND F	RADIUS	WE	GHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	lb./ft.	kg./m.
6½	114.3	6.09	154.7	75	0.52	40	1016	7.00	10.42
65/8	168.3	8.22	208.8	75	0.52	60	1524	9.77	14.54
85/8	219.1	10.31	261.9	75	0.52	80	2032	13.59	20.22
10¾	273.1	12.50	317.5	75	0.52	100	2540	16.72	24.88
12¾	323.9	14.53	369.1	75	0.52	120	3048	20.04	29.82
14	355.6	15.89	403.6	75	0.52	140	3556	22.65	33.71
16	406.4	17.84	453.1	75	0.52	160	4064	24.91	37.07
18	457.2	19.94	506.5	75	0.52	180	4572	27.80	41.37

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING

Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING

Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® RVC



Product Specifications

APPLICATION: For use on reverse drilling rigs.

CONSTRUCTION

TUBE: Black Tufsyn® synthetic rubber: 1/4" Gauge-2"-4" I.D.; 1/2" Gauge-6"; 3/8" Gauge-8"

COVER: Blue Plioflex® synthetic rubber with orange spiral transfer brand (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric: 2" & 3" ID-6 plies; 4" & 6" ID-8 plies; 8" ID-10 plies

TEMPERATURE: -20°F to 180°F (-29°C to 82°C)

PACKAGING: 2" - 4", 100' length, coiled polywrapped; 6" - 8", 50' length, shipped straight polywrapped

over 6", custom lengths up to 100'

BRANDING (SPIRAL): Example: Goodyear® Reverse Circulation 600 psi Max W.P. Made in Canada.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: Custom lengths available.

ORDER CODES: 549-341 (2"-4") 541-341 (6" and 8")

PLICORD® RVC

- 1	D	NOM. OD		MAX. WP		WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
2	50.8	3.11	79.0	600	4.14	2.37	3.53
3	76.2	4.17	105.9	600	4.14	3.39	5.04
4	101.6	5.39	136.9	600	4.14	5.15	7.66
6	152.4	7.91	200.9	600	4.14	10.66	15.86
8	203.2	9.89	251.2	600	4.14	12.54	18.66



PLICORD® SAND SUCTION



Product Specifications

APPLICATION: Plicord® Sand Suction hose is for use on the suction end of hydraulic dredges. It provides a

flexible connection between dredging lines and pumps.

CONSTRUCTION

TUBE: 3/8" Black Tufsyn® synthetic rubber for abrasion resistance (static dissipating/static

conductive). Also available in 1/2" or 3/4" tube gauge.

COVER: Black Plioflex® synthetic rubber (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: Custom lengths polywrapped

BRANDING: Example: Goodyear® Style M Sand Suction.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: Custom lengths available.

ORDER CODES: 541-267 (3/8" tube) 541-268 (3/4" tube)

541-265 (1/2" tube)

PLICORD® SAND SUCTION

II.	D	NOM	. OD	MAX	. WP	BEND I	RADIUS	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	lb./ft.	kg./m.
4	101.6	5.31	134.9	40	1016	30	762	5.71	8.50
5	127.0	6.98	177.3	46	1168	30	762	9.47	14.09
6	152.4	7.54	191.5	52	1321	30	762	11.35	16.89
65/8	168.3	8.20	208.3	55	1397	30	762	13.96	20.77
8	203.2	9.63	244.6	62	1575	30	762	16.93	25.19
85/8	219.1	10.25	260.4	68	1727	30	762	17.85	26.56
10	254.0	11.81	300.0	76	1930	30	762	23.94	35.63
10¾	273.1	12.63	320.8	82	2083	30	762	25.68	38.22
12	304.8	13.91	353.3	91	2311	30	762	28.95	43.08
12¾	323.9	14.59	370.6	94	2388	30	762	29.98	44.61

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING

Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING

Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SANDBLAST DEADMAN



Product Specifications

APPLICATION: Double Line Sandblast Deadman hose is for use with systems for the automatic shut-off of

sandblasting equipment at the operator end of the system. Used in a pneumatic closed circuit pattern, deadman hose is connected to air-actuated shut valves which, in turn, are controlled at all times by the sandblast operator via a "deadman" switch at the nozzle end of the

sandblast hose.

CONSTRUCTION

TUBE: Premium-quality Versigard® synthetic rubber, RMA Class C (Limited Oil Resistance)

COVER: Yellow/Yellow Versigard, RMA Class C (Limited Oil Resistance)

REINFORCEMENT: Spiral-plied synthetic yarn

TEMPERATURE: -20°F to 190°F (-29°C to 88°C)

PACKAGING: 450'-750' reels, maximum 2 pieces, minimum length 25'

BRANDING: Continuous brand 3/16" ID (4.8mm) Sandblast Deadman Made in USA Goodyear®

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 569-595

SANDBLAST DEADMAN

- 1	D	NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
3/16	4.8	0.44	11.2	200	1.38	0.14	0.21	



SPIRAFLEX® AIR SEEDER HOSE



NEW

Product Specifications

APPLICATION: For dry conveying of seeds and other materials where abrasion is present and service conditions are moderate.

Excellent for low-pressure blowing applications.

CONSTRUCTION
TUBE: Clear Thermoplastic Urethane

COVER: Clear Flexible Vinyl

REINFORCEMENT: White Rigid Vinyl Helix

TEMPERATURE: 0°F to 158°F (- 18°C to 70°C)

PACKAGING: Coil wrapped with cardboard and stretch film

BRANDING: Date code only

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

ORDER CODES: 586-450

SPIRAFLEX® AIR SEEDER

	I	D	NOM	1. OD	MAX	. WP	BEND RADIUS		VACU	JM HG	WEI	GHT
	in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
•	1	25.4	1.25	32.0	60	.41	3	76.19	29	737	.195	0.29
	1½	38.1	1.82	46.2	50	.34	4	101.60	29	737	.320	0.48
	2	50.8	2.37	60.4	40	.27	5	127.00	29	737	.420	0.63
	2½	63.5	2.87	72.9	40	.27	7	177.79	29	737	.650	0.99
	3	76.2	3.42	86.8	35	.24	8	203.20	29	737	.890	1.33
	4	101.6	4.50	114.4	27	.18	11	279.4	29	737	.997	1.48

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING

Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING

Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE


WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SPIRATHANE™ HD



Product Specifications

APPLICATION: For dry pneumatic conveying of solids where heavy duty abrasive conditions are present. Sizes

1½"-5" rated to full vacuum.

CONSTRUCTION

TUBE: Polyurethane RMA Class B (Medium Oil Resistance) with improved abrasion resistance

COVER: High-density, low-temperature blue Pliovic® compound

REINFORCEMENT: High-density, rigid Pliovic PVC helix

TEMPERATURE: 0°F to 158°F (-18°C to 70°C)

PACKAGING: 1½"-6" 100' lengths, coiled and polywrapped

8"-10" O' lengths, polytube with corrugated protection

BRANDING: Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 586-407

SPIRATHANE™ HD

- 1	D	NON	1. OD	MAX	. WP	BEND I	RADIUS	VACUI	JM HG	WE	GHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1½	38.1	1.86	47.2	50	0.34	4	99	29	737	0.34	0.51
2	50.8	2.47	62.7	50	0.34	6	140	29	737	0.63	0.94
2½	63.5	3.12	79.3	50	0.34	7	178	29	737	0.95	1.41
3	76.2	3.64	92.5	40	0.28	8	203	29	737	1.37	2.04
4	101.6	4.77	121.2	35	0.24	14	356	29	737	1.98	2.95
5	127.0	5.83	148.1	30	0.21	20	508	29	737	2.41	3.59
6	152.4	6.84	173.7	23	0.16	25	635	25	635	3.08	4.58
8	203.2	8.75	222.3	20	0.14	48	1219	25	635	4.53	6.74
10	254.0	10.96	278.4	20	0.14	75	1905	25	635	6.36	9.46



SPIRATHANE™ PT



Product Specifications

APPLICATION:

For the transfer of a variety of dry, bulk, and abrasive materials. It is used in applications where

static electrical buildup is common. For powders, plastic pellets and granular materials.

CONSTRUCTION

Polyurethane conforms to FDA standards. TUBE:

COVER: High molecular weight, clear PVC, corrugated for flexibility.

REINFORCEMENT: High-density, rigid Pliovic® PVC helix with static wire placed between tube and cover.

TEMPERATURE: 0°F to 158°F (-18°C to 70°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING: Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 586-489

SPI	RA'	1:7	AΝ	E^{TM}	PΤ
_					

ı	D	NOM	1. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1½	38.1	1.82	46.2	45	0.31	4	102	29	737	0.31	0.46
1¾	44.5	2.15	54.6	45	0.31	5	127	29	737	0.38	0.57
2	50.8	2.38	60.5	30	0.21	6	152	29	737	0.52	0.77
21/4	57.2	2.77	70.4	35	0.24	7	165	29	737	0.63	0.94
2½	63.5	3.03	77.0	30	0.21	7	178	29	737	0.69	1.03
3	76.2	3.63	92.2	30	0.21	8	203	29	737	1.15	1.71
4	101.6	4.76	120.9	27	0.19	14	356	29	737	1.63	2.43
5	127.0	5.83	148.1	27	0.19	20	508	29	737	2.13	3.17

AIR & **MULTIPURPOSE** Heavy Duty

> **CHEMICAL** TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer

MARINE

MATERIAL HANDLING

Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING

Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SPIRATHANE™ LD



Product Specifications

APPLICATION: For dry pneumatic conveying of solid fines where abrasion is present and service conditions are

moderate. Excellent for low-pressure blowing applications.

CONSTRUCTION

TUBE: Clear Polyurethane, RMA Class B (Medium Oil Resistance)

REINFORCEMENT: High-density rigid white Pliovic® helix

TEMPERATURE: 0°F to 158°F (-18°C to 70°C)

PACKAGING: 1½"-6" 100' lengths, coiled and polywrapped

8"-10" 20' lengths, polywrapped with corrugated protection

BRANDING: Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 586-406

SPIRATHANE™ LD

- 1	ID NOM. OD MA		MAX	MAX. WP BEND RADIUS			VACUI	JM HG	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1½	38.1	1.84	46.7	30	0.21	2	51	22	559	0.25	0.37
2	50.8	2.35	59.7	25	0.17	3	71	21	533	0.34	0.51
2½	63.5	2.89	73.4	20	0.14	4	89	19	483	0.44	0.65
3	76.2	3.45	87.6	20	0.14	4	102	18	457	0.60	0.89
4	101.6	4.53	115.1	15	0.10	7	178	13	330	0.88	1.31
5	127.0	5.56	141.2	10	0.07	8	203	10	254	1.09	1.62
6	152.4	6.57	166.9	10	0.07	12	305	7	178	1.53	2.28
8	203.2	8.59	218.2	6	0.04	23	584	5	127	1.73	2.57
10	254.0	10.75	273.1	5	0.03	30	762	4	102	2.75	4.09



BULK TRANSFER



	Page	Food Grade	Static Dissipating/ Static Conducting Tube	Temp Range	Suction	Discharge Only
Black Softwall	122		Yes	-25°F to 180°F		Yes
Flextra® Dry Material	125		Yes	-40°F to 180°F	Yes	
Plicord [®] Torridair [™] Hot Air Blower	123			-40°F to 400°F	Yes	
Pyroflex® II Hot Air	124			-20°F to 325°F	Yes	
Tan Softwall	129	Yes		-40°F to 180°F		Yes
Tan Flextra®	128	Yes		-40°F to 180°F	Yes	
Tan Flexwing®	127	Yes		-40°F to 180°F	Yes	
Spiraflex® Mulch Blower	126			0°F to 158°F		

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

BLACK SOFTWALL



Product Specifications

APPLICATION: For the discharge of dry bulk cement from tank truck and in-plant service.

CONSTRUCTION

TUBE: 1/8" (static dissipating/static conductive) Black Tufsyn® synthetic rubber. Available in 1/8",

3/16", and 1/4" tube gauges.

COVER: Black Plioflex® synthetic rubber with white spiral stripe (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Black Softwall.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure. Use

Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product. See the

Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-152 (1/8" tube gauge 50psi) 549-149 (3/16" tube gauge 75psi)

549-148 (1/4" tube gauge 50psi)

BLACK SOFTWALL

- 1	D	NON	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
4	101.6	4.42	112.27	50	0.34	1.38	2.05	
5	127.0	5.44	138.18	50	0.34	1.82	2.71	
6	152.4	6.45	163.83	50	0.34	2.25	3.35	



PLICORD® TORRIDAIR™ HOT AIR BLOWER



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION:

Designed to transfer hot, nonoily air (up to $400^\circ F$) from manifold blowers or in-plant compressors

to holding tanks used in the transfer of dry bulk materials.

CONSTRUCTION

TUBE: Black, STF (Super Thermo-Flo) Versigard® synthetic rubber

COVER: Black, weather-resistant, STF (Super Thermo-Flo) Versigard® synthetic rubber

(wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

TEMPERATURE: -40°F to 400°F (-40°C to 204°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Torridair Blower Hose 400°F.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure. Use

Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product. See the

Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-856

PLICORD® TORRIDAIR™

- 1	D	NOM	1. OD	MAX	. WP	BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
11/4	31.8	1.73	44.0	100	0.52	3	75	29	737	0.66	0.98
1½	38.1	1.97	50.1	100	0.52	4	100	29	737	0.79	1.18
2	50.8	2.51	63.8	100	0.52	5	127	29	737	1.06	1.58
2½	63.5	3.00	76.2	100	0.52	6	152	29	737	1.35	2.01
3	76.2	3.53	89.7	100	0.52	7	178	29	737	1.84	2.74
4	101.6	4.60	116.8	100	0.69	16	400	29	737	2.47	3.68
4½	114.3	5.14	130.5	100	0.69	20	500	29	737	2.93	4.37
5	127.0	5.65	143.5	100	0.69	25	625	29	737	3.56	5.30
6	152.4	6.70	170.0	100	0.69	30	750	29	737	4.46	6.65



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PYROFLEX® II HOT AIR



Product Specifications

APPLICATION: For conveying hot air from compressors to tanks on bulk dry material carriers.

CONSTRUCTION

TUBE: Black heat-resistant Versigard® synthetic rubber

COVER: Heat-resistant black Versigard synthetic rubber with orange spiral stripe (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -20°F to 325°F (-29°C to 163°C)

PACKAGING: 100' lengths, coiled and polywrapped

 $\textbf{BRANDING (SPIRAL):} \qquad \text{Example: Goodyear} \\ \text{@ Pyroflex} \\ \text{@ II Hot Air.}$

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure. Use

Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product. See the

Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-394

PYROFLEX® II HOT AIR

- 1	D	NOM	1. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
2	50.8	2.55	64.8	50	0.34	5	127	29	737	1.22	1.82
3	76.2	3.55	90.2	50	0.34	7	178	29	737	1.93	2.87
4	101.6	4.61	117.1	50	0.34	10	254	29	737	2.65	3.94
5	127.0	5.60	142.3	50	0.35	25	625	29	737	3.78	5.63
6	152.4	6.74	171.1	50	0.35	30	750	29	737	4.80	7.15



FLEXTRA® DRY MATERIAL



Product Specifications

APPLICATION: A static dissipating/static conductive hose for tank truck and in-plant service. Used to convey

nonoily abrasive materials such as sand, limestone and plastic pellets. Recommended where

static buildup can be a problem.

CONSTRUCTION

TUBE: 3/16" Gauge Black Tufsyn® synthetic rubber (static dissipating/static conductive)

COVER: Black Plioflex® synthetic rubber (corrugated) with yellow spiral band (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -40°F to 180°F (-40°C to 82°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Flextra® Dry Material 75 psi WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-126

FLEXTRA® DRY MATERIAL

	ID	NOM	1. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1	25.4	1.58	40.1	75	0.52	3	76	29	737	0.68	1.01
1½	38.1	2.11	53.6	75	0.52	4	89	29	737	1.03	1.53
2	50.8	2.63	66.8	75	0.52	4	102	29	737	1.29	1.92
2½	63.5	3.13	79.5	75	0.52	5	127	29	737	1.65	2.46
3	76.2	3.69	93.7	75	0.52	6	152	29	737	2.15	3.20
4	101.6	4.75	120.7	75	0.52	9	229	29	737	3.09	4.60
5	127.0	5.78	146.9	75	0.52	20	500	29	737	4.16	6.20
6	152.4	6.81	173.1	75	0.52	24	600	29	737	5.47	8.15

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SPIRAFLEX® MULCH BLOWER HOSE





Product Specifications

APPLICATION: For dry conveying of mulch and other materials where abrasion is present and service conditions are moderate.

Excellent for low-pressure blowing applications.

CONSTRUCTION

TUBE: Clear Flexible PVC

REINFORCEMENT: Black Rigid PVC Helix

TEMPERATURE: 0°F to 158°F (-18°C to 70°C)

PACKAGING: 50'/100' coils. Covered with corrugated cardboard and wrapped with clear stretch film

BRANDING: None

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

ORDER CODES: 586-479

SPIRAFLEX® MULCH BLOWER

- 1	ID NOM. OD		1. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
4	101.6	4.46	113.2	15	0.10	6	152.4	29	737	1.00	1.49
5	127.0	5.61	142.4	15	0.10	9	228.6	29	737	1.60	2.38
6	152.4	6.54	166.2	15	0.10	15	381.0	29	737	2.00	2.98



TAN FLEXWING®





Product Specifications

APPLICATION: Tan Flexwing® is for acids, alcohol bases and salt solutions.

CONSTRUCTION

TUBE: Tan Pureten[™] gum rubber (non oil-resistant) (FDA/USDA compliant)

COVER: Tan Plioflex® synthetic rubber (non oil-resistant) with blue spiral stripe (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: 100' lengths, coiled and polywrapped

PACKAGING: -40°F to 180°F (-40°C to 82°C)

BRANDING (SPIRAL): Example: Goodyear® Tan Flexwing® with Pureten™ 150 psi WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 546-068

TAN FLEXWING®

1	D	NOM	I. OD	MAX	. WP	BEND I	RADIUS	VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1	25.4	1.61	40.9	150	1.03	3.5	89	29	737	0.75	1.12
11/4	31.8	1.91	48.5	150	1.03	4.0	102	29	737	0.95	1.41
1½	38.1	2.14	54.4	150	1.03	4.0	102	29	737	1.08	1.61
2	50.8	2.68	68.1	150	1.03	5.0	127	29	737	1.44	2.14
2½	63.5	3.24	82.3	150	1.03	6.0	152	29	737	1.93	2.87
3	76.2	3.75	95.3	150	1.03	7.0	178	29	737	2.32	3.45
4	101.6	4.83	122.7	150	1.03	10.0	254	29	737	3.39	5.04
6	152.4	6.96	176.8	150	1.03	30.0	762	29	737	6.04	8.99

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Vashdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

TAN FLEXTRA®



Product Specifications



APPLICATION: For tank truck and in-plant service. Used to convey nonoily abrasive materials such as sand,

limestone, plastic pellets and dry abrasive food products.

CONSTRUCTION

TUBE: Pureten[™] gum rubber (FDA/USDA compliant)

COVER: Tan Plioflex® gum rubber (corrugated) with yellow spiral stripe (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -40°F to 180°F (-40°C to 82°C)

PACKAGING: 1½"-4" 100' lengths, coiled and polywrapped 5"-6" 50' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Tan Flextra® with Pureten™ 75 psi WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.


ORDER CODES: 549-116

TAN FLEXTRA®

ı	D	NOM	1. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1½	38.0	2.09	53.1	75	0.52	4	102	29	737	0.99	1.47
2	50.8	2.60	66.0	75	0.52	4	102	29	737	1.21	1.80
3	76.2	3.63	92.2	75	0.52	6	152	29	737	1.94	2.89
4	101.6	4.69	119.1	75	0.52	9	229	29	737	2.74	4.08
5	127.0	5.78	146.8	75	0.52	12	305	29	737	4.26	6.34
6	152.4	6.78	172.2	75	0.52	15	381	29	737	4.92	7.32



TAN SOFTWALL



Product Specifications

APPLICATION: A fabric-reinforced hose for the discharge of nonoily abrasive materials such as sand,

limestone, gravel, plastic pellets and dry food products. For use where static electrical buildup

is not a problem.

CONSTRUCTION

Tan Pureten™ gum rubber (FDA/USDA compliant) TUBE:

COVER: Tan Plioflex® synthetic rubber (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with static wire

-40°F to 180°F (-40°C to 82°C) **TEMPERATURE:**

2"-4" 100' lengths, coiled and polywrapped PACKAGING:

5"-6" 50' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Tan Softwall with Pureten™ 75 psi WP.

> **COUPLINGS:** Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-040 MINING

AIR &

Heavy Duty

CHEMICAL TRANSFER

CLEANING

FOOD

Transfer

MARINE

MATERIAL

HANDLING

Bulk Transfer Cement & Concrete

Abrasives

EQUIPMENT

MULTIPURPOSE

PETROLEUM

Dispensing

Dock

SPRAY

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING

APPENDIX

TAN SOFTWALL

- 1	D	NON	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
2	50.8	2.68	68.1	75	0.52	1.22	1.82	
3	76.2	3.69	93.7	75	0.52	1.80	2.68	
4	101.6	4.78	121.4	75	0.52	2.61	3.88	
5	127.0	5.77	146.6	75	0.52	3.19	4.75	
6	152.4	6.77	172.0	75	0.52	3.78	5.63	



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

CEMENT & CONCRETE



	Page	Textile	Wire
Allcrete Textile® (plaster, grout, & concrete)	132	Yes	
Allcrete® Wire	133		Yes
Plicord® Auger Arc Piling	131	Yes	
Plicord® Gunite (tan)	134	Yes	



PLICORD® AUGER ARC PILING



Product Specifications

APPLICATION: For use in handling a multitude of materials being pumped to concrete forms and structures.

CONSTRUCTION

TUBE: Black Tufsyn®

COVER: Black SBR with gray abrasion-resistant spiral strip

REINFORCEMENT: 6 fabric plies with boot straps

TEMPERATURE: -35°F to 180°F (-37°C to 82°C)

PACKAGING: 50' lengths, coiled and poly-wrapped

BRANDING (SPIRAL): Example: Goodyear® Auger ARC Piling.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-815

PLICORD® AUGER ARC PILING

I	ID		I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
2	50.8	3.03	77.0	1000	6.9	1.92	2.86	
2½	63.5	3.48	88.4	800	5.5	2.18	3.24	
3	76.2	4.02	102.1	800	5.5	2.66	3.96	

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

ALLCRETE® TEXTILE PLASTER, GROUT & CONCRETE



Product Specifications

APPLICATION: For use in plaster & grout and shotcrete applications, handling a multitude of materials being

pumped to concrete structures, dams, tunnel faces, swimming pools, etc. For use as a flexible

connection between pumping equipment and hard piping.

CONSTRUCTION

TUBE: Black Tufsyn® synthetic rubber

COVER: Black Plioflex® rubber (wrapped impression)

REINFORCEMENT: Spiral-plied high-strength fabric

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 50' lengths, coiled and polywrapped

BRANDING: Example: Allcrete® Textile Ply Plaster, Grout Concrete Goodyear® 2" 1233 psi / 85 Bars WP.

Weight filled with concrete (150 lbs/ft3). Meets or Exceeds CPMA 27-2000.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-638

ALLCRETE® TEXTILE

- 1	D	NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1	25.4	1.67	42.3	1233	8.5	0.67	1.00	
11/4	32	1.93	48.96	1233	8.5	0.80	1.19	
1½	38.1	2.31	58.7	1233	8.5	1.14	1.70	
2	51.6	2.83	71.8	1233	8.5	1.46	2.18	
2½	63.69	3.40	86.3	1233	8.5	1.96	2.92	
3	76.14	3.92	99.6	1233	8.5	2.39	3.56	
4	102.13	4.96	125.97	1233	8.5	2.71	4.04	
5	127.0	6.06	153.37	1233	8.5	3.10	4.62	



ALLCRETE® WIRE



Product Specifications

APPLICATION: For handling wet concrete with high head pressures at the critical flex areas of a concrete boom

truck and as a discharge hose on the delivery end of high-pressure concrete pumps.

CONSTRUCTION

TUBE: Black Tufsyn® synthetic rubber

COVER: Black Plioflex® rubber (wrapped impression)

REINFORCEMENT: Spiral-plied high-strength wire

TEMPERATURE: -40°F to 180°F (-40°C to 82°C)

PACKAGING: 50' lengths, coiled and polywrapped

BRANDING: Allcrete Steel Reinforced Concrete Hose Goodyear® 3" ID 1233 psi / 85 Bars WP. Weight filled

with concrete (150 lbs/ft3). Meets or Exceeds CPMA 27-2000.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES:

549-670

ALLCRETE® WIRE							
VIII KEIF WIKE		П	н	- 0		ИD	
	/ ^ \		4361	-	111	1113	-

	ID		NOM. OD		MAX. WP		BEND RADIUS		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	lb./ft.	kg./m.	
2	50.8	3.01	76.4	1233	8.5	9	275	2.75	4.10	
2½	63.5	3.50	88.9	1233	8.5	12	300	3.28	4.92	
3	76.2	3.98	101.3	1233	8.5	14	350	3.80	5.65	
4	101.6	5.02	127.4	1233	8.5	16	400	4.90	7.29	
5	127.0	6.00	152.5	1233	8.5	20	500	5.98	8.90	

AIR & **MULTIPURPOSE** Heavy Duty

> **CHEMICAL** TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE


WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® GUNITE TAN



Product Specifications

APPLICATION: For the efficient transfer of sand and cement to the placement mixing gun nozzle. Recommended

for all types of gunning applications.

CONSTRUCTION

TUBE: Tan Pureten[™] gum rubber or black Tufsyn® rubber

COVER: Tan Plioflex® synthetic rubber (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric

TEMPERATURE: -40°F to 180°F (-40°C to 82°C)

PACKAGING: 50' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Gunite 150 Max WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-862 (tan Pureten)

549-863 (black Tufsyn)

549-865 (tan Pureten with anti-static wires)

PLICORD® GUNITE

ı	ID		I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
11/4	31.8	2.16	54.9	150	1.03	1.24	1.85	
1½	38.1	2.43	61.7	150	1.03	1.48	2.20	
1%	41.3	2.58	65.5	150	1.03	1.60	2.38	
1¾	44.5	2.70	68.6	150	1.03	1.68	2.50	
2	50.8	2.94	74.7	150	1.03	1.86	2.77	



MINING

MINING



	Page	Thermoplastic	Rubber	MSHA	Temp Range	Static Dissipating Tube
Brigade™ Mine	137	Yes		Yes	-10°F to 150°F	
Flextra® Rock Dust	138		Yes	Yes	-25°F to 200°F	Yes
M&P Mine Conduit	139		Yes	Yes	-20°F to 200°F	
Mine Spray	136		Yes	Yes	0°F to 200°F	
Plicord® Ammonium Nitrate Pellet	140		Yes		-25°F to 200°F	Yes
Plicord® Mine Conduit	141		Yes	Yes	-40°F to 200°F	
Spiraflex® Rock Dust - Yellow Cover	143	Yes		Yes	0°F to 158°F	
Spiraflex® Cable Guard	142	Yes		Yes	0°F to 150°F	
Spiraflex® Red	220	Yes		Yes	-10°F to 150°F	
Spiraflex® Yellow	221	Yes		Yes	-10°F to 150°F	
TunnelCote [™] Rock Dust - Black Cover	144		Yes	Yes	-25°F to 200°F	Yes

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



MINING

AIR & **MULTIPURPOSE** General Purpose Heavy Duty

CHEMICAL TRANSFER

EQUIPMENT

FOOD Washdown

MARINE

MATERIAL HANDLING Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER Suction &

WELDING

COUPLING

APPENDIX

MINE SPRAY



Product Specifications



APPLICATION:

For general underground water spray service in dust control applications. It is also used on

continuous mining machinery at the headface and on other mechanical mining machines.

CONSTRUCTION

TUBE: Nitrile synthetic rubber RMA Class B (medium oil resistance)

COVER: Yellow Chemivic™ synthetic rubber RMA Class B (medium oil resistance) (Meets flame test

requirements of MSHA Schedule 26-Section 18.65), smooth finish

REINFORCEMENT: Braided (1) steel wire

0°F to 200°F (-18°C to 93°C) **TEMPERATURE:**

PACKAGING: 3/4" 500' reels or 50' cut lengths, 20 pieces per carton

1" 500' reels or 50' cut lengths, 12 pieces per carton 1¼" 500' reels or 50' cut lengths, 8 pieces per carton 1½" 300' reels or 50' cut lengths, 6 pieces per carton

50' cut lengths, 4 pieces per carton

BRANDING: Example: Goodyear® 1" Mine Spray 1000 psi WP, Fire-Resistant, USMSHA IC-11/9. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-421

MINE SPRAY

ID		NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
3/4	19.1	1.14	29.0	1000	6.9	0.44	0.65	
1	25.4	1.45	36.8	1000	6.9	0.63	0.94	
11/4	31.8	1.75	44.5	1000	6.9	0.86	1.28	
1½	38.1	1.98	50.3	1000	6.9	1.08	1.61	
2	50.8	2.55	64.8	1000	6.9	1.57	2.34	



BRIGADE™ MINE

GOOD FYEAR BRIGADE MINE FLAME-RESISTANT

Product Specifications

APPLICATION: For use as a mine fire protection hose in underground mines.

CONSTRUCTION

TUBE: Black fire-resistant Pliovic®

COVER: Orange fire-resistant Pliovic

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -10°F to 150°F (-23°C to 66°C)

PACKAGING: 1½" 500' continuous one piece, coiled and banded

2" 400' continuous one piece, coiled and banded 2½" 300' continuous one piece, coiled and banded

BRANDING (SPIRAL): Example: Goodyear® Brigade Mine Flame-Resistant. USMSHA No. 2G14. 2" (52.6mm) 150 psi

(1.03 Mpa). Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 537-506 (150 psi) 537-508 (200 psi)

В	RI	GA	DE	тм	MI	N	2	

	ID		I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1½	38.1	1.75	44.5	150	1.03	0.23	0.34	
2	50.8	2.27	57.7	150	1.03	0.34	0.51	
21/2	63.5	2.83	71.9	150	1.03	0.51	0.76	
1½	38.1	1.72	43.7	200	1.38	0.25	0.37	
2	50.8	2.29	58.2	200	1.38	0.36	0.54	
2½	63.5	2.68	68.1	200	1.38	0.51	0.76	

Note: Working pressures are rated at 72°F.

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS



MINING

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

FLEXTRA® ROCK DUST



Product Specifications

APPLICATION: For handling rock dust operations in underground mines.

CONSTRUCTION

TUBE: Black Tufsyn® synthetic rubber (static dissipating/static conductive)

COVER: Yellow Chemivic[™] synthetic rubber, flame-resistant (MSHA) (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -25°F to 200°F (-32°C to 93°C)

PACKAGING: 50' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Rock Dust Flame-Resistant MSHA IC 11/7.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure. Soft-

cuffed ends available upon special request.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-668

FLEXTRA® ROCK DUST

- 1	D	NOM	NOM. OD		MAX. WP B		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.	
11/4	31.8	1.59	40.5	100	0.69	6	152	29	737	0.48	0.72	
1½	38.1	1.85	46.9	100	0.69	6	152	29	737	0.60	0.89	
2	50.8	2.37	60.3	100	0.69	8	203	29	737	0.80	1.19	
2½	63.5	2.89	73.3	100	0.69	10	254	29	737	1.06	1.58	
3	76.2	3.35	85.1	50	0.34	12	305	29	737	1.20	1.79	
4	101.6	4.41	111.9	50	0.34	16	406	29	737	1.71	2.55	



M&P MINE **CONDUIT**



Product Specifications

APPLICATION: A fabric-reinforced conduit hose for use as an electrical cable cover in underground mine service.

CONSTRUCTION

TUBE: Black flame-resistant synthetic

COVER: Black flame-resistant synthetic (smooth cover)

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -20°F to 200°F (-29°C to 93°C)

PACKAGING: Stocked in 50' pieces per box

Example: 3/4" (19.1mm) Mine Conduit Made in USA Goodyear®. US MSHA #2G-14-7X **BRANDING:**

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES:

569-045

MINING

AIR &

Heavy Duty

CHEMICAL TRANSFER

CLEANING

Washdown

MARINE

MATERIAL HANDLING

Abrasives

Bulk Transfer Cement & Concrete

FOOD Transfer

EQUIPMENT

MULTIPURPOSE

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER

Suction &

WELDING

COUPLING **SYSTEMS**

APPENDIX

M&P MINE CONDUIT

I	D	NON	I. OD	WEIGHT		
in.	mm.	in.	mm.	lb./ft.	kg./m.	
1/2	12.7	0.94	23.9	0.29	0.43	
5/8	15.9	1.06	26.9	0.35	0.52	
3/4	19.1	1.19	30.2	0.39	0.58	
7/8	22.2	1.32	33.5	0.45	0.67	
1	25.4	1.43	36.3	0.46	0.68	
11//8	28.6	1.56	39.6	0.60	0.89	
11/4	31.8	1.69	42.9	0.62	0.92	
13/8	34.9	1.82	46.2	0.71	1.06	
1½	38.1	1.95	49.5	0.75	1.12	



MINING

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® AMMONIUM NITRATE PELLET



Product Specifications

APPLICATION: For pellet transfer in blasting hole loading.

CONSTRUCTION

TUBE: Black Nitrile synthetic rubber (static dissipating/static conductive)

COVER: Black Nitrile synthetic rubber (static dissipating/static conductive)

REINFORCEMENT: Spiral-plied synthetic fabric

TEMPERATURE: -25°F to 200°F (-32°C to 93°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Ammonium Nitrate Pellet 100 psi.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-232

PLICORD® AMMONIUM NITRATE PELLET

ID		NOM. OD		MAX. WP		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/4	19.1	1.17	29.7	100	0.69	0.33	0.49
1	25.4	1.42	36.1	100	0.69	0.34	0.51
1½	38.1	1.92	48.8	100	0.69	0.59	0.88
2	50.8	2.49	63.3	100	0.69	0.76	1.13
2½	63.5	2.94	74.7	100	0.69	0.90	1.34
3	76.2	3.42	86.9	100	0.69	1.10	1.64



PLICORD® MINE CONDUIT



AIR & **MULTIPURPOSE** Heavy Duty

> **CHEMICAL** TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer

> > MARINE

HANDLING Abrasives Bulk Transfer Cement & Concrete

Washdown

MATERIAL

Product Specifications

APPLICATION: A fabric-reinforced hose for use as an electrical cable cover in underground mines. Meets MSHA

standards for flame-resistant cover.

CONSTRUCTION

TUBE: Black Wingprene® synthetic rubber

COVER: Black Wingprene® synthetic rubber, flame-resistant (wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric

TEMPERATURE: -40°F to 200°F (-40°C to 93°C)

PACKAGING: 50' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Mine Conduit Hose, Flame-Resistant, USMSHA, #2G-14/15.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-039 (black cover) 549-035 (yellow cover)

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING

APPENDIX

PLICORD® MINE CONDUIT

II.	D	NOM	I. OD	WEIGHT		
in.	mm.	in.	mm.	lb./ft.	kg./m.	
1/2	12.7	0.94	23.9	0.30	0.45	
5/8	15.9	1.06	26.9	0.35	0.52	
3/4	19.1	1.18	30.0	0.40	0.60	
7/8	22.2	1.30	33.0	0.45	0.67	
1	25.4	1.43	36.3	0.50	0.74	
11//8	28.6	1.58	40.1	0.56	0.83	
11/4	31.8	1.69	42.9	0.61	0.91	
13/8	34.9	1.81	46.0	0.66	0.98	
$1\frac{1}{2}$	38.1	1.93	49.0	0.71	1.06	
1¾	44.5	2.21	56.1	0.82	1.22	
2	50.8	2.42	61.5	0.87	1.29	
21/4	57.2	2.67	67.9	0.97	1.43	
23/8	60.3	2.80	71.0	1.02	1.52	
21/2	63.5	2.92	74.2	1.06	1.58	
3	76.2	3.41	86.5	1.26	1.86	
4	101.6	4.44	112.7	1.66	2.45	



MINING

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE


WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SPIRAFLEX® CABLE GUARD



Product Specifications

APPLICATION: For use as a protective cover for supply lines. Flame-resistant MSHA approved.

CONSTRUCTION

TUBE: Clear Pliovic® corrugated for flexibility, MSHA

HELIX: Clear Pliovic corrugated for flexibility, MSHA

TEMPERATURE: 0°F to 150°F (-18°C to 66°C)

PACKAGING: Continuous one piece, coiled and polywrapped, available in 50' or 100' lengths, available preslit

longitudinally for easy installation.

BRANDING: Example: Cable Guard, USMSHA IC-11/12. Made in USA Goodyear®.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 586-438

SPIRAFLEX® CABLE GUARD

ID		NOM. OD		BEND RADIUS		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
2	50.8	2.28	57.9	3	76	0.34	0.51
3	76.2	3.37	85.6	6	152	0.52	0.77
4	101.6	4.44	112.8	9	229	0.75	1.12



SPIRAFLEX® ROCK DUST





Product Specifications

APPLICATION: Rock Dust hose is a lightweight, flexible alternative to the rubber hose for handling rock dusting

in underground coal mines.

CONSTRUCTION

TUBE: Green Pliovic®, meets MSHA standards USMSHA

COVER: Green Pliovic, meets MSHA standards USMSHA

REINFORCEMENT: Rigid white Pliovic PVC helix

TEMPERATURE: 0°F to 158°F (-18°C to 70°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING: Example: Rock Dust USMSHA 2G-1C-14C/17 Made in USA Goodyear®.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: Static wire available, contact Customer Service.

ORDER CODES: 586-426 (corrugated cover)

586-427 (smooth cover with static wire, not available in 4")

SPIRAFLEX® ROCK DUST

- 1	ID NO		. OD MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT		
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1½	38.1	1.75	44.5	44	0.30	4	97	29	737	0.28	0.42
2	50.8	2.35	59.7	30	0.21	6	140	29	737	0.61	0.91
2½	63.5	2.87	72.9	30	0.21	7	178	29	737	0.61	0.91
3	76.2	3.40	86.4	30	0.21	8	203	29	737	0.77	1.15
4	101.6	4.45	113.0	27	0.19	14	356	15	381	0.95	1.41

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



MINING

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

TUNNELCOTE™ ROCK DUST



Product Specifications





APPLICATION:

For handling rock dust operations in underground mines. Offered in corrugated or smooth cover.

Optional reflective tape available in either style.

CONSTRUCTION

TUBE: Black Tufsyn® synthetic rubber (static dissipating / static conductive)

COVER: SMOOTH (Flexwing®): Black Wingprene® synthetic rubber, flame resistant (MSHA)

(wrapped impression)

CORRUGATED (Flextra®): Black Wingprene® synthetic rubber, flame resistant (MSHA)

(wrapped impression)

REINFORCEMENT: Spiral-plied synthetic fabric with dual wire helix

TEMPERATURE: -25°F to 200°F (-32°C to 93°C)

PACKAGING: 50' length, coiled & polywrapped

BRANDING (SPIRAL): Example: Goodyear® TunnelCote™ rock dust flame resistant msha IC-11/14 (embossed)

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

Soft-cuffed ends standard. Plain ends available upon request.

NON-STOCK/SIZES: 400' minimum order, contact customer service

ORDER CODES: Smooth Cover Flexwing®: 546-469 546-470 (with 10mm wide spiral reflective tape added)

Corrugated Cover Flextra®: 546-467 546-468 (with 10mm wide spiral reflective tape added)

FLEXWING® SMOOTH

- 1	D	NOM	I. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
11/4	32.0	1.62	41.1	100	0.69	5	127	29	737	0.54	0.80
1½	38.0	1.85	47.1	100	0.69	6	152	29	737	0.63	0.94
2	51.2	2.40	60.9	100	0.69	8	203	29	737	0.88	1.31
2½	63.7	2.92	74.3	100	0.69	10	254	29	737	1.21	1.80
3	76.1	3.42	86.8	100	0.69	12	305	29	737	1.44	2.14

FLEXTRA® CORRUGATED

- 1	D	NOM	l. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
11/4	32.0	1.57	39.9	100	0.69	2½	64	29	737	0.46	0.68
1½	38.0	1.80	45.9	100	0.69	3	76	29	737	0.54	0.80
2	51.2	2.35	59.7	100	0.69	4	102	29	737	0.76	1.13
21/2	63.7	2.86	72.7	100	0.69	6	152	29	737	1.01	1.50
3	76.1	3.35	85.2	100	0.69	8	203	29	737	1.21	1.80



AIRCRAFT FUELING



	Page	API 1529	NFPA	EN 1361	Static Dissipating Cover
Advantage™	148	Yes	Yes		Yes
Deadman Aircraft Refueling	149				
Jet Ranger™	147	Yes	Yes	Yes	Yes
Refueling Sensing	150				
Wingcraft™	146	Yes	Yes		Yes

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER

Discharge Suction & Discharge Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

WINGCRAFT™



Product Specifications

APPLICATION: For fueling or defueling* commercial and private aircraft. It handles jet fuel and the higher

aromatic aviation gasolines. Its high working pressure permits use in fuel cart hydrant service. Hose meets API Bulletin 1529–6th edition, 2005 and N.F.P.A. Bulletin #407 (2007 revision).

CONSTRUCTION

TUBE: Black Nitrile synthetic rubber

COVER: Black Wingprene® (ORS) static dissipating/static conductive synthetic rubber

REINFORCEMENT: Spiral-plied synthetic fabric

TEMPERATURE: -35°F to 200°F (-37°C to 93°C)

PACKAGING: Cut lengths, coiled and polywrapped

BRANDING: Example: Goodyear® Wingcraft™ Aircraft Fueling NFPA407, API/IP 1529/2005 Type C, Grade 2, 2",

2000 Kpa (300 psi) MAX WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedures.

NON-STOCK/SIZES: Custom lengths and fitting configurations available.

ORDER CODES: (1" to 3") 543-738 (4") 541-738

WINGCRAFT™

ı	D	NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1	25.4	1.58	40.1	300	2.07	0.63	0.94	
11/4	31.8	1.89	48.0	300	2.07	0.84	1.25	
1½	38.1	2.13	54.1	300	2.07	0.96	1.43	
2	50.8	2.72	69.1	300	2.07	1.43	2.13	
2½	63.5	3.22	81.8	300	2.07	1.72	2.56	
3	76.2	3.70	94.0	300	2.07	2.02	3.01	
4	101.6	4.80	121.9	300	2.07	2.89	4.30	

Note: Bulk hose and factory's assemblies are hydrostatic tested to 600 psi and certified.



^{*}Gravity defueling only.

JET RANGER™



Product Specifications

APPLICATION: Used in the fueling and defueling* of commercial and private aircraft. Resistant to jet fuel and

higher aromatic aviation gasolines. Also for use on hydrant service. Meets both API 1529-6th edi-

tion, 2005 and European Standard BS EN 1361; 2004.

CONSTRUCTION

TUBE: Black Nitrile synthetic rubber

COVER: Black Wingprene® (ORS) static dissipating/static conductive synthetic rubber (wrapped finish)

REINFORCEMENT: Spiral-plied (4) synthetic fabric and one nylon breaker

TEMPERATURE: -35°F to 200°F (-37°C to 93°C)

PACKAGING: Cut lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Jet Ranger EN 1361:2004/C/OMEGA, NFPA 407 API/IP 1529/2005 Type C,

Grade 2, 2 1/2", 2000 Kpa/20 bars/300 psi MAX WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: (1" to 3") 543-742 (4") 541-742

JET RANGER™

- 1	D	NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1½	38.1	2.06	52.3	300	2.07	0.86	1.28	
131/32	50.0	2.57	65.3	300	2.07	1.14	1.70	
21/2	63.5	3.16	80.3	300	2.07	1.53	2.28	
3	76.2	3.64	92.5	300	2.07	1.79	2.66	
4	101.6	5.00	127.0	300	2.07	3.70	5.51	

Note: Bulk hose is factory hydrostatic tested to 600 psi.

*Gravity defueling only.

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WAILK

Suction & Discharge

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

ADVANTAGE™



Product Specifications

APPLICATION: Advantage™ Aircraft Fueling hose is for over and under the wing fueling of commercial and

private aircraft. It handles jet fuel and av-gas up to 50% aromatic content.

CONSTRUCTION

TUBE: Black Nitrile synthetic rubber

COVER: Black Wingprene® (ORS) static dissipating/static conductive synthetic rubber

(wrapped impression)

REINFORCEMENT: Spiral-plied (2) synthetic fabric and one breaker

TEMPERATURE: -35°F to 200°F (-37°C to 93°C)

PACKAGING: Cut lengths, coiled and polywrapped.

BRANDING: Example: Goodyear® Advantage Aircraft Fueling Hose NFPA407, API/IP 1529/2005 Type C, Grade 1,

1¼", 1000 Kpa (150 psi) MAX WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedures.

NON-STOCK/SIZES: Custom lengths and female fitting configurations available.

ORDER CODES: 543-429

ADVANTAGE™


I	D	NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1	25.4	1.55	39.4	150	1.03	0.60	0.89	
11/4	31.8	1.81	46.0	150	1.03	0.72	1.07	
1½	38.1	2.11	53.6	150	1.03	0.96	1.43	

^{*}Hose meets API Bulletin 1529-6th edition, 2005, Grade 1, Type C and N.F.P.A. Bulletin #407 (2001 revision).

Note: Bulk hose and factory's assemblies are hydrostatic tested to 300 psi and certified.



DEADMAN AIRCRAFT REFUELING



Product Specifications

APPLICATION: The double-line Deadman Refueling hose is for automatic shutoff at the operator end of aircraft

hydrant and truck refueling systems. Used with pneumatic closed circuit systems commonly referred to as single point pressure refueling. Deadman hose is connected to air-actuated shut-off valves, which are controlled by the refueler technician at all times during aircraft

refueling operations.

TUBE: Nitrile synthetic rubber, RMA Class A (High Oil Resistance)

COVER: Red/Green, Green/Yellow Chemivic™ synthetic rubber, RMA Class A (High Oil Resistance)

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -20°F to 140°F (-29°C to 60°C)

PACKAGING: 450-750', maximum 3 pieces, minimum 35'

BRANDING (SPIRAL): Permanent contrasting black ink on the Red Hose only. Example: 1/4" ID. Aircraft Fueling

Deadman. Made in USA Goodyear®.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 569-601 (Red/Green) 569-692 (Green/Yellow)

DEADMAN AIRCRAFT REFUELING

- 1	ID		I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/4	6.4	0.53	13.5	200	1.38	0.2	0.3	

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

Discharge Suction & Discharge

Washdow

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

REFUELING SENSING



Product Specifications

APPLICATION: The double-line Refueling Sensing hose is for use on pressurized aircraft hydrant fueling systems

common at the larger metropolitan airports. The Sensing hose operates in a system where air and fuel from the underground hydrants monitor the flow and pressure of fuel being pumped into the aircraft. The hose carries the deadman function (automatic safety shutdown) and pressure

control signals from the dispensing vehicle to the hydrant pit control valve.

CONSTRUCTION

TUBE: Nitrile synthetic rubber, RMA Class A (High Oil Resistance)

COVER: Orange/Black high-quality Hysunite[™] synthetic rubber

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -20°F to 140°F (-29°C to 60°C)

PACKAGING: 450'-750' reels, maximum 3 pieces, minimum 35'

BRANDING: Permanent contrasting white ink on black hose only.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 569-604

REFUELING SENSING

- 1	D	NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
3/8	9.5	0.66	16.8	200	1.38	0.28	0.42	



DISPENSING



	Page	CUL and/or UL Approved	Gasoline	Diesel	Biodiesel*	Ethanol**	Wire Reinforcement	Textile Reinforcement
Aggie Gas [™]	158		Yes	Yes		Yes		Yes
Arctic Softwall	159	Yes	Yes	Yes	Yes	Yes		Yes
BC Gasoline	160	Yes	Yes	Yes	Yes	Yes		Yes
BC Marina	161	Yes	Yes	Yes	Yes	Yes		Yes
DEF Dispensing	162							Yes
Flexsteel® Futura™	152	Yes	Yes	Yes	Yes	Yes	Yes	
Flexsteel® Hardwall	153	Yes	Yes	Yes	Yes	Yes	Yes	
Flexsteel® Futura™ Vapor Assist	154	Yes	Yes				Yes	
Maxxim® Premier	155	Yes	Yes				Yes	
Maxxim [®] Premier Plus [™]	156	Yes	Yes				Yes	
Pacer™	157	Yes	Yes	Yes	Yes	Yes		Yes
Redwing® Fuel Oil	163		Yes	Yes	Yes			Yes

^{*} Biodiesel blends up to B20

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



^{**} Ethanol up to E85

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling

Dispensing Dock

Dоск Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

FLEXSTEEL® FUTURA™



Product Specifications



APPLICATION: Flexsteel® Futura™ with new Futurin™ cover resists cracking and fading, designed to dispense

a wide range of fuels with extreme durability. The wire braid construction provides excellent kink

resistance, low computer creep, and long service life. UL 330 and CUL approved.

CONSTRUCTION

TUBE: Nitrile synthetic rubber (ORS)

COVER: Futurin™ synthetic rubber (ORS)

REINFORCEMENT: Wire Braid

TEMPERATURE: -40°F to 140°F (-40°C to 60°C)

PACKAGING: 5/8" and 3/4" Reels or coupled lengths, 10 pieces per box

" Reels or coupled lengths, 5 pieces per box

BRANDING: Example: Goodyear® 559N, Made in USA. 3/4" (19mm) UL, CUL. Listed Flexsteel® Futura™.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 532-327

FLEXSTEEL® FUTURA™

II.	D	NOM	1. OD	WEIGHT		
in.	mm.	in.	mm.	lb./ft.	kg./m.	
5/8	15.9	1.00	25.4	0.40	0.60	
3/4	19.1	1.13	28.7	0.45	0.67	
1	25.4	1.38	35.1	0.61	0.91	



FLEXSTEEL® HARDWALL







Product Specifications

APPLICATION: Flexsteel® Hardwall is for dispensing pump applications that require a hardwall construction for

full flow and no internal spring guards. The wire-braid construction provides excellent kink

resistance, low computer creep and long service life. UL 330 and CUL approved.

CONSTRUCTION

TUBE: Nitrile synthetic rubber (ORS)

COVER: Green, Red, Blue, or Yellow Chemivic™ synthetic rubber (ORS)

REINFORCEMENT: Wire Braid

TEMPERATURE: -40°F to 140°F (-40°C to 60°C)

PACKAGING: 5/8" and 3/4" Reels or coupled lengths, 10 pieces per box

1" Reels or coupled lengths, 5 pieces per box

BRANDING (SPIRAL): Example: Goodyear® 559N, Made in USA. 3/4" (19 mm). UL, CUL. Listed Flexsteel® Hardwall

Gasoline Hose.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 532-331 (green) 532-332 (red)

532-333 (blue) 532-335 (yellow)

FLEXSTEEL® HARDWALL

li li	D	NOM	I. OD	WEIGHT		
in.	mm.	in.	mm.	lb./ft.	kg./m.	
5/8	15.9	1.00	25.4	0.38	0.57	
3/4	19.1	1.13	28.7	0.43	0.64	
1	25.4	1.38	35.1	0.58	0.86	

AIR & MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling

Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER

Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling

Dispensing Dock

Dоск Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

FLEXSTEEL® FUTURA™ VAPOR ASSIST





Product Specifications

APPLICATION: For Stage II Vacuum Assist Systems where a pump in the dispenser pulls the gasoline vapors

away from the vehicle fill pipe during fueling. The wire-braid construction for the fuel hose provides excellent kink resistance, low computer creep and long service life. Flexsteel® Futura™

Vapor Assist is UL 330 approved.

CONSTRUCTION

TUBE: Nitrile synthetic rubber (ORS)

COVER: Futurin[™] synthetic rubber (ORS)

REINFORCEMENT: Braided (1) steel wire

TEMPERATURE: -40°F to 140°F (-40°C to 60°C)

PACKAGING: Coupled lengths only, 6 pieces per box

BRANDING: Example: 3/4" Goodyear® Made in USA UL Listed Flexsteel® Futura™ Vapor Assist.

Example: 7/8" Goodyear® Made in USA UL Listed Flexsteel® Futura™ Vapor Assist.

COUPLINGS: Available only as factory coupled assembly.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 532-362

FLEXSTEEL® FUTURA™ VAPOR ASSIST

1	D	NON	1. OD	WEI	GHT
in.	mm.	in.	mm.	lb./ft.	kg./m.
3/4	19.1	1.13	28.7	0.45	0.67
7/8	22.2	1.25	31.8	0.49	0.73



MAXXIM PREMIER™





Product Specifications

APPLICATION: Fo

For Stage II Balance Systems where the gasoline vapors from the fill pipe are pushed back through the outer hose. The outer vapor hose has a textile-reinforced thermoplastic layer over a wire helix. The textile-reinforced thermoplastic cover has maximum puncture resistance, stable dimensions and long service life. The wire braid construction for the fuel hose provides excellent kink resistance and low computer creep. Maxxim Premier™ hose is C.A.R.B. and

UL 330 approved.

CONSTRUCTION

TUBE: Nitrile synthetic rubber (ORS)

COVER: Chemivic™ synthetic rubber (ORS), thermoplastic outer with textile reinforcement and wire

helix

REINFORCEMENT: Braided (1) steel wire

TEMPERATURE: -40°F to 140°F (-40°C to 60°C)

PACKAGING: Coupled lengths only, 6 pieces per box

BRANDING: Not branded

COUPLINGS: Available only as factory coupled assembly.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 532-365-440

	M
MAXXIM PREMIER	

1	D	ID-INNER HOSE		NOM. OD-INNER HOSE		WEIGHT-INNER HOSE	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
11/4	31.75	5/8	15.9	0.85	21.6	0.22	0.33

AIR & MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing

Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

Discharge Suction & Discharge

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling

Dispensing

Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE


WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

MAXXIM PREMIER PLUS™



Product Specifications

APPLICATION: Maxxim Premier Plus™ incorporates a Venturi pump in the protected confines of the inner fuel

hose coupling to keep the vapor path open in the outer hose. As gasoline flows through the Venturi pump, gasoline accumulating in the bottom loop of the vapor hose is collected and

returned to the fuel hose. C.A.R.B., EVR and UL 330 approved.

CONSTRUCTION

TUBE: Nitrile synthetic rubber (ORS)

COVER: Chemivic[™] synthetic rubber (ORS), thermoplastic outer with textile reinforcement and wire helix.

REINFORCEMENT: Braided (1) steel wire

TEMPERATURE: -40°F to 140°F (-40°C to 60°C)

PACKAGING: Coupled lengths only, 6 pieces per box

BRANDING: Not branded

COUPLINGS: Available only as factory coupled assembly.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 532-365-441 532-365-641 (EVR)

MAXXIM PREMIER PLUS™

- 1	D	ID-INNER HOSE		NOM. OD-INNER HOSE		WEIGHT-INNER HOSE	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
11/4	31.75	5/8	15.9	0.85	21.6	0.22	0.33



PACER™







General Purpose Heavy Duty Push-on

MULTIPURPOSE

CHEMICAL TRANSFER

AIR &

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

Transfer

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: For all types of gasoline dispensing applications where flexibility and a lightweight hose is desired. Pacer™ is designed with a spiral textile reinforcement. UL 330 and CUL approved.

CONSTRUCTION

TUBE: Nitrile synthetic rubber (ORS)

COVER:

Chemivic[™] synthetic rubber (ORS)

REINFORCEMENT:

Spiral synthetic yarn with static wire

TEMPERATURE:

-40°F to 140°F (-40°C to 60°C)

PACKAGING:

Reels or coupled lengths

BRANDING:

Example: 3/4" Pacer[™] Goodyear[®].

COUPLINGS:

Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES:

For special production run minimum requirements, see Appendix D.

ORDER CODES:

595-015 (bulk)

595-017 (factory coupled assemblies)

PACER™

ı	D	NOM	1. OD	WEI	GHT
in.	mm.	in.	mm.	lb./ft.	kg./m.
5/8	15.9	0.98	24.9	0.28	0.42
3/4	19.1	1.15	29.2	0.37	0.55
1	25.4	1.50	38.1	0.60	0.89



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling Dispensing

Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

AGGIE GAS™



Product Specifications

APPLICATION: A multi-use type hose for dispensing gasoline, grease, kerosene, and petroleum oils from farm

and barrel type pumps. It is for agricultural, construction and industrial service where UL

approval is not required.

CONSTRUCTION

TUBE: Nitrile synthetic rubber (ORS)

COVER: Black or red Chemivic[™] synthetic rubber (ORS)

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -30°F to 140°F (-34°C to 60°C)

PACKAGING: Reels or coupled lengths, 5 pieces per box

BRANDING: Example: Aggie Gas[™] 3/4" (19.1mm) Static Bonded Goodyear®

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

AGGIE GAS - NO STATIC WIRE

ORDER CODES: 595-001 (no static wire) (black)

595-002 (no static wire) (red)

ID		NOM. OD		WEIGHT	
in.	mm.	in.	mm.	lb./ft.	kg./m.
3/4	19.1	1.11	28.2	0.27	0.40
1	25.4	1.40	35.6	0.52	0.77

ORDER CODES: 595-026 (with static wire - bulk) (black) AGGIE GAS - WITH STATIC WIRE 595-028 (with static wire - factory coupled assemblies) (black) ID NOM. OD WEIGHT in. lb./ft. kg./m. in. mm. mm. 3/4 19.1 1.11 28.2 0.27 0.40 1 25.4 1.40 35.6 0.52 0.77



ARCTIC SOFTWALL







Product Specifications

APPLICATION: A premium gas pump hose for use in extremely cold environments. Remains flexible where

temperatures of -65°F (-54°C) are encountered. UL 330 and CUL approved.

CONSTRUCTION

TUBE: Black, low-temp synthetic rubber

COVER: Black, low-temp synthetic rubber (wrapped finish)

REINFORCEMENT: Braided synthetic yarn with antistatic wire

TEMPERATURE: -65°F to 140°F (-54°C to 60°C)

PACKAGING: 3/4" 500' reels +/- 50', minimum 50', maximum 3 pieces

1" 275' reels +/- 25', minimum 50', maximum 3 pieces

BRANDING: Example: Goodyear® 559 N, Made in USA. 3/4" (19mm) UL, CUL Listed Arctic Softwall

Gasoline Hose.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 532-395

ARCTIC SOFTWALL

I	D	NOM	1. OD	WEI	GHT
in.	mm.	in.	mm.	lb./ft.	kg./m.
5/8	15.9	1.00	25.4	0.29	0.43
3/4	19.1	1.13	28.7	0.32	0.48
1	25.4	1.50	38.1	0.57	0.85

AIR & MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Vashdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & **MULTIPURPOSE** Heavy Duty

CHEMICAL TRANSFER

EQUIPMENT

FOOD Washdown

MARINE

MATERIAL HANDLING Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling

Dispensing Dock

SPRAY

Transfer

STEAM

VACUUM

VEYANCE

WATER Suction &

WELDING

COUPLING

APPENDIX

BC GASOLINE



Product Specifications



APPLICATION: For all types of dispensing pump applications where flexibility and lightweight are desired. BC is

available with one or two textile braids. UL 330 and CUL approved.

CONSTRUCTION

TUBE: Nitrile synthetic rubber (ORS)

COVER: Black Chemivic[™] synthetic rubber (ORS)

REINFORCEMENT: Braided synthetic yarn with static wire, available in one or two braid

TEMPERATURE: -40°F to 140°F (-40°C to 60°C)

5/8" and 3/4" PACKAGING: Reels or coupled lengths, 10 pieces per box

Reels or coupled lengths, 5 pieces per box

BRANDING: Example: 1" (25.4mm) 2bd CUL, UL Listed style BC Gasoline Goodyear® 559N. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 532-012 (1 braid) 532-013 (2 braid)

BC GASOLINE (1 BRAID)

I	D	NOM	1. OD	WEI	GHT
in.	mm.	in.	mm.	lb./ft.	kg./m.
5/8	15.9	1.00	25.4	0.28	0.42
3/4	19.1	1.13	28.7	0.32	0.48

BC GASOLINE (2 BRAID)

II	D	NOM	1. OD	WEI	GHT
in.	mm.	in.	mm.	lb./ft.	kg./m.
5/8	15.9	1.00	25.4	0.24	0.36
3/4	19.1	1.19	30.2	0.37	0.55
1	25.4	1.50	38.1	0.55	0.82



BC MARINA







Product Specifications

APPLICATION: For dispensing gasoline to pleasure craft and commercial boats at fresh and salt water marinas.

UL 330 and CUL approved.

CONSTRUCTION

TUBE: Nitrile synthetic rubber (ORS)

COVER: Green Chemivic[™] synthetic rubber (ORS) (nonmarking)

REINFORCEMENT: Braided (2) synthetic yarn with static wire

TEMPERATURE: -40°F to 140°F (-40°C to 60°C)

PACKAGING: Reels or coupled lengths

BRANDING: Example: 1" (25.4mm) 2bd UL Listed Marina Gasoline Goodyear® 559N. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 532-293

MATERIAL HANDLING Abrasives

AIR &

Heavy Duty

CHEMICAL TRANSFER

CLEANING

Washdown

MARINE

FOOD Transfer

EQUIPMENT

MULTIPURPOSE

Bulk Transfer Cement & Concrete

MINING

BC	M	AR	Ш	Δ
----	---	----	---	---

I	D	NOM	1. OD	WEI	GHT
in.	mm.	in.	mm.	lb./ft.	kg./m.
3/4	19.1	1.19	30.2	0.38	0.57
1	25.4	1.50	38.1	0.57	0.85

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER

Discharge Suction & Discharge

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling

Dispensing

Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

DEF DISPENSING HOSE





Product Specifications

APPLICATION:

Diesel Exhaust Fluid (DEF: aqueous 32.5% nitrogen solution of high-purity urea in deionized water) is a key component of selective catalytic reduction (SCR) systems, which help diesel vehicles meet stringent emission regulations effective January 1, 2010. DEF is a liquid reducing agent that reacts with engine exhaust in the presence of a catalyst to convert smog-forming nitrogen oxides (NOx) into harmless nitrogen and water vapor.

Goodyear Engineered Products DEF Dispensing Hose is specifically designed to convey the high-purity, aqueous urea solution DEF. Hose tube compound is specially formulated with low extraction EPDM and peroxide cured to provide superior extraction levels to significantly reduce contamination. Flexible softwall construction provides superior handling in standard dispensing and reeling applications. Static wire available for installation in Class I, Division 1 areas.

CONSTRUCTION TUBE: Specially formulated low-extraction EPDM, peroxide cured

COVER: Specially formulated EPDM

REINFORCEMENT: Polyester braid

TEMPERATURE: -40°F to 257°F (-40°C to 125°C)

PACKAGING: Bulk, coupled assemblies (NPT and BSPP fittings available)

BRANDING: Example: Goodyear® DEF Dispensing Hose 3/4" (19.1mm)

DEF DISPENSING HOSE

FEATURES	BENEFITS
Specially formulated low extraction EPDM compound for tube peroxide cured	Provides superior extraction levels to significantly reduce contamination that can clog an SCR system and stop a truck
Enhanced manufacturing practices	Significantly reduce contamination that can clog an SCR system and stop a truck
Premium braided construction	Reduced volumetric expansion to meet Weights and Measures system criteria
Static Wire	Requirement for installations in Class I, Division 1 areas as outlined in NFPA 70
Meets ISO 22241 standard	Ensures desirable characteristics of AUS 32 (DEF) are met, such as quality, safety, reliability and contamination

DEF DISPENSING HOSE

SIZE	INSIDE D	IAMETER	OUTSIDE DIAMETER		WEI	GHT	WP		
in.	in.	mm.	in.	mm.	lbs/ft	kg/m	psi	Мра	
3/4	0.75	19.1	1.13	28.8	.30	.457	300	2.07	



REDWING® FUEL OIL



Product Specifications

APPLICATION: Redwing® Fuel Oil is for transfer and delivery of fuel oil and petroleum products for home

delivery, commercial and industrial service. Redwing Fuel Oil has two textile braids. The braided construction reduces kinking and twisting when reeling. The smooth cover has low

drag resistance.

CONSTRUCTION

TUBE: Nitrile synthetic rubber (ORS)

COVER: Red Chemivic[™] synthetic rubber (smooth finish) (ORS)

REINFORCEMENT: Braided (2) synthetic yarn

TEMPERATURE: -40° F to 140° F (-40° C to 60° C)

PACKAGING: Reels, cut lengths, and coupled lengths

BRANDING: Example: 1" (25.4 mm) 2 BD Redwing® Fuel Oil Goodyear®. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 532-016

REDWING® FUEL OIL

- 1	D	NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1	25.4	1.50	38.1	250	1.72	0.57	0.85	
11/4	31.8	1.80	45.7	250	1.72	0.65	0.97	
13/8	34.9	1.88	47.8	250	1.72	0.70	1.04	
1½	38.1	2.10	53.3	250	1.72	0.92	1.37	

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing

Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

DOCK



	Page	Nitrile Tube	Flosyn Tube	Max W.P.	Corrugated	Temp Range	Built-in Nipple	Swage Nipple*
Flexdock® 225	165	Yes	Yes	225	Yes	-25°F to 200°F	Yes	Yes
Flexdock® 300	166	Yes	Yes	300	Yes	-25°F to 200°F	Yes	Yes
Hot Tar & Asphalt Rough Bore	172	Yes		200		-25°F to 350°F	Yes	
Hot Tar & Asphalt Smooth Bore	172	Yes		200		-25°F to 350°F	Yes	
Lightwing™	173	Yes		250		-22°F to 176°F	Yes	
Smooth Bore Dock 200	167	Yes	Yes	200		-25°F to 200°F	Yes	Yes
Smooth Bore Dock 300	168	Yes	Yes	300		-25°F to 200°F	Yes	Yes
Tanker Barge Discharge	169	Yes	Yes	200		-25°F to 220°F	Yes	Yes
Thor™ Submarine	171	Yes		250		-25°F to 180°F	Yes	
Vapor Recovery Dock	170	Yes	Yes	25	Yes	-25°F to 200°F	Yes	Yes

 $^{^{\}ast}$ Up to 10" ID



FLEXDOCK® 225



Product Specifications

APPLICATION: Built with a corrugated cover to provide flexibility in petroleum transfer service. A variety of tube

compounds are available to tailor the chemical and hydrocarbon resistance of the hose to the

type of material handled.

CONSTRUCTION

TUBE: Nitrile synthetic rubber for up to 50% aromatics. Also available with a Flosyn® tube for up to

100% aromatics.

COVER: Black Wingprene® synthetic cover, corrugated, wrapped finish

REINFORCEMENT: Spiral-plied heavy-duty synthetic fabric with double wire helix

TEMPERATURE: -25°F to 200°F (-32°C to 93°C)

PACKAGING: Chloroplast heavy-duty packaging

BRANDING (SPIRAL): Example: Goodyear® Flexdock 225 psi WP Nitrile Oil Service.

COUPLINGS: Coupled with standard built-in steel nipple/150#RFSO flanges. Available in other bolt hole

patterns, materials and floating flanges on request. Swage nipples are offered up to 10".

Hose assembly is electrically continuous unless otherwise specified by customer.

NON-STOCK/SIZES: Custom lengths available, contact customer service.

ORDER CODES: 541-532 (Nitrile tube) 541-534 (Flosyn® tube)

FLEXDOCK® 225

- 1	D	NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
3	76.2	3.89	98.8	225	1.55	11	279	29	737	3.28	4.88
4	101.6	5.29	134.4	225	1.55	15	381	29	737	6.30	9.38
6	152.4	7.34	186.4	225	1.55	22	559	29	737	9.50	14.14
8	203.2	9.43	239.5	225	1.55	30	762	29	737	13.81	20.55
10	254.0	11.63	295.4	225	1.55	40	1016	29	737	20.49	30.49
12	304.8	13.72	348.5	225	1.55	60	1524	29	737	25.13	37.40

Note: Factory coupled hose manufactured according to the code of Federal Regulations standard 33 CFR 154.500 and 33 CFR 156.170.

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

Discharge Suction &

Discharge Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling Dispensing

Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

FLEXDOCK® 300



Product Specifications

APPLICATION: Built with a corrugated cover to provide flexibility in petroleum transfer service. A variety of tube

compounds are available to tailor the chemical and hydrocarbon resistance of the hose to the

type of material handled.

CONSTRUCTION TUBE:

Nitrile synthetic rubber for up to 50% aromatics. Also available with a Flosyn® tube for up to

100% aromatics.

COVER: Black Wingprene® synthetic cover, corrugated, wrapped finish

REINFORCEMENT: Heavy-duty synthetic fabric plies with double wire helix.

TEMPERATURE: -25°F to 200°F (-32°C to 93°C)

PACKAGING: Chloroplast heavy-duty packaging

BRANDING (SPIRAL): Example: Goodyear® Flexdock 300 psi WP Nitrile Oil Service.

COUPLINGS: Coupled with standard built-in steel nipple/150#RFSO flanges. Available in other bolt hole

patterns, materials and floating flanges on request. Swage nipples are offered up to 10". Hose assembly is electrically continuous unless otherwise specified by customer.

NON-STOCK/SIZES: Custom lengths available, contact customer service.

ORDER CODES: 541-533 (Nitrile Tube) 541-535 (Flosyn® tube)

FLEXDOCK® 300

- 1	ID NOM. OD		1. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
3	76.2	4.06	103.7	300	2.07	14	356	29	737	3.76	5.60
4	101.6	5.29	134.4	300	2.07	19	483	29	737	6.30	9.38
6	152.4	7.35	186.7	300	2.07	28	711	29	737	9.64	14.35
8	203.2	9.63	244.6	300	2.07	38	965	29	737	15.56	23.16
10	254.0	11.51	292.4	300	2.07	48	1219	29	737	19.73	29.36
12	305.5	13.94	353.9	300	2.07	58	1473	29	737	28.89	42.98

Note: Factory coupled hose manufactured according to the code of Federal Regulations standard 33 CFR 154.500 and 33 CFR 156.170.



SMOOTH BORE DOCK 200



Product Specifications

APPLICATION: For the transfer of petroleum based products between docks and ships under all types of service

conditions. It is available in a number of tube compounds to tailor the fluid handling capabilities

to a wide variety of petroleum and chemical compositions.

CONSTRUCTION

TUBE: Nitrile synthetic rubber for up to 50% aromatics. Also available with a Flosyn® tube for up to

100% aromatics.

COVER: Black Chemivic[™] (smooth cover, wrap finish)

REINFORCEMENT: Spiral plied synthetic fabric with wire helix

TEMPERATURE: -25°F to 200°F (-32°C to 93°C)

PACKAGING: Chloroplast heavy-duty packaging

BRANDING (SPIRAL): Example: Goodyear® SB Dock oil service, 200 psi WP Nitrile.

COUPLINGS: Coupled with standard built-in steel nipple/150#RFSO flanges. Available in other bolt hole

patterns, materials and floating flanges on request. Swage nipples are offered up to 10".

Hose assembly is electrically continuous unless otherwise specified by customer.

NON-STOCK/SIZES: Custom lengths available, contact customer service.

ORDER CODES: 541-004 (Nitrile Tube) 541-586 (Flosyn® Tube)

SMOOTH BORE DOCK 200

	ID	NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
3	76.2	4.25	108.0	200	1.38	18	457	29	737	4.50	6.70
4	101.6	5.29	134.4	200	1.38	24	610	29	737	6.15	9.15
6	152.4	7.45	189.2	200	1.38	36	914	29	737	11.27	16.77
8	203.2	9.62	244.4	200	1.38	48	1219	29	737	16.44	24.46
10	254.0	11.62	295.2	200	1.38	60	1524	29	737	21.21	31.56
12	304.8	13.94	354.1	200	1.38	72	1829	29	737	30.63	45.58

Note: Factory coupled hose manufactured according to the code of Federal Regulations standard 33 CFR 154.500 and 33 CFR 156.170.

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

Discharge Suction &

Discharge Washdowr

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling Dispensing

Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SMOOTH BORE DOCK 300



Product Specifications

APPLICATION: For the transfer of petroleum based products between docks and ships under all types of service

conditions. It is available in a number of tube compounds to tailor the fluid handling capabilities

to a wide variety of petroleum and chemical compositions. CONSTRUCTION

TUBE: Nitrile synthetic rubber for up to 50% aromatics. Also available with a Flosyn® tube for up to

100% aromatics.

COVER: Black Wingprene® synthetic rubber

REINFORCEMENT: Spiral wire helix between plies of synthetic fabric

TEMPERATURE: -25°F to 200°F (-32°C to 93°C)

PACKAGING: Chloroplast heavy-duty packaging

BRANDING (SPIRAL): Example: Goodyear® SB Dock oil service, 300 psi WP Nitrile.

COUPLINGS: Coupled with standard built-in steel nipple/150#RFSO flanges. Available in other bolt hole

patterns, materials and floating flanges on request. Swage nipples are offered up to 10". Hose assembly is electrically continuous unless otherwise specified by customer.

NON-STOCK/SIZES: Custom lengths available, contact customer service.

ORDER CODES: 541-580 (Nitrile Tube) 541-584 (Flosyn® Tube)

SMOOTH BORE DOCK 300

- 1	D	NON	1. OD	MAX	. WP	BEND I	RADIUS	VACU	JM HG	WE	IGHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
3	76.2	4.25	108.0	300	2.07	21	533	29	737	4.48	6.67
4	101.6	5.29	134.4	300	2.07	27	686	29	737	6.15	9.15
6	152.4	7.51	190.8	300	2.07	39	991	29	737	11.72	17.44
8	203.2	9.78	248.4	300	2.07	51	1295	29	737	17.93	26.68
10	254.0	11.77	299.0	300	2.07	63	1600	29	737	22.99	34.21
12	304.8	14.15	359.4	300	2.07	75	1905	29	737	33.29	49.54

Note: Factory coupled hose manufactured according to the code of Federal Regulations standard 33 CFR 154.500 and 33 CFR 156.170.



TANKER BARGE DISCHARGE



Product Specifications

APPLICATION: For discharge applications such as the transfer of petroleum-based products between docks

and barges.

CONSTRUCTION

TUBE: Nitrile synthetic rubber for up to 50% aromatics.

COVER: Black Wingprene® synthetic rubber

REINFORCEMENT: Spiral-plied synthetic fabric with grounding wires

TEMPERATURE: -25°F to 220°F (-32°C to 104°C)

PACKAGING: Chloroplast heavy-duty packaging

BRANDING (SPIRAL): Example: Goodyear® Tanker Barge Discharge, 200 psi WP Nitrile.

COUPLINGS: Coupled with standard built-in steel nipple/150#RFSO flanges. Available in other bolt hole

patterns, materials and floating flanges on request. Swage nipples are offered up to 10".

Hose assembly is electrically continuous unless otherwise specified by customer.

NON-STOCK/SIZES: Custom lengths available, contact customer service.

ORDER CODES: 541-426 (Nitrile tube) 541-427 (Flosyn® tube)

TANKER BARGE DISCHARGE

II.	D	NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
4	101.6	5.09	129.3	200	1.38	4.30	6.40	
6	152.4	7.08	179.8	200	1.38	6.18	9.20	
8	203.2	9.08	230.6	200	1.38	8.06	11.99	
10	254.0	11.06	280.9	200	1.38	9.93	14.78	
12	304.8	13.28	337.3	200	1.38	13.91	20.70	

Note: Factory coupled hose manufactured according to the code of Federal Regulations standard 33 CFR 154.500 and 33 CFR 156.170.

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Vashdown

MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

Transfer

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing

Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

VAPOR RECOVERY DOCK



Product Specifications

APPLICATION: For use in the recovery of petroleum vapors during the transfer of petroleum-based products

between docks and tankers or barges.

CONSTRUCTION

TUBE: Nitrile synthetic rubber for up to 50% aromatics. Also available with a Flosyn® tube for up to

100% aromatics.

COVER: Black Chemivic[™] synthetic rubber (corrugated)

REINFORCEMENT: Synthetic fabric plies plus two (2) wire helix

TEMPERATURE: -25°F to 200°F (-32°C to 93°C)

PACKAGING: Chloroplast heavy-duty packaging

BRANDING (SPIRAL): Example: Goodyear® Vapor Recovery 25 psi MWP.

COUPLINGS: Built-in nipples (or swaged fittings up to 10" ID) fitted with 150# flange with extra 5/8"

diameter hole located midway between flange bolt hole as per Coast Guard requirements.

NON-STOCK/SIZES: Custom lengths available, contact customer service.

ORDER CODES: 541-090 (Nitrile Tube) 541-643 (Flosyn® Tube)

VAPOR RECOVERY DOCK

	- 1	ID NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT		
	in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
•	6	152.4	6.86	174.2	25	0.17	22	559	29	737	5.70	8.48
	8	203.2	8.89	225.8	25	0.17	30	762	29	737	8.26	12.29
	10	254.0	10.97	278.6	25	0.17	40	1016	29	737	12.63	18.80
	12	304.8	13.00	330.2	25	0.17	60	1524	29	737	15.07	22.43

Note: Factory coupled hose manufactured according to the code of Federal Regulations standard 33 CFR 154.500 and 33 CFR 156.170.



THOR™ **SUBMARINE**



Product Specifications

APPLICATION: For the transfer of petroleum products between docks and tankers when the hose is partially or

completely submerged. It is rated at 250 psi (1.73 Mpa) maximum working pressure.

CONSTRUCTION

TUBE: Nitrile synthetic rubber

COVER: 1/4" Black Plioflex® synthetic rubber

REINFORCEMENT: Spiral wire helix between plies of synthetic fabric

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: Heavy-duty plastic packaging

BRANDING (IMPRESSION): Example: Goodyear® SB Submarine oil service, Nitrile 225 psi WP.

> **COUPLINGS:** Coupled with galvanized built-in steel nipple/150#RFSO flanges. Available in other bolt hole

patterns, materials and floating flanges on request. Hose assembly is electrically continuous

unless otherwise specified by customer.

NON-STOCK/SIZES: Custom lengths available, contact customer service.

ORDER CODES:

541-577

THOR™ SUBMARINE

I	D	NOM. OD		MAX	. WP	BEND I	RADIUS	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	lb./ft.	kg./m.
6	152.4	7.81	198.4	250	1.72	36	914	14.30	21.28
8	203.2	9.89	251.2	250	1.72	48	1219	20.05	29.84
10	254.0	12.07	306.6	250	1.72	60	1524	27.23	40.52
12	304.8	14.10	358.1	250	1.72	72	1829	31.93	47.52

Note: Factory coupled hose manufactured according to the code of Federal Regulations standard 33 CFR 154.500 and 33 CFR 156.170.

AIR & **MULTIPURPOSE**

> **CHEMICAL** TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer

MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling

Dispensing

Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

HOT TAR & ASPHALT



Product Specifications

APPLICATION: Designed for petroleum-based products up to 350°F between docks and tankers or barges under

heavy-duty conditions.

CONSTRUCTION

TUBE: Nitrile synthetic rubber, flat steel wire helix supporting the tube

COVER: Wingprene® synthetic rubber

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -25°F to 350°F (-32°C to 177°C)

PACKAGING: Custom lengths available, contact customer service.

BRANDING: Example: Goodyear® RB Dock hot asphalt, 350°F, 225 psi max.

COUPLINGS: Coupled with galvanized built-in steel nipple/150#RFSO flanges. Available in other bolt hole

patterns, materials and floating flanges on request. Smooth bore assembly is electrically continuous unless otherwise specified by customer. Rough bore assembly is offered as

electrically continuous only.

NON-STOCK/SIZES: Custom lengths available, contact customer service.

SM00	SMOOTH BORE ORDER CODES: 541-606														
	ID	NOM	1. OD	MAX	. WP	BEND	RADIUS	VACU	WEIGHT						
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.				
4	101.6	5.28	134.1	225	1.55	36	914	29	737	6.48	9.64				
6	152.4	7.72	196.1	225	1.55	48	1219	29	737	13.83	20.58				
8	203.2	9.80	248.9	225	1.55	60	1524	29	737	19.11	28.44				
10	254.0	11.80	299.7	225	1.55	80	2032	29	737	23.20	34.52				

ROUGH	ROUGH BORE ORDER CODES: 541-582													
- 1	D	NOM	1. OD	MAX	. WP	BEND	RADIUS	VACU	JM HG	WEIGHT				
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.			
6	152.4	8.19	208.0	225	1.55	36	914	29	737	16.19	24.09			
8	203.2	10.25	260.4	225	1.55	48	1219	29	737	22.39	33.32			
10	254.0	12.31	312.7	225	1.55	60	1524	29	737	29.09	43.29			



LIGHTWING™ LIGHTERING STS HELIX-FREE HOSE

AIR & MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

Transfer

STEAM

VACUUM

VEYANCE

Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION:

Designed for the transfer of crude oil and petroleum based products for ship to ship lightering

service, under all types of service conditions. All sizes rated for vacuum. Maximum flow rate 70

ft/sec (21m/s).

CONSTRUCTION

TUBE: Code 541-432 Black nitrile for up to 50% aromatic content

Code 541-718 Black nitrile with static dissipating properties for up to 60% aromatic content

COVER: Black Wingprene® (spiral cloth wrap finish)

REINFORCEMENT: Helix free, synthetic fabric, heavy duty wall

TEMPERATURE: -22°F to 176°F (-30°C to 80°C)

PACKAGING: Chloroplast sheet wrap. Also available in corrugated plastic culvert packaging.

BRANDING: Example: Lightwing[™] Lightering STS Helix-Free 15 Bar

COUPLINGS: Coupled with carbon steel built-in nipples with hot dip galvanized (HDG) flange. Standard flange

supplied to bolt hole to ANSI-B16.5 class 150, Flat Face Slip-On (FFSO) or Lap Joint (floating), other specifications are available on demand. Available in Raise Face and Weld Neck type.

NON-STOCK/SIZES: Custom lengths available, contact customer service.

ORDER CODES: 541-432 541-718

LENGTH AND WEIGHTS

LENGTH METERS	7	.6	8.	.5	9	.1	10		
LENGTH FEET	25		2	28		30		2.5	
diameter	lbs.	kg.	lbs.	kg.	lbs.	kg.	lbs.	kg.	
4	248	113	268	122	281	128	297	135	
6	433	197	467	212	490	223	518	235	
8	715	325	773	351	812	369	861	391	
10	1073	488	1159	527	1216	553	1288	585	
12	1314	597	1415	643	1483	674	1567	712	

E DIMENSIONS	FLOW RATE

позе п	IIMENDION	10			FLUW KAIE	ે		
	Nominal Inside Insid Diameter Diame		Outside Diameter	Weight		Max flow rated based on 21m/sec max		
in.	mm.	mm.	mm.	kg./m.	diameter	M³/Hr	bbl/Hr	
4	100	102	143	9.7	4	600	3,800	
6	150	153	203	17.0	6	1,350	8,400	
8	200	204	268	28.9	8	2,400	15,200	
10	250	254	331	42.8	10	3,800	23,900	
12	300	305	382	49.9	12	5,500	34,400	



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

TRANSFER



	Page	Temp Range	Refined Fuels	Corrugated Cover	Lightweight
Arctic ExtremeFlex [™]	175	-65°F to 180°F		Yes	Yes
Flextra® Oilfield	186	-25°F to 180°F		Yes	
Flexwing® Oilfield	185	-25°F to 180°F			
Flexwing VersaFuel™	176	-30°F to 180°F	Yes		
Infinity™	177	-40°F to 160°F	Yes	Yes	Yes
Infinity™ HD	178	-40°F to 160°F	Yes	Yes	Yes
LW Arctic Tank Truck	188	-65°F to 180°F		Yes	Yes
Paladin®	180	-40°F to 160°F	Yes	Yes	Yes
Plicord® Arctic Flexwing®	187	-65°F to 180°F	Yes		
Plicord® ExtremeFlex™	191	-40°F to 200°F	Yes	Yes	Yes
Plicord® Flexwing® Petroleum	179	-35°F to 200°F	Yes		
Plicord® Fuel Discharge	190	-35°F to 180°F	Yes		
Plicord® LW Black Flextra II™	184	-40°F to 180°F	Yes	Yes	Yes
Plicord® Oilfield Frac	183	-25°F to 180°F			
Plicord® Super Black Flexwing®	182	-35°F to 200°F	Yes		
Plicord® Waste Mate™	189	-25°F to 180°F			
Pyroflex® Hot Tar & Asphalt II	193	-25°F to 350°F			
Pyroflex® Hot Tar Wand	194	-25°F to 350°F			
Red Flextra® 100	181	-30°F to 180°F	Yes	Yes	Yes
Red Flextra® 150	181	-30°F to 180°F	Yes	Yes	Yes
Redwing® Fuel Oil	163	-40°F to 140°F			
Spiraflex® Polyurethane Vapor Recovery	192	-30°F to 150°F		Yes	Yes



ARCTIC EXTREMEFLEX™



A New Degree of Flexibility



Product Specifications

APPLICATION: An extremely flexible and lightweight drop hose for transfer of petroleum-based products under suction,

low-pressure discharge or gravity flow. Flexibility maintained down to -65°F (-54°C).

CONSTRUCTION

TUBE: Black Nitrile, RMA Class A (High Oil Resistance)

COVER: Corrugated Black Wingprene® synthetic rubber (wrapped impression), blue spiral stripe

Corrugated Blue Wingprene® synthetic rubber (wrapped impression), red spiral stripe

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

TEMPERATURE: -65°F to 180°F (-54°C to 82°C)

PACKAGING: Coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Plicord® Arctic ExtremeFlex™ Petroleum Transfer 150PSI WP

COUPLINGS: Use Goodyear® Insta-Lock™ Cam & Groove Fittings

NON-STOCK/SIZES: 400' minimum order

ORDER CODES: 543-807 (black) 543-451 (blue)

7	•	u	7	П	CT	П	A	V	7	ı
П	м	U	U	U	υI	ď	â۱	ľ	41	Б

ID		NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
2	51	2.5	63.5	150	1.03	2	51	29	737	1.08	1.61
3	76	3.48	88.5	150	1.03	3	76	29	737	1.62	2.41
4	102	4.55	115.7	150	1.03	4	102	29	737	2.35	3.50



AIR & MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling Dispensing Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

FLEXWING VERSAFUEL™



Product Specifications

APPLICATION: For use in tank truck and in-plant operation to transfer diesel, biodiesel blends, B-100, ethanol

blends, gasoline, oil and petroleum base products up to 60% aromatic content.

CONSTRUCTION

TUBE: Synthetic rubber (static dissipating).

COVER: Black synthetic rubber with excellent resistance to biodiesel, ethanol, oil/petroleum products

and abrasion.

REINFORCEMENT: Spiral-plied synthetic fabric with helix wire.

TEMPERATURE: -30°F to 180°F (-34°C to 82°C)

PACKAGING: 100' lengths, coiled and polywrapped.

BRANDING (SPIRAL): Example: Goodyear® Flexwing VersaFuel™ 150 PSI WP.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock™ Cam and Groove fittings with this product.

NON-STOCK/SIZES: 400' minimum order

ORDER CODES: 543-422

FLEXWING VERSAFUEL™

ID		NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1	25.4	1.50	38.1	150	1.03	2	50	29	737	0.59	0.88
11/4	32.0	1.77	44.8	150	1.03	3	75	29	737	0.74	1.10
1½	38.0	2.03	51.7	150	1.03	4	100	29	737	0.92	1.37
2	51.2	2.55	64.9	150	1.03	5	125	29	737	1.21	1.80
2½	63.7	3.07	77.9	150	1.03	6	150	29	737	1.56	2.32
3	76.1	3.58	91.0	150	1.03	7	175	29	737	1.94	2.89
4	102.1	4.60	117.0	150	1.03	10	200	29	737	2.53	3.77



INFINITY™ FUEL DROP HOSE



Product Specifications

APPLICATION: Constructed with the exclusive PVC double helix for superior flexibility, abrasion resistance

and low coefficient of friction for ease of maneuverability. Lightweight in construction, it is designed to transfer biodiesel and ethanol blends, gasoline and other petroleum products under pressure, gravity flow or medium suction (up to 23° Hg) at ambient temperature and

with an aromatic content of 60% or less.

CONSTRUCTION

TUBE: Black Nitrile synthetic rubber (static dissipating).

COVER: Black Chemivic™ synthetic rubber with orange & green Pliovic® outer helix.

REINFORCEMENT: Synthetic fabric plies with static wire.

TEMPERATURE: -40°F to 160°F (-40°C to 71°C)

PACKAGING: Coiled and polywrapped. For cut length, check with your Goodyear Engineered Products

distributors.

BRANDING: Example: Infinity[™] Drop Hose Goodyear[®].

COUPLINGS: Use Goodyear Engineered Products Insta-Lock™ Cam & Groove Fittings with this product.

ORDER CODES: 543-773

\mathbf{I}		N	ITY™
W	ш	1.	

1	ID NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT		
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
2	51.0	2.80	70.50	150	1.03	1.5	1.02	23	584	1.02	1.52
3	76.0	3.80	95.48	100	.69	2.0	1.46	23	584	1.46	2.18
4	102.0	4.80	121.47	75	.52	2.5	1.73	23	584	1.73	2.57

AIR & MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &

Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling Dispensing Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

INFINITY™ HD FUEL DROP HOSE



Product Specifications

APPLICATION: Constructed with the exclusive PVC double helix for superior flexibility, abrasion resistance

and low coefficient of friction for ease of maneuverability. Lightweight in construction, Infinity HD (Heavy Duty) is designed for higher working pressure applications (150 PSI).

It is suitable in gravity flow or medium suction at ambient temperature. Designed to transfer biodiesel and ethanol blends, gasoline and other petroleum products with an aromatic

content of 60% or less.

CONSTRUCTION

TUBE: Black Nitrile synthetic rubber (static dissipating)

COVER: Synthetic fabric plies

REINFORCEMENT: Black Chemivic® synthetic rubber with double Orange Pliovic® outer helix

TEMPERATURE: -40°F to 160°F (-40°C to 71°C)

PACKAGING: Coiled and polywrapped. For cut length, check with your Goodyear Engineered Products

Authorized Distributor.

BRANDING: INFINITY HD Drop Hose 150psi Goodyear

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.


ORDER CODES: 543-138

INFINITY™ HD

- 1	ID NOM. OD		1. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
2	51.0	2.80	70.50	150	1.03	1.5	38.1	23	584	1.01	1.51
3	76.0	3.80	95.90	150	1.03	2.0	50.8	23	584	1.48	2.21
4	102.0	4.80	122.50	150	1.03	3.0	76.2	23	584	2.01	2.99



PLICORD® FLEXWING® PETROLEUM



Product Specifications

APPLICATION: For use in tank truck and in-plant operations to transfer gasoline, oil, ethanol blends and other

petroleum base products up to 50% aromatic content. It is designed for pressure, gravity flow,

or full-suction service.

CONSTRUCTION

TUBE: Nitrile synthetic rubber RMA Class A (High Oil Resistance)

COVER: Black (red spiral stripe) or Red Chemivic™ (white spiral stripe) synthetic rubber (oil resistant);

smooth cover; wrapped finish

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -35°F to 200°F (-37°C to 93°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Flexwing® Petroleum 150 psi WP.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-109 (black) 543-110 (red)

PLICORD® FLEXWING®

- 1	ID	NON	1. OD	MAX	. WP	BEND I	RADIUS	VACUI	JM HG	WE	IGHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
3/4	19.1	1.22	31.0	150	1.03	2	51	29	737	0.47	0.70
1	25.4	1.50	38.1	150	1.03	2	51	29	737	0.63	0.94
$1\frac{1}{4}$	31.8	1.76	44.7	150	1.03	3	76	29	737	0.79	1.18
1½	38.1	2.03	51.6	150	1.03	4	102	29	737	0.99	1.47
13/4	44.5	2.28	57.9	150	1.03	4	102	29	737	1.07	1.59
2	50.8	2.55	64.8	150	1.03	5	114	29	737	1.30	1.93
21/2	63.5	3.07	78.0	150	1.03	6	146	29	737	1.66	2.47
3	76.2	3.57	90.7	150	1.03	7	178	29	737	2.03	3.02
3½	88.9	4.13	104.9	150	1.03	8	203	29	737	2.39	3.56
4	101.6	4.60	116.8	150	1.03	10	254	29	737	2.68	3.99
6	152.7	6.78	171.9	150	1.03	30	762	29	737	5.61	8.36

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling Dispensing Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PALADIN®



Product Specifications

APPLICATION: Designed as a lightweight and flexible hose to transfer biodiesel and ethanol blends, gasoline

and other petroleum products under pressure, gravity flow or medium suction (up to 23" Hg) at ambient temperature. Maximum aromatic content 60%. Outer PVC helix provides abrasion

resistance and low coefficient of friction. With Antistatic wire (low resistance).

CONSTRUCTION

TUBE: Black Nitrile synthetic rubber (static dissipating)

COVER: Black Chemivic[™] synthetic rubber with Orange Pliovic[®] outer helix

REINFORCEMENT: Synthetic fabric plies

TEMPERATURE: -40° F to 160° F (-40° C to 71° C)

PACKAGING: 100' lengths, coiled and bagel pack

BRANDING: Example: Goodyear® Paladin® Drop Hose (Date Code) Made in Canada.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-227

PALADIN®

ı	ID NOM. OD		I. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
2	50.8	2.87	72.9	150	1.03	2	51	23	584	1.04	1.55
3	76.2	3.92	99.6	150	1.03	3	76	23	584	1.58	2.35
4	101.6	4.85	123.2	75	0.52	5	127	23	584	1.94	2.89



RFD FI FXTRA®



Product Specifications

APPLICATION: For the transfer of ethanol blends, gasoline and other petroleum-based products under pressure,

gravity flow or full-suction where maximum flexibility is needed.

CONSTRUCTION

TUBE: Nitrile synthetic rubber RMA Class A (High Oil Resistance)

COVER: Red Wingprene®, corrugated synthetic rubber RMA Class A (High Oil Resistance).

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

TEMPERATURE: -30°F to 180°F (-34°C to 82°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Red Flextra® Made in Canada.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-123

RED FLEXTRA® 100 ID NOM. OD MAX. WP **BEND RADIUS VACUUM HG** WEIGHT Мра lb./ft. kg./m. in. mm. in. mm. psi in. mm. in. mm. 2 50.8 2.38 60.3 100 0.69 4 102 29 737 0.83 1.09 2.88 21/2 73.2 100 0.69 5 127 29 737 1.09 1.62 63.5 3 76.2 3.41 86.6 100 0.69 6 152 29 737 1.41 2.10 4 101.6 4.53 9 229 29 737 2.23 3.32 115.1 100 0.69

RED FLEXTRA® 150 ORDER CODES: 543-120

	ID NOM. OD		1. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
2	50.8	2.52	64.0	150	1.03	4	102	29	737	1.18	1.76
3	76.2	3.59	91.2	150	1.03	6	152	29	737	1.99	2.96
4	101.6	4.61	117.1	150	1.03	9	229	29	737	2.66	3.96

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® SUPER BLACK FLEXWING®



Product Specifications

APPLICATION: A premium high pressure petroleum transfer hose for handling ethanol blends, gasoline, oils and

other petroleum products at higher working pressures.

CONSTRUCTION

TUBE: Special fuel-resistant Black nitrile synthetic rubber RMA Class A (High Oil Resistance)

COVER: Black Neoprene synthetic rubber RMA Class A (High Oil Resistance), wrapped finish

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -35°F to 200°F (-37°C to 93°C)

PACKAGING: 100' lengths, coiled and polywrapped

 $\textbf{BRANDING:} \quad \text{Example: Goodyear} ^{\texttt{@}} \text{ Flexwing} ^{\texttt{@}} \text{ Petroleum Hose.}$

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-117 541-117 (6" diameter, 100' length)

PLICORD® SUPER BLACK FLEXWING®

ı	D	NOM	I. OD	MAX	. WP	BEND I	RADIUS	VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1	25.4	1.53	38.8	250	1.72	3	75	29	737	.70	1.04
11/4	31.8	1.87	47.1	250	1.72	4	100	29	737	.99	1.48
1½	38.1	2.08	52.8	250	1.72	4	100	29	737	1.15	1.71
2	50.8	2.59	65.8	250	1.72	5	125	29	737	1.44	2.14
21/2	63.5	3.11	79.0	250	1.72	6	150	29	737	1.84	2.74
3	76.2	3.65	92.7	250	1.72	7	175	29	737	2.39	3.56
4	101.6	4.83	122.7	250	1.72	10	254	29	737	3.76	5.60
5	127.0	5.87	149.0	250	1.72	20	500	29	737	5.10	7.60
6	152.4	7.21	183.3	250	1.72	24	600	29	737	8.46	12.60



PLICORD® OILFIELD FRAC HOSE





Product Specifications

APPLICATION: A rugged and flexible hose designed to convey crude oil and oil slurry mixtures for Frac tank connections.

CONSTRUCTION

TUBE: Black Nitrile

COVER: Black Chemivic™, smooth cover with wrapped finish. Also available with ARC treatment for improved

abrasion resistance.

REINFORCEMENT: Multiple plies of synthetic fabric

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 100' length, coiled and polywrapped

BRANDING (SPIRAL): Goodyear® Oilfield Fracturing Hose

COUPLINGS: Swage-on coupling; contact coupling manufacturer

ORDER CODES: 543-827 543-710 (ARC Treatment)

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

Transfer

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

OILFIELD FRACTURING

I	D	NOM	. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m	
3	76.2	3.87	98.30	400	2.76	2.52	3.74	
4	101.6	4.76	120.85	400	2.76	2.85	4.21	



AIR & **MULTIPURPOSE** General Purpose Heavy Duty

CHEMICAL TRANSFER

EQUIPMENT

FOOD Washdown

MARINE

MATERIAL HANDLING **Bulk Transfer** Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling Dispensing Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER Suction &

WELDING

COUPLING

APPENDIX

PLICORD® LW BLACK FLEXTRA II™



Product Specifications

APPLICATION: Used by tank trucks, bulk petroleum stations, and others to transfer ethanol blends and

petroleum products under pressure, suction and/or gravity flow. Extremely flexible and lightweight

to provide excellent service. Not recommended where aromatic content exceeds 50%.

CONSTRUCTION

Black Nitrile RMA Class A (High Oil Resistance) TUBE:

COVER: Black Chemivic™ (corrugated)

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

-40°F to 180°F (-40°C to 82°C) **TEMPERATURE:**

100' lengths, coiled and polywrapped PACKAGING:

BRANDING (SPIRAL): Example: Goodyear® LW Black Flextra II[™] 75 psi Max WP.

> **COUPLINGS:** Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-562

PLICORD® LW BLACK FLEXTRA II™

- 1	D	NOM	1. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
2	50.8	2.42	61.5	75	0.52	3	76	29	737	0.94	1.40
2½	63.5	2.92	74.2	75	0.52	4	102	29	737	1.22	1.82
3	76.2	3.40	86.4	75	0.52	4	102	29	737	1.39	2.07
4	101.6	4.53	115.1	75	0.52	7	178	29	737	2.37	3.53



FLEXWING® OILFIELD



Product Specifications

APPLICATION: For use in transfer hose service, cleaning sediment from oil storage tanks and other general ser-

vice applications. The tube is an oil-resistant synthetic rubber. Do not use with gasoline and other

refined products when aromatic content exceeds 35%.

CONSTRUCTION

TUBE: Synthetic rubber

COVER: Black Plioflex® synthetic rubber (smooth cover)

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Flexwing® Oilfield.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-655

FLEXWING® OILFIELD

ı	D	NON	1. OD	MAX	. WP	BEND I	RADIUS	VACU	JM HG	WE	IGHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1½	38.1	1.97	50.0	150	1.03	4.00	102	29	737	0.86	1.28
2	50.8	2.48	63.0	150	1.03	4.50	114	29	737	1.12	1.67
2½	63.5	3.00	76.2	150	1.03	5.75	146	29	737	1.40	2.08
3	76.2	3.53	89.7	150	1.03	7.00	178	29	737	1.85	2.75
4	101.6	4.59	116.6	150	1.03	10.00	254	29	737	2.66	3.96

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling Dispensing Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

FLEXTRA® OILFIELD



Product Specifications

APPLICATION: Flextra® Oilfield transfer hose is designed for use in tank truck or in-plant applications for the

transfer of DILUTED industrial chemicals and petroleum waste, sludge and sediments. It is not recommended for refined petroleum products or concentrated industrial chemicals. DO NOT use

with gasoline and other refined products when aromatic content exceeds 35%.

CONSTRUCTION

TUBE: Synthetic rubber

COVER: Black Plioflex® synthetic rubber (corrugated cover)

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Flextra® Oilfield.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-691

FLEXTRA® OILFIELD

	D	NOM	1. OD	MAX	. WP	BEND I	RADIUS	VACUI	JM HG	WE	IGHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
11/4	25.4	1.63	41.4	150	1.03	3	75	29	737	0.57	0.85
1½	38.1	1.92	48.8	150	1.03	4	100	29	737	0.74	1.10
2	50.8	2.44	62.0	125	0.86	4	102	29	737	0.94	1.4
3	76.2	3.52	89.4	125	0.86	6	152	29	737	1.71	2.54
4	101.6	4.52	114.8	100	0.69	8	203	29	737	2.17	3.23



PLICORD® ARCTIC FLEXWING®



Product Specifications

APPLICATION: Plicord® Arctic Flexwing® is for use in low-temperature operations for transferring gasoline, oil

and other petroleum products.

CONSTRUCTION

TUBE: Ultra-low temperature oil resistant synthetic rubber RMA Class A (High Oil Resistance)

COVER: Blue ultra-low temperature synthetic rubber RMA Class A (High Oil Resistance) with red spiral

stripe. Smooth cover, wrapped finish

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -65°F to 180°F (-54°C to 82°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Arctic Flexwing® 150 psi WP.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-650

PLICORD® ARCTIC FLEXWING®

	D	NOM	1. OD	MAX	. WP	BEND	RADIUS	VACUI	JM HG	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
11/4	31.8	1.73	43.9	150	1.03	3	80	29	737	0.66	0.98
1½	38.1	1.98	50.3	150	1.03	4	102	29	737	0.82	1.22
2	50.8	2.50	63.5	150	1.03	5	127	29	737	1.07	1.59
2½	63.5	3.09	78.5	150	1.03	6	152	29	737	1.64	2.44
3	76.2	3.58	90.9	150	1.03	7	178	29	737	1.92	2.86
4	101.6	4.70	119.4	150	1.03	10	254	29	737	2.88	4.29

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling Dispensing Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

LW ARCTIC TANK TRUCK



Product Specifications

APPLICATION: For transfer of petroleum-based products under suction, low-pressure discharge or gravity flow.

Flexibility maintained down to -65°F (-54°C).

CONSTRUCTION

TUBE: Black Nitrile RMA Class A (High Oil Resistance)

COVER: Blue Wingprene® (corrugated)

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

TEMPERATURE: -65°F to 180°F (-54°C to 82°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® LW Arctic Tank Truck 150 psi/10 Bar.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-365

LW ARCTIC TANK TRUCK

ı	D	NOM	1. OD	MAX	. WP	BEND I	RADIUS	VACUUM HG		G WEIGH	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
2	50.8	2.53	64.3	200	1.38	4	100	29	737	1.11	1.64
2½	63.5	3.02	76.7	150	1.03	5	125	29	737	1.42	2.11
3	76.2	3.55	90.2	150	1.03	6	150	29	737	1.83	2.72
4	101.6	4.61	117.1	150	1.03	9	225	29	737	2.62	3.90



PLICORD® WASTE MATE™



Product Specifications

APPLICATION: Designed for use in tank truck or in-plant applications for the transfer of DILUTED industrial

chemicals and petroleum waste, sludge and sediments. It is not recommended for refined

petroleum products or concentrated industrial chemicals.

CONSTRUCTION

TUBE: Black Nitrile RMA Class A (High Oil Resistance)

COVER: Black SBR (wrapped cover) orange branding tape

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 100' length, coiled, polywrapped

BRANDING (SPIRAL): Example: Goodyear® Plicord® Waste Mate 150 psi.

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-853

PLICORD® WASTE MATE™

I	D	NOM	1. OD	MAX	. WP	BEND I	RADIUS	VACU	JM HG	WE	GHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
2	50.8	2.48	63.0	150	1.03	4	102	29	737	1.11	1.65
2½	63.5	3.00	76.2	150	1.03	5	127	29	737	1.42	2.11
3	76.2	3.52	89.4	150	1.03	6	152	29	737	1.88	2.80
4	101.6	4.58	116.3	150	1.03	8	203	29	737	2.62	3.90

AIR & MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling Dispensing Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® FUEL DISCHARGE



Product Specifications

APPLICATION: Plicord® Fuel Discharge hose is for the discharge of gasoline, oil, ethanol blends and other

petroleum based products in tank and industrial applications.

CONSTRUCTION

TUBE: Nitrile synthetic rubber RMA Class A (High Oil Resistance), plus antistatic wires

COVER: Black Chemivic™ synthetic rubber RMA Class B (Medium-High Oil Resistance)

REINFORCEMENT: Spiral-plied synthetic fabric (2"-4": 2 ply; 6": 4 ply), plus grounding wires

TEMPERATURE: -35°F to 180°F (-37°C to 82°C)

PACKAGING: 100' lengths, coiled and polywrapped

 $\textbf{BRANDING (SPIRAL):} \qquad \text{Example: Goodyear} \\ ^{\textcircled{\tiny{\$}}} \text{ Plicord} \\ ^{\textcircled{\tiny{\$}}} \text{ Fuel Discharge.}$

COUPLINGS: Use Goodyear Engineered Products Insta-Lock Cam & Groove Fittings with this product.

See the Couplings Systems information pages at the back of the catalog.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-331

PLICORD® FUEL DISCHARGE

I	D	NOM	I. OD	MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/4	19.1	1.21	30.7	150	1.03	0.42	0.63
1	25.4	1.46	37.1	150	1.03	0.52	0.77
11/4	31.8	1.72	43.7	150	1.03	0.63	0.94
1½	38.1	1.95	49.5	150	1.03	0.73	1.09
2	50.8	2.49	63.3	150	1.03	0.98	1.46
2½	63.5	2.98	75.7	150	1.03	1.19	1.77
3	76.2	3.50	88.9	150	1.03	1.45	2.16
3½	88.9	4.04	102.6	150	1.03	1.70	2.53
4	101.6	4.52	114.8	150	1.03	1.91	2.84
6	152.4	6.63	168.4	150	1.03	3.41	5.07



PLICORD® EXTREMEFLEX™ PETROLEUM TRANSFER





Product Specifications

APPLICATION: An extremely flexible and lightweight drop hose for use in tank truck and in-plant operation to

transfer diesel, ethanol, gasoline, oil and petroleum base products up to 60% aromatic content.

Corrugated construction for lower drag coefficient and superior abrasion resistance.

CONSTRUCTION

COVER:

Black Nitrile synthetic rubber (Class A oil resistance) TUBE:

Black Chemivic[™] synthetic (corrugated)

REINFORCEMENT: Spiral plied synthetic fabric with wire helix

TEMPERATURE: -40°F to 200°F (-40°C to 93°C)

PACKAGING: 100' Lengths, coiled and bagel packed

BRANDING (SPIRAL): Example: Plicord® ExtremeFlex™ Petroleum Transfer

Use Goodyear Engineered Products Insta-Lock™ Cam & Groove Fittings. **COUPLINGS:**

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-216

PLICORD® EXTREMEFLEX™

ı	ID NOM. OD		1. OD	MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
3/4	19	1.20	30.5	250	1.72	.75	19.05	29	737	0.44	0.65
1	25	1.45	36.8	250	1.72	1	25.40	29	737	0.55	0.81
1½	38	1.91	48.5	250	1.72	1.5	38.10	29	737	0.73	1.08
2	51	2.43	61.8	250	1.72	2	50.80	29	737	0.96	1.43
21/2	63	3.00	76.1	200	1.37	2.5	63.50	29	737	1.41	2.10
3	76	3.50	88.8	200	1.37	3	76.20	29	737	1.69	2.51
4	102	4.56	115.7	150	1.03	4	101.60	29	737	2.42	3.61



AIR & **MULTIPURPOSE**

> **CHEMICAL** TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling Dispensing Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE


WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SPIRAFLEX® POLYURETHANE VAPOR RECOVERY



Product Specifications

APPLICATION: For the recovery of gasoline vapors in tank truck loading at bulk terminals and in tank truck

unloading at service stations.

CONSTRUCTION
TUBE: Transparent Polyurethane

COVER: Transparent Polyurethane

REINFORCEMENT: Red rigid Pliovic® helix, available with static wire placed between the tube and cover

TEMPERATURE: -30°F to 150°F (-34°C to 66°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING: Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 586-465 (without static wire) 586-468 (static wire)

SPIRAFLEX® POLYURETHANE VAPOR RECOVERY

ID		NOM. OD		MAX. WP		BEND RADIUS		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	lb./ft.	kg./m.
2	50.8	2.47	62.7	30	0.21	3	76	0.57	0.85
3	76.2	3.41	86.6	20	0.14	4	102	0.68	1.01
4	101.6	4.51	114.6	15	0.10	7	178	0.98	1.46



PYROFLEX® HOT TAR & ASPHALT II



Product Specifications

APPLICATION: For the transfer of high temperature petroleum based materials such as tar, asphalt, and hot oils.

It is suitable for suction and discharge service on tank trucks, tank cars or at bulk stations. Heat

resistant tube and Flexten reinforcement. (Hot oils only rated to 200°F)

CONSTRUCTION

TUBE: Black Nitrile (special heat resistant) synthetic rubber RMA Class A (High Oil Resistance)

COVER: Black Wingprene® synthetic rubber RMA Class A (High Oil Resistance) with spiral red stripe

REINFORCEMENT: Spiral-plied Flexten® with wire helix

TEMPERATURE: -25°F to 350°F (-32°C to 177°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Pyroflex Hot Tar and Asphalt II 150 psi.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-118

PYROFLEX® HOT TAR & ASPHALT II

ı	ID		NOM. OD MAX. WP		. WP	BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1½	38.1	2.08	52.8	150	1.03	4	102	29	737	1.04	1.55
2	50.8	2.60	66.0	150	1.03	5	127	29	737	1.33	1.98
2½	63.5	3.09	78.6	150	1.03	6	152	29	737	1.67	2.49
3	76.2	3.65	92.8	150	1.03	7	178	29	737	2.23	3.32
4	101.6	4.68	118.8	150	1.03	10	254	29	737	2.91	4.34

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM

Aircraft Fueling Dispensing Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PYROFLEX® HOT TAR WAND



Product Specifications

APPLICATION: A high quality wand hose used in asphalt crack filling applicator and dispensing service.

CONSTRUCTION

TUBE: Black Nitrile (special heat resistance)

COVER: Black Wingprene® (wrapped finish) flame-retardant

REINFORCEMENT: Spiral-plied (2) steel wire

TEMPERATURE: -25°F to 350°F (-32°C to 177°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Pyroflex Hot Tar Wand Hose.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 543-632

PYROFLEX® HOT TAR WAND

ID		NOM. OD		MAX	. WP	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/4	19.1	1.33	33.8	300	2.07	0.64	0.95
1	25.4	1.61	40.9	300	2.07	0.84	1.25
1½	38.1	2.11	53.6	300	2.07	1.15	1.71



SPRAY

SPRAY



	Page	Rubber	Thermoplastic	Textile	Wire	Temp Range	MSHA
Mine Spray	136	Yes			Yes	0°F to 200°F	Yes
NR Spray	196	Yes		Yes		0°F to 190°F	
Pliovic® Ag Spray (1800 & 2400)	197		Yes	Yes		0°F to 158°F	

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer

Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER

Discharge Suction & Discharge Washdown

WELDING

COUPLING SYSTEMS



SPRAY

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

NR SPRAY



Product Specifications

APPLICATION: NR Spray is a premium-quality, all-purpose hose for handling a variety of applications such as

paint spray or agricultural spray. Will handle spraying paints, automotive finish paints, lacquers,

thinners, turpentine, air, oil and a large variety of solvents and chemicals.

CONSTRUCTION

TUBE: Nylon, silicone-free

COVER: Black synthetic rubber, RMA Class B (Medium Oil Resistance)

REINFORCEMENT: Braided synthetic yarn (1/4" and 3/8"-1 braid) (1/2", 3/4" and 1"-2 braid)

TEMPERATURE: 0°F to 190°F (-18°C to 88°C)

PACKAGING: 500' reel, maximum 3 pieces, 50' minimum

BRANDING: Example: Goodyear® 1/4" IBD NR Spray, Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 536-290

NR SPRAY							
ID		NOM. OD		MAX. WP		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/4	6.4	0.49	12.4	750	5.17	0.08	0.12
5/16	7.9	0.61	15.5	750	5.17	0.13	0.19
3/8	9.5	0.70	17.8	750	5.17	0.15	0.22
1/2	12.7	0.87	22.1	750	5.17	0.22	0.33
5/8	15.9	1.05	26.7	750	5.17	0.31	0.46
3/4	19.1	1.19	30.2	750	5.17	0.36	0.54
1	25.4	1.51	38.4	750	5.17	0.54	0.80



SPRAY

PLIOVIC® AG SPRAY



Product Specifications

APPLICATION: A lightweight, economical high-pressure hose for carrying air, water and many spray solutions in

agricultural applications: including Xylene up to 10% concentration. Safety factor 3:1.

CONSTRUCTION

TUBE: Pliovic® RMA Class B (Medium Oil Resistance)

COVER: Orange or Green Pliovic® (ribbed finish)

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: 0°F to 158°F (-18°C to 70°C)

PACKAGING: 300' length, coiled and polywrapped

BRANDING: Example: Goodyear® Pliovic® 1800 Spray 1/2" (12.7 mm). Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 540-211

PLIOVIC® 1800 (ORANGE)

	The state of the s										
ID		NOM	NOM. OD		. WP	WEIGHT					
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.				
3/8	9.5	0.69	17.5	600	4.14	0.14	0.21				
1/2	12.7	0.78	19.8	600	4.14	0.19	0.28				
3/4	19.1	1.10	27.9	600	4.14	0.28	0.42				

PLIOVIC® 2400 (GREEN)

ORDER CODES: 540-208

1	ID		NOM. OD		. WP	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/8	9.5	0.70	17.8	800	5.52	0.14	0.21
1/2	12.7	0.85	21.6	800	5.52	0.20	0.30
3/4	19.1	1.10	27.9	800	5.52	0.28	0.42

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS



STEAM

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

STEAM



	Page	Temp Range	Smooth Cover	Wrapped Cover	Colors	Coupled Lengths
Flexsteel® 250 CB Steam	200	0°F to 425°F	Yes	Yes	Red/Black	
Flexsteel® 250 CB-20 Steam	201	0°F to 425°F		Yes	Red	Yes
Crimped Steam Assembly	203	0°F to 450°F	Yes	Yes	Red/Black	Yes
Flexsteel® 250 ORS Steam	202	0°F to 425°F	Yes		Red/Black	
Flexsteel® 250 Steam	199	0°F to 450°F	Yes		Red/Black	
Heavy Duty Steam Pile Driver	204	-40°F to 406°F		Yes	Red/Black	
MIL-DTL-29210E Steam	205	0°F to 406°F		Yes	Black	
Plicord® 250 Steam	206	0°F to 406°F		Yes	Red/Black	



FLEXSTEEL® 250 STEAM



Product Specifications

APPLICATION: For cleaning, heat control, fire prevention, pumping, thawing, blow-out service, steam pumps

and hoists in open-end or permanent installation operations. It is used in refineries, shipyards, chemical plants, steel mills, foundries and heavy industrial applications where high strength is

required and where severe environmental conditions are encountered.

CONSTRUCTION

TUBE: Pyrosyn® synthetic rubber

COVER: Black or Red Pyrosyn, smooth finish, pin-pricked

REINFORCEMENT: Braided steel wire (3/4" and 1" have 2 steel wire braids)

TEMPERATURE: 0°F to 450°F (-18°C to 232°C)

PACKAGING: Reels or 50' cut lengths (1/2"-4 per box, 3/4"-3 per box, 1"-2 per box)

BRANDING: Example: Goodyear® Flexsteel® 250 Steam (DC) Drain after using. Made in USA.

COUPLINGS: See Goodyear Engineered Products Hose Assembly Manual for most current crimp solutions.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-270 (black) 539-076 (red)

FLEXSTEEL® 250 STEAM

I	ID		NOM. OD		. WP	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/2*	12.7	1.06	26.9	250	1.72	0.42	0.63
3/4	19.1	1.28	32.5	250	1.72	0.55	0.82
1**	25.4	1.63	41.4	250	1.72	0.91	1.35

^{*}Not for use with crimped fittings

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



^{**1&}quot; red - Not for use with crimped fittings

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

FLEXSTEEL® 250 CB STEAM



Product Specifications

APPLICATION: Used for cleaning, heat control, fire prevention, pumping, thawing, blowout service, steam pumps

and hoists in open-end or permanent installation operations. It is used in refineries, shipyards, chemical plants, steel mills, foundries and heavy industrial applications where high strength is

required and where severe environmental conditions are encountered.

CONSTRUCTION

TUBE: Chlorobutyl synthetic rubber

COVER: Red or black Pyrosyn® synthetic rubber

REINFORCEMENT: Braided steel wire (3/4" and higher have 2 steel wire braids)

TEMPERATURE: 0°F to 425°F (-18°C to 218°C)

PACKAGING: Smooth cover: Reels or 50' cut lengths (3/4"– 3/box, 1"– 2/box)

Wrapped cover: 1/2" Four 50' exact length/box

3/4"-1" Three 50' exact length/box 1'4"-2" One 50' exact length/box

BRANDING: Example (smooth cover): Goodyear® 250 Steam (CB)-(DC) Drain after using. Made in USA.

Example (wrapped cover): Goodyear® Ultrabraid Flexsteel® 250 CB Steam WP. 1.75Mpsa/250 PSI

WP. Service Temp. 220°C/425°F Drain after using. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

SF-SMOOTH FINISH ORDER CODES: 539-370 (black) 539-376 (red)

ID		NOM. OD		MAX	. WP	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/2	12.7	1.06	26.9	250	1.72	0.40	0.60
3/4	19.1	1.28	32.5	250	1.72	0.56	0.83
1	25.4	1.63	41.4	250	1.72	0.84	1.25

WF-WRAPPED FINISH ORDER CODES: 1/2"-1" 539-176 (red) 1¼"-2" 581-176 (red) 1/2"-1" 539-170 (black)

ID		NOM. OD		MAX	. WP	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/2	12.7	1.00	25.4	250	1.72	0.40	0.60
3/4	19.1	1.31	33.3	250	1.72	0.64	0.95
1	25.4	1.56	39.6	250	1.72	0.77	1.15
11/4	31.8	1.75	44.5	250	1.72	1.06	1.58
1½	38.1	2.00	50.8	250	1.72	1.42	2.11
2	50.8	2.50	63.5	250	1.72	1.71	2.54



FLEXSTEEL® 250 CB-20 STEAM



Product Specifications

APPLICATION: Flexsteel® 250 CB-20 improves protection for workers handling hose with its enhanced working

pressure to burst ratio (20 to 1) and by reducing leaks and dangerous electrostatic charge when

used with a crimped fitting.

CONSTRUCTION

TUBE: Chlorobutyl synthetic rubber

COVER: Red Pyrosyn® wrapped finish, pin-pricked

REINFORCEMENT: (2) Braided steel wire

TEMPERATURE: 0°F to 425°F (-18°C to 218°C)

PACKAGING: Reels, cut lengths, coupled assemblies

BRANDING: Example: Flexsteel® 250 CB-20 Steam Goodyear® 250 psi 425°F WP Drain after using. Made in

U.S.A. (See image above)

COUPLINGS: MxM, MxF, MxMS, FxF, FxMS.

NON-STOCK/SIZES: Contact your Goodyear Engineered Products representative for special production run

minimum requirements

ORDER CODES: 539-580

FLEXSTEEL® 250 CB-20 STEAM

- 1	ID		1. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
3/4	19.1	1.25	31.75	250	1.72	0.59	0.83	
1	25.4	1.61	41.00	250	1.72	0.88	1.31	
11/2	38.1	2.12	53.85	250	1.72	1.30	1.93	

AIR & MULTIPURPOSE General Purpose Heavy Duty

> CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Discharge Suction &

Washdow

WELDING

COUPLING SYSTEMS



STEAM

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

FLEXSTEEL® 250 ORS STEAM



Product Specifications

APPLICATION: Used for cleaning, heat control, fire prevention, pumping, thawing, blowout service, steam pumps

and hoists in open-end or permanent installation operations. It is used in refineries, shipyards, chemical plants, steel mills, foundries and heavy industrial applications where the cover is

subjected to oil, grease, or animal fats.

CONSTRUCTION

TUBE: Pyrosyn® synthetic rubber

COVER: Black or Red Hysunite[™] synthetic RMA Class B (medium oil resistance), smooth finish,

pin pricked

REINFORCEMENT: Braided steel wire (3/4" and 1" have 2 steel braided wires)

TEMPERATURE: 0°F to 425°F (-18°C to 218°C)

PACKAGING: Reels or 50' cut lengths (1/2"-4 per box, 3/4"-3 per box, 1"-2 per box)

BRANDING: Example: Goodyear® Flexsteel® 250 ORS Steam. Drain after using. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 539-098 (black) 539-109 (red)

FLEXSTEEL® 250 ORS STEAM

ID		NOM	I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/2	12.7	1.06	26.9	250	1.72	0.47	0.70	
3/4	19.1	1.28	32.5	250	1.72	0.58	0.86	
1	25.4	1.63	41.4	250	1.72	0.90	1.34	



CRIMPED STEAM ASSEMBLY



Product Specifications

APPLICATION:

Coupling assembly crimps permanently onto hose; forms a tight crimp that reduces leaks and eliminates bulky bolt clamps while reducing potential for damage from snagging on personnel or property.

FLEXSTEEL® 250 CRIMPED STEAM ASSEMBLY

HOSE DESCRIPTION	ID		NON	Л. OD	MAX	. WP	WEIGHT		
	in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
Flexsteel® 250	3/4	19.1	1.28	32.50	250	1.72	0.55	0.82	
Flexsteel® 250	1	25.4	1.63	41.40	250	1.72	0.91	1.35	
Flexsteel® 250 CB	3/4	19.1	1.28	32.50	250	1.72	0.56	0.86	
Flexsteel® 250 CB-20	3/4	19.1	1.25	31.75	250	1.72	0.59	0.83	

RECOMMENDED CRIMP DIAMETERS FOR GOODYEAR ENGINEERED PRODUCTS' BRANDED STEAM HOSE

HOSE Description	HOSE Product Code	HOSE	FEMALE Ground Joint Low Profile Unit	FEMALE GROUND JOINT WING NUT	MALE NPT	MALE NPT SWIVEL	FEMALE SPUD	CRIMP DIA.	ENG PRO	DDYEAR INEERED DDUCTS I-CRIMP™ APPROX. SETTING
Flexsteel® 250 (Black)	539-270-024	3/4"	RGJS-3V	GJS-3V	IMS-3V	IMS-3VSW	GFS-3	1.440"	34	2.6
Flexsteel® 250 (Red)	539-076-024	3/4"	RGJS-3V	GJS-3V	IMS-3V	IMS-3VSW	GFS-3	1.440"	34	2.6
Flexsteel® 250 (Black)	539-270-032	1"	RGJS-4V	GJS-4V	IMS-4V	IMS-4VSW	GFS-3	1.925"	45	3.9
Flexsteel® 250 CB (Black)	539-370-024	3/4"	RGJS-3V	GJS-3V	IMS-3V	IMS-3VSW	GFS-3	1.440"	34	2.6
Flexsteel® 250 CB-20 (Red)	539-580-024	3/4"	RGJS-3V	GJS-3V	IMS-3V	IMS-3VSW	GFS-3	1.420"	34	2.1



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS



STEAM

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

HEAVY DUTY STEAM PILE DRIVER



Product Specifications

APPLICATION: Designed to withstand the toughest off-shore pile driving applications and offer long-lasting

service in on shore applications. A combination of the steam-resistant Versigard® tubing plus the steel Flexten® construction gives this hose the pliability and kinetic and crush

resistance required in this application.

CONSTRUCTION

TUBE: Black Versigard® synthetic rubber

COVER: Red or Black Versigard® synthetic rubber

REINFORCEMENT: Brass-coated steel cord and Flexten® breakers

TEMPERATURE: -40°F to 406°F (-40°C to 205°C)

PACKAGING: 100' exact length, coiled and polywrapped

BRANDING: Example: Goodyear® H.D. Steam Pile Driver 250 psi WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 541-461 (black) 541-460 (red)

HEAVY DUTY STEAM PILE DRIVER

1	D	NOM	л. OD MAX.		. WP	BEND I	RADIUS	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	lb./ft.	kg./m.
2	50.8	3.19	81.0	250	1.72	16	406	3.27	4.87
3	76.2	4.29	109.0	250	1.72	24	610	4.90	7.29
4	101.6	5.63	143.0	250	1.72	32	813	9.07	13.50
6	152.4	7.66	194.6	250	1.72	48	1200	10.98	16.4



MIL-DTL-29210E STEAM HOSE





Updates to new "E" specification

Product Specifications

APPLICATION: Hose assembly for military applications (such as Navy shipyard use) in temporary services from docks or barges to ships. First Article-approved hose meeting the requirements of MIL-DTL-29210 rev. E.

This specification covers metal-lined, wire-reinforced, rubber hose assemblies for conveyance of

saturated steam.

Revision E update (key changes):

• Ozone and steam tests as part of conformance testing are required for 1st Article in rev. E

• Part or identifying number (PIN) is much more specific

• The branding requirements have been corrected to brand as MIL-DTL-29210

instead of MIL-PRF-29210C.

CONSTRUCTION

TUBE: EPDM

COVER: Black wrapped finish EPDM

REINFORCEMENT: 2 wire braids

TEMPERATURE: 0° to 406°F (-18°C to 208°C)

PACKAGING: 25' or 50' cut lengths

BRANDING: Goodyear® (Quarter/Year Date Code) MIL-DTL-29210 250 PSIG (1724 KPA {Gauge}) steam 29210E

COUPLINGS: End fittings and special stem design per MIL-DTL-29210E for use with stainless-steel metal liner.

Stainless-steel metal liner per MIL-DTL-29210E

NON-STOCK/SIZES: ¾"*, 1", 1¼"*, 1½", 2" (*in development)

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer

Washdown

MARINE

MATERIAL HANDLING

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling

Dispensing Dock

Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER

Discharge Suction & Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

MIL-DTL-29210E

ID		0	D	W	/P	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
3/4	19.05	1.315	33.40	250	1.723	0.61	0.91	
1	25.4	1.61	40.89	250	1.723	0.82	1.22	
$1^{1}/_{2}$	38.1	2.12	53.85	250	1.723	1.22	1.82	
2	50.8	2.71	68.83	250	1.723	1.80	2.68	



STEAM

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® 250 STEAM



Product Specifications

APPLICATION: A rugged construction used for all-around steam service in chemical plants, refineries, shipyards

and demanding industrial service. It is recommended for cleaning, thawing, blowout service,

steam pumps, hoists and other applications involving steam.

CONSTRUCTION

TUBE: Black Versigard® synthetic rubber

COVER: Black Versigard® synthetic rubber, also available in red cover with yellow brand for color coding

(wrapped impression)

REINFORCEMENT: Spiral-plied steel wire

TEMPERATURE: 0°F to 406°F (-18°C to 208°C)

PACKAGING: 50' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Plicord® Steam 250 psi. Drain after use.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 549-060 (black) 549-061 (red)

PLICORD® 250 STEAM

I	D	NOM	I. OD	MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/2	12.7	0.97	24.6	250	1.72	0.33	0.49
3/4	19.1	1.25	31.8	250	1.72	0.49	0.73
1	25.4	1.50	38.1	250	1.72	0.61	0.91
11/4	31.8	1.81	46.0	250	1.72	0.83	1.24
1½	38.1	2.09	53.1	250	1.72	1.03	1.53
2	50.8	2.78	70.6	250	1.72	1.88	2.80
2½	63.5	3.28	83.3	250	1.72	2.33	3.47
3	76.2	3.77	95.8	250	1.72	2.73	4.06



VACUUM

VACUUM



	Page	Rubber	Thermoplastic	Clear	Corrugated Cover	Lightweight	Temp Range
Arvac™ SW	106		Yes		Yes	Yes	-40°F to 158°F
Plicord® HD Industrial Vacuum	211	Yes			Yes		-40°F to 180°F
Plicord® Vacuum (HD & LW)	212	Yes			Yes	Yes	-25°F to 180°F
Spiraflex® Grassvac™	208		Yes	Yes	Yes	Yes	0°F to 158°F
Spiraflex® Ducting	209		Yes		Yes	Yes	0°F to 150°F
Spiraflex® Vacuum	210		Yes		Yes	Yes	0°F to 158°F
Spirathane™ HD	118		Yes		Yes	Yes	0°F to 158°F
Spirathane™ LD	120		Yes	Yes	Yes	Yes	0°F to 158°F
Spirathane™ PT	119		Yes	Yes	Yes	Yes	0°F to 158°F

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

> CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



VACUUM

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SPIRAFLEX® GRASSVAC™



Product Specifications

APPLICATION: For lawn, leaf, mulch and yard waste collection. It is also suitable for dust control, ventilation,

and ducting.

CONSTRUCTION

TUBE: Clear Pliovic®

REINFORCEMENT: Black rigid, high-density Pliovic helix

TEMPERATURE: 0°F to 158°F (-18°C to 70°C)

PACKAGING: 4-6" 100' lengths, coiled and polywrapped

7–8" 50' lengths, coiled and polywrapped

BRANDING: Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

 $\textbf{NON-STOCK/SIZES:} \qquad \text{Available in all black construction}.$

ORDER CODES: 586-429 (clear web, black helix)

SPIRAFLEX® GRASSVAC™

- 1	D	NOM. OD		MAX	AX. WP BEND RADIUS VACUUM HG		MAX. WP		WE	IGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
4	101.6	4.46	113.3	15	0.10	4	102	15	381	0.71	1.06
5	127.0	5.55	141.0	15	0.10	7	178	15	381	1.07	1.59
6	152.4	6.56	166.6	10	0.07	7	178	15	381	1.43	2.13
7	177.8	7.63	193.8	10	0.07	9	229	15	381	1.75	2.60
8	203.2	8.66	220.0	10	0.07	9	229	15	381	2.06	3.07



SPIRAFLEX® DUCTING



Product Specifications

APPLICATION: Versatile enough for use in leaf collection machines, manhole blowers and air conditioning

and heating applications, as well as for air ducting and pollution control devices. Do not use

Spiraflex® Ducting for pressure service.

CONSTRUCTION

Metallic green Pliovic® synthetic compound TUBE:

REINFORCEMENT: Rigid white high-density Pliovic® helix

TEMPERATURE: 0°F to 150°F (-18°C to 66°C)

PACKAGING: 1"-6" 100' lengths, coiled and polywrapped

30' lengths, polywrapped

BRANDING: Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 586-408

SPIRAFLEX® DUCTING

II.	D	NOM	I. OD	MAX. WP		BEND F	RADIUS	WE	GHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	lb./ft.	kg./m.
1	25.4	1.21	30.7	2	33	5	127	0.13	0.19
11/4	31.8	1.50	38.1	2	51	5	127	0.18	0.27
1½	38.1	1.74	44.2	2	57	5	127	0.22	0.33
2	50.8	2.30	58.4	3	76	5	127	0.28	0.42
2½	63.5	2.80	71.1	4	102	5	127	0.31	0.46
3	76.2	3.40	86.4	7	160	5	127	0.53	0.79
4	101.6	4.44	112.8	8	191	5	127	0.60	0.89
5	127.0	5.50	139.7	9	229	5	127	0.90	1.34
6	152.4	6.46	164.1	10	254	5	127	1.04	1.55
8	203.2	8.52	216.4	12	305	5	127	1.60	2.38

AIR & **MULTIPURPOSE** Heavy Duty

> **CHEMICAL** TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling

Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING **SYSTEMS**



VACUUM

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SPIRAFLEX® VACUUM



Product Specifications

APPLICATION: Spiraflex® Vacuum hose is for dust collection and exhaust transmission where airborne

pollutants, fumes and odors are a major problem.

CONSTRUCTION

TUBE: White Pliovic® compound

REINFORCEMENT: Rigid white high-density Pliovic® helix

TEMPERATURE: 0°F to 158°F (-18°C to 70°C)

PACKAGING: 1"-4" 100' lengths, coiled and polywrapped

5"-6" 30' lengths, coiled and polywrapped

BRANDING: Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 586-403

SPIRAFLEX® VACUUM

- 1	D	NOM	1. OD	MAX	MAX. WP BEND RADIUS VACUUM		JM HG	WE	GHT		
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
1	25.4	1.22	31.0	37	0.26	3	64	29	737	0.13	0.19
11/4	31.8	1.50	38.1	37	0.26	4	84	29	737	0.24	0.36
1½	38.1	1.76	44.7	34	0.23	4	97	29	737	0.29	0.43
2	50.8	2.35	59.7	30	0.21	6	140	29	737	0.45	0.67
21/2	63.5	2.87	72.9	30	0.21	7	178	29	737	0.61	0.91
3	76.2	3.42	86.9	30	0.21	8	203	29	737	0.80	1.19
4	101.6	4.53	115.1	27	0.19	14	356	15	381	1.13	1.68
5	127.0	5.50	139.7	25	0.17	20	508	10	254	1.07	1.59
6	152.4	6.59	167.4	20	0.14	25	635	10	254	2.05	3.05



PLICORD® HD INDUSTRIAL VACUUM



Product Specifications

APPLICATION: For handling exhaust acid fumes as well as abrasive dust from metal, rock, marble and wood

grinding machines.

CONSTRUCTION

TUBE: 3/16" Gauge Tan Pureten™ rubber

COVER: Black Plioflex® synthetic rubber (corrugated)

REINFORCEMENT: Spiral-plied synthetic fabric with double wire helix

TEMPERATURE: -40°F to 180°F (-40°C to 82°C)

PACKAGING: Polywrapped

BRANDING (SPIRAL): Example: Goodyear® Made in Canada

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: Custom lengths available. Available with Black Pureten[™]

ORDER CODES: Tan Pureten: 549-222 (2"-6%") 541-222 (7"-123/4")

PLICORD® HD INDUSTRIAL VACUUM

ı	D	NOM	1. OD	MAX	. WP	BEND I	RADIUS	VACUL	JM HG	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
2	50.8	2.67	67.8	75	0.52	6	152	29	737	1.30	1.93
23/8	69.9	3.04	77.2	75	0.52	7	178	29	737	1.51	2.25
21/2	63.5	3.17	80.5	75	0.52	8	203	29	737	1.70	2.53
3	76.2	3.73	94.7	50	0.34	9	229	29	737	2.27	3.38
31/2	88.9	4.28	108.7	50	0.34	11	279	29	737	2.63	3.91
4	101.6	4.76	120.9	50	0.34	12	305	29	737	3.11	4.63
41/2	114.3	5.26	133.6	50	0.34	14	356	29	737	3.45	5.13
5	127.0	5.80	147.3	35	0.24	15	381	29	737	4.29	6.38
6	152.4	6.80	172.7	35	0.24	18	457	29	737	5.07	7.54
65/8	168.3	7.44	189.0	35	0.24	20	508	29	737	5.78	8.60
7	177.8	7.81	198.4	35	0.24	21	533	29	737	6.08	9.06
8	203.2	8.87	225.3	35	0.24	24	610	29	737	7.29	10.86
85/8	219.1	9.48	240.8	35	0.24	26	660	29	737	8.39	12.50
10	254.0	10.87	276.1	35	0.24	32	813	29	737	9.67	14.41
12	304.8	12.91	327.9	35	0.24	39	991	29	737	11.81	17.60
12¾	323.8	13.69	347.7	35	0.24	39	991	29	737	12.69	18.91

GOOD YEAR

AIR & MULTIPURPOSE General Purpose Heavy Duty

> CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

VACUUM

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® VACUUM



Product Specifications

APPLICATION: Heavy-duty construction for handling abrasive particles from metal, rock and marble

grinding machines under vacuum. Lightweight construction used to exhaust fumes and abrasive dust from woodworking machines, metal, rock, granite and similar processing

equipment.

CONSTRUCTION

TUBE: Black Tufsyn® synthetic rubber (static dissipating/static conductive)

COVER: Black Plioflex® synthetic rubber (corrugated)

REINFORCEMENT: Spiral-plied synthetic fabric with wire helix

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

BRANDING (SPIRAL): Example: Goodyear® Plicord® HD Vacuum.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

PLICORD® HD VACUUM

ORDER CODES: 549-208 (6" and below) 541-208 (8" ID)

ID		NOM. OD		BEND RADIUS		VACUUM		WEIGHT	
in.	mm.	in.	mm.	in.	mm.	in.	mm.	lb./ft.	kg./m.
1½	38.1	1.95	49.5	6	152	29	737	0.77	1.15
2	50.8	2.46	62.5	8	203	29	737	0.95	1.41
2½	63.5	3.02	76.7	10	254	29	737	1.39	2.07
3	76.2	3.70	94.0	12	305	29	737	2.25	3.35
4	101.6	4.79	121.7	16	406	29	737	3.34	4.97
6	152.4	6.80	172.7	36	914	29	737	5.10	7.59
8	203.2	9.20	233.7	48	1219	29	737	7.53	11.21

PLICORD® LW VACUUM (LIGHTWEIGHT CONSTRUCTION)

ORDER CODES: 549-207

ID		NOM. OD		BEND RADIUS		VACUUM		WEIGHT	
in.	mm.	in.	mm.	in.	mm.	in.	mm.	lb./ft.	kg./m.
1½	38.1	1.82	46.2	6	152	29	737	0.59	0.88
2	50.8	2.33	59.2	8	203	29	737	0.70	1.04
2½	63.5	2.84	72.1	10	254	29	737	0.97	1.44
3	76.2	3.33	84.6	12	305	29	737	1.15	1.71
4	101.6	4.93	125.2	16	406	29	737	1.85	2.75
6	152.4	6.47	164.3	24	610	29	737	3.41	5.07



VACUUM

NOTES	AIR & MULTIPURPOSE General Purpose
	Heavy Duty Push-on
	CHEMICAL TRANSFER
	CLEANING EQUIPMENT
	FOOD Transfer Washdown
	MARINE
	MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete
	MINING
	PETROLEUM Aircraft Fueling Dispensing Dock Transfer
	SPRAY
	STEAM
	VACUUM
	VEYANCE
	WATER Discharge Suction & Discharge Washdown
	WELDING
	COUPLING SYSTEMS
GOOD YEAR. ENGINEERED PRODUCTS	APPENDIX

VEYANCE

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

VEYANCE BRANDED PRODUCTS



	Page
LPG Delivery Pro [™]	215

LPG DELIVERY PRO™







Product Specifications

APPLICATION: LPG Delivery Pro™ is for residential and commercial delivery/transfer of liquid propane gas — the only UL listed LPG bobtail transfer assembly in the market. It features premium braided

construction (1" ID and larger), excellent cold weather flexibility, a smooth cover for low drag

resistance and low tube extraction to reduce contamination.

Not for LP appliances or other consumer applications.

CONSTRUCTION

TUBE: Nitrile

COVER: Synthetic rubber

REINFORCEMENT: 1/2" and 3/4" Textile spiral

1" and 2" Textile braid

TEMPERATURE: -40°F to 180°F (-40°C to 82°C)

PACKAGING: Available in coupled assemblies only

BRANDING: Example: 1" (25.4mm) LPG Delivery Pro™ CGA Type 1 LPG-Hose Issue No. E-8167 350 Psi

(2.4 MPa) Max WP. Made in USA.

COUPLINGS: Factory installed crimped fittings only

ORDER CODES: 532-412

LPG DELIVERY PRO™

ID		NOM. OD		MAX	. WP	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/2	12.7	0.930	23.6	350	2.41	0.28	0.42
3/4	19.1	1.230	31.2	350	2.41	0.46	0.68
1	25.4	1.490	37.8	350	2.41	0.57	0.85
11/4	31.8	1.800	45.7	350	2.41	0.68	1.01
1½	38.1	2.080	52.8	350	2.41	1.10	1.64

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Vashdown

WELDING

COUPLING SYSTEMS

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER

Discharge Suction &

Discharge Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

WATER DISCHARGE



	Page	Rubber	Thermoplastic	MSHA	Temp Range	Coupled Lengths	Layflat Construction
Brigade Mine	137		Yes	Yes	-10°F to 150°F		Yes
Fire Engine Booster	222	Yes			0°F to 180°F	Yes	
Pathfinder® Garden Hose	223	Yes			-40°F to 190°F	Yes	
Plicord® Furnace Door	224	Yes			-25°F to 200°F		
Plicord® HD Water Discharge	225	Yes			-25°F to 180°F		
Plicord® Versiflo® 125	226	Yes			-25°F to 180°F		Yes
Plicord® Water Discharge 150	227	Yes			-25°F to 180°F		
Potable Water	77	Yes			-25°F to 180°F		
Spiraflex® Black (Lay-Flat Super Duty)	217	Yes			-36°F to 178°F		Yes
Spiraflex® Blue (Extra Light Duty)	218		Yes		-10°F to 150°F		Yes
Spiraflex® Gray (Light Duty)	219		Yes		-10°F to 150°F		Yes
Spiraflex® Red (Medium Duty)	220		Yes	Yes	-10°F to 150°F		Yes
Spiraflex® Yellow (Heavy Duty)	221		Yes		-10°F to 150°F		Yes



SPIRAFLEX® BLACK LAY-FLAT SUPER DUTY HOSE





Product Specifications

APPLICATION: Spiraflex® Black is a lay-flat, heavy-duty water discharge and washdown hose that combines the

lightweight, compact features of PVC with the durability and abrasion resistance of conventional construction. This hose features a unique one-piece, through-the-weave construction and attains its working pressure from a synthetic woven textile. Resists mildew/rot and requires no drying time. Its excellent durability is derived from a high-tensile rubber compound, which completely encases the jacket. Applications include irrigation, washdown, dewatering, coal preparation and utility plants; gas drilling;

jetting and pump discharge; storage tank cleaning and sewer cleaning.

CONSTRUCTION

TUBE AND COVER: Nitrile/PVC compound. Both tube and cover are simultaneously extruded to obtain maximum bending.

REINFORCEMENT: Through-the-weave fabric reinforcement

TEMPERATURE: -36°F to 178°F (-37°C to 81°C)

PACKAGING: Coiled

BRANDING: No branding

NON-STOCK/SIZES: Contact your Goodyear Engineered Products representative for special production run minimum

requirements.

ORDER CODES: Contact customer service for ordering details

MINING

AIR &

Heavy Duty

CHEMICAL TRANSFER

CLEANING

FOOD

Transfer

MARINE

MATERIAL

HANDLING

Bulk Transfer

Cement & Concrete

EQUIPMENT

MULTIPURPOSE

PETROLEUM Aircraft Fueling

Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &

Discharge Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SPIRAFLEX® BLACK LAY-FLAT SUPER-DUTY HOSE

ID		NOM. OD		MAX	. WP	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1½	38.09	1.58	40.13	300	1.72	0.26	0.38
2	50.80	2.08	52.83	250	1.72	0.36	0.54
2½	63.50	2.58	65.53	250	1.72	0.46	0.68
3	76.19	3.10	78.74	230	1.72	0.52	0.77
4	101.60	4.10	104.14	200	1.38	0.72	1.07
6	152.39	6.13	155.70	150	1.03	1.25	1.86
8	203.20	8.16	207.26	150	1.03	1.70	2.53



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge

Suction & Discharge Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SPIRAFLEX® BLUE EXTRA LIGHT DUTY



Product Specifications

APPLICATION: For light-duty water discharge applications in mining, construction, industry, agricultural and

marine service.

CONSTRUCTION

TUBE: Blue PVC compound

COVER: Blue PVC compound

REINFORCEMENT: Synthetic fabric

TEMPERATURE: -10°F to 150°F (-23°C to 66°C)

PACKAGING: 300', continuous one piece, coiled and poly-wrapped

BRANDING: Example: Goodyear® Spiraflex® Blue 2" (50.8 mm) 80 psi WP (.55 Mpa).

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 537-564

SPIRAFLEX® BLUE EXTRA LIGHT DUTY

ID		NOM. OD		MAX	. WP	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1½	38.1	1.67	42.4	90	0.62	0.18	0.27
2	50.8	2.21	56.1	80	0.55	0.24	0.37
2½	63.5	2.68	68.1	55	0.38	0.35	0.52
3	76.2	3.20	81.3	55	0.38	0.38	0.56
4	101.6	4.26	108.2	50	0.34	0.63	0.94
6	152.4	6.26	159.0	35	0.24	1.14	1.70
8	203.2	8.32	211.3	35	0.24	1.30	1.93

Note: Working pressures are rated at 72°F.



SPIRAFLEX® GRAY



General Purpose Heavy Duty Push-on

MULTIPURPOSE

CHEMICAL TRANSFER

AIR &

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER	
Discharge	
Suction &	
Discharge	
Vashdown	

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: For light-duty water discharge service.

CONSTRUCTION

TUBE: Black Pliovic® compound

COVER: Gray Pliovic compound

REINFORCEMENT: Synthetic fabric

TEMPERATURE: -10°F to 150°F (-23°C to 66°C)

PACKAGING: 300' continuous one piece, coiled and banded

BRANDING: Example: Goodyear® Spiraflex® Gray 2" (53.0 mm) 80 psi (.41 Mpa). Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 537-555

SPIRAFLEX® GRAY LIGHT DUTY

ID		NOM. OD		MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1½	38.1	1.72	43.7	90	0.62	0.18	0.27	
2	50.8	2.22	56.4	80	0.55	0.24	0.35	
21/2	63.5	2.79	70.9	60	0.41	0.35	0.52	
3	76.2	3.27	83.1	50	0.34	0.38	0.57	
4	101.6	4.33	110.0	45	0.31	0.63	1.01	
6	152.4	6.38	162.1	35	0.24	1.14	1.70	

Note: Working pressures are rated at 72°F.



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER Discharge

Suction & Discharge Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SPIRAFLEX® RED MEDIUM DUTY



Product Specifications

APPLICATION: For medium-duty discharge applications in mining, construction, industry, agriculture and

marine service. Limited oil and chemical application.

CONSTRUCTION

TUBE: Black Pliovic® /Nitrile rubber tube

COVER: Red Pliovic, MSHA 2G-14C/16

REINFORCEMENT: Spiral synthetic yarn, one layer longitudinal synthetic yarn

TEMPERATURE: -10°F to 150°F (-23°C to 66°C)

PACKAGING: 300' continuous one piece, coiled and banded

BRANDING: Example: Goodyear® Spiraflex® Red 2" (50.8 mm) 150 psi WP (1.00 Mpa), Flame Resistant,

USMSHA 2G-14C/16. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 537-521

SPIRAFLEX® RED MEDIUM DUTY

ID		NOM. OD		MAX	. WP	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1½	38.1	1.71	43.4	150	1.03	0.23	0.34
2	50.8	2.24	56.9	150	1.03	0.36	0.54
2½	63.5	2.79	70.9	150	1.03	0.41	0.61
3	76.2	3.29	83.6	125	0.86	0.46	0.68
4	101.6	4.32	109.7	100	0.69	0.73	1.09
6	152.4	6.40	162.6	100	0.69	1.18	1.76

Note: Working pressures are rated at 72°F.



SPIRAFLEX® YELLOW HEAVY DUTY SPIRAFLEX® 2700





Product Specifications

APPLICATION: For heavy-duty applications in mining, agriculture, construction and marine service. Limited oil

and chemical application.

CONSTRUCTION

TUBE: Black Pliovic®/Nitrile PVC Tube

COVER: Yellow fire-retardant Pliovic, MSHA 2G-14C/15

REINFORCEMENT: Synthetic fabric

TEMPERATURE: -10°F to 150°F (-23°C to 66°C)

PACKAGING: 300' continuous one-piece, coiled and banded

BRANDING: Example: Goodyear® Spiraflex® Yellow 2" (50.8 mm), 200 psi (1.38 Mpa) Flame Resistant,

USMSHA 2G-14C/15. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 537-513

SPIRAFLEX® YELLOW HEAVY DUTY

ID		NOM. OD		MAX	. WP	WEIGHT				
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.			
1½	38.1	1.77	45.0	200	1.38	0.32	0.48			
2	50.8	2.34	59.4	200	1.38	0.42	0.63			
2½	63.5	2.88	73.2	200	1.38	0.66	0.98			
3	76.2	3.40	86.4	200	1.38	0.76	1.13			
4	101.6	4.41	112.0	150	1.03	1.00	1.49			
6	152.4	6.48	164.6	150	1.03	1.69	2.51			

Note: Working pressures are rated at 72°F.

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING

Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER

Discharge Suction &

Discharge Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

FIRE ENGINE BOOSTER



Product Specifications

APPLICATION: For use in high-pressure fire engine booster service. Also has many applications in other

heavy-duty industrial and municipal operations.

CONSTRUCTION

TUBE: Synthetic rubber

COVER: Red synthetic rubber

REINFORCEMENT: Braided (2) synthetic yarn

TEMPERATURE: 0°F to 180°F (-18°C to 82°C)

PACKAGING: Cartons: 1000' (50' increments)

Cut lengths: 50' (2 pieces); 100' (1 piece) Coupled lengths: 50' (2 pieces); 100' (1 piece)

BRANDING: Example: Goodyear® 1" Fire Engine Booster. Made in USA.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 536-382

FIRE ENGINE BOOSTER

ID		NOM. OD		MAX	. WP	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/4	19.1	1.25	31.8	800	5.52	0.42	0.62
1	25.4	1.53	38.9	800	5.52	0.57	0.85



PATHFINDER® **GARDEN HOSE**



MULTIPURPOSE Heavy Duty

AIR &

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER Discharge Suction & Discharge Washdown

WELDING

COUPLING **SYSTEMS**

APPENDIX

Product Specifications

APPLICATION: For in-home, lawn and garden, apartment, smaller plant and commercial property applications.

CONSTRUCTION

TUBE: Versigard® synthetic rubber

COVER: Green Versigard synthetic rubber

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -40°F to 190°F (-40°C to 88°C)

PACKAGING: 500' reels, maximum 3 pieces, 50' increments

BRANDING: Example: 5/8" (15.9 mm) Pathfinder® Goodyear® 100 psi WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: Available in 25' or 50' coupled assemblies.

ORDER CODES: 569-027

PATHFINDER® GARDEN HOSE

ID		NOM. OD		MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
5/8	15.9	0.94	23.9	100	0.69	0.22	0.33	



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge

Suction & Discharge Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® FURNACE DOOR



Product Specifications

APPLICATION: For carrying cooling water to furnace doors in steel mills and similar service operations where the

outside of the hose is subjected to open flame and elevated temperatures.

CONSTRUCTION

TUBE: Plioflex® synthetic rubber (nonconductive)

COVER: Fiberglass fabric ply over rubber cover

REINFORCEMENT: Spiral-plied (4) plies of synthetic fabric

TEMPERATURE: -25°F to 200°F (-32°C to 93°C)

PACKAGING: 1/2"-4" 100' lengths, coiled and polywrapped

BRANDING: Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 542-309

PLICORD® FURNACE DOOR

ID		NOM. OD		MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
1/2	12.7	1.06	26.9	200	1.38	0.38	0.57	
3/4	19.1	1.32	33.5	200	1.38	0.52	0.77	
1	25.4	1.64	41.7	200	1.38	0.76	1.13	
11/4	31.8	2.06	52.3	200	1.38	1.19	1.77	
1½	38.1	2.30	58.4	200	1.38	1.36	2.02	
2	50.8	2.87	72.9	200	1.38	1.85	2.75	
2½	63.5	3.36	85.3	200	1.38	2.23	3.32	
3	76.0	3.85	97.8	200	1.38	5.70	8.45	
4	102.0	4.87	123.8	150	1.03	6.90	10.30	



PLICORD® HD WATER DISCHARGE



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER	
Discharge	
Suction &	
Discharge	
Washdown	

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: A heavy-duty, all-purpose hose with excellent abrasion resistance. It is ideal for service in

quarries, mines and construction.

CONSTRUCTION

TUBE: Black Plioflex® synthetic rubber

COVER: Black Plioflex synthetic rubber (wrapped finish)

REINFORCEMENT: Spiral-plied (4) plies of synthetic fabric

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 1"-8" 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Plicord® HD Water.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 542-437 (65/8" and below) 541-437 (8" and above)

PLICORD® HD WATER DISCHARGE

- 1	D	NOM	I. OD	MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
$1\frac{1}{2}$	38.1	2.00	50.8	200	1.38	0.79	1.18
2	50.8	2.50	63.5	200	1.38	0.97	1.44
$2\frac{1}{2}$	63.5	3.06	77.7	200	1.38	1.36	2.02
3	76.2	3.55	90.2	200	1.38	1.60	2.38
4	101.6	4.58	116.3	150	1.03	2.10	3.13
41/2	114.3	5.07	128.8	150	1.03	2.34	3.48
5	127.0	5.57	141.5	150	1.03	2.59	3.85
6	152.4	6.53	165.9	150	1.03	2.87	4.27
65/8	168.3	7.22	183.4	150	1.03	3.58	5.33
8	203.2	8.57	217.7	100	0.69	4.06	6.04
85/8	219.1	9.19	233.4	100	0.69	4.57	6.81
10	254.0	10.63	270.0	100	0.69	5.73	8.54
12	304.8	12.66	321.6	100	0.69	6.79	10.12



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge

Suction & Discharge Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® VERSIFLO® 125



Product Specifications

APPLICATION: For medium-duty water discharge service where the hose does not encounter severe handling.

CONSTRUCTION

TUBE: Black Versigard® synthetic rubber

COVER: Black Versigard (wrapped finish)

REINFORCEMENT: Spiral-plied synthetic fabric

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Versiflo® 125 Water Discharge.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 542-527

PLICORD® VERSIFLO® 125

II.	ID		I. OD	MAX	. WP	WEIGHT		
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
11/4	31.8	1.48	37.6	125	0.86	0.26	0.39	
1½	38.1	1.72	43.7	125	0.86	0.30	0.45	
2	50.8	2.24	56.9	125	0.86	0.40	0.60	
2½	63.5	2.73	69.3	125	0.86	0.49	0.73	
3	76.2	3.22	81.8	125	0.86	0.58	0.86	
4	101.6	4.21	106.9	125	0.86	0.83	1.24	
6	152.4	6.32	160.5	125	0.86	1.58	2.35	



PLICORD® WATER DISCHARGE 150



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: For use in heavy-duty service for a wide range of applications.

CONSTRUCTION

TUBE: Black Plioflex® synthetic rubber

COVER: Black Plioflex synthetic rubber

REINFORCEMENT: Spiral-plied synthetic fabric

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 3/4"-6" 100' lengths, coiled and polywrapped 8"-12" 50' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Plicord® Water 150.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 542-438 (1/2"-6") 541-438 (8"-16")

PLICORD® WATER DISCHARGE 150

I	D	NOM	I. OD	MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/4	19.1	1.04	26.4	150	1.03	0.23	0.34
1	25.4	1.29	32.8	150	1.03	0.30	0.45
11/4	31.8	1.60	40.6	150	1.03	0.43	0.64
1½	38.1	1.84	46.7	150	1.03	0.50	0.74
2	50.8	2.38	60.5	150	1.03	0.71	1.06
2½	63.5	2.87	72.9	150	1.03	0.87	1.29
3	76.2	3.47	88.1	150	1.03	1.37	2.04
4	101.6	4.50	114.3	150	1.03	1.80	2.68
5	127.0	5.51	140.0	150	1.03	2.32	3.45
6	152.4	6.49	164.9	150	1.03	2.53	3.76
8	203.2	8.45	214.6	150	1.03	3.81	5.68
10	254.0	10.63	270.0	150	1.03	5.67	8.45
12	304.8	12.68	322.1	150	1.03	7.02	10.46



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

WATER SUCTION & DISCHARGE



	Page	Rubber	Thermoplastic	Clear	Temp Range	Tube Compound
Cold Blue™	229		Yes	Yes	-40°F to 150°F	PVC
Green Hornet™ XF	230		Yes		-40°F to 180°F	TPR/PVC
Flexwing® Water S&D	234	Yes			-25°F to 180°F	SBR
Spiraflex® 1600	231		Yes		0°F to 158°F	PVC
Versiflo® 150 Water S&D	235	Yes			-25°F to 200°F	EPDM
Spiraflex® Aggie PVC	233		Yes	Yes	0°F to 158°F	PVC
Spiraflex® Water S&D Heavy Duty	232			Yes	-15°F to 150°F	PVC



COLD BLUE™



(NEW)

Product Specifications

APPLICATION:

A lightweight, medium-duty water suction and discharge hose for industrial, construction, agricultural, mining and other applications where low temperature flexibility is required.

CONSTRUCTION

TUBE: Clear flexible PVC

REINFORCEMENT: Blue rigid PVC helix

TEMPERATURE: -40°F to 150°F (-40°C to 65°C)

BRANDING: Not branded

PACKAGING: 100' coils, covered with corrugated cardboard and wrapped with clear stretch film.

ORDER CODES: 586-518

Abrasives Bulk Transfer Cement & Concrete

MINING

AIR &

MULTIPURPOSE

General Purpose Heavy Duty

> CHEMICAL TRANSFER

CLEANING

FOOD

Transfer Washdown

MARINE

MATERIAL HANDLING

EQUIPMENT

PETROLEUM Aircraft Fueling Dispensing

> Dock Transfer

> SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

COLD BLUE™

1	D	NOM. OD		MAX. WP		WEIGHT		VACUUM HG		BEND RADIUS	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	in.	mm.	in.	mm.
3/4	19.1	.99	25.1	120	.83	.163	.242	29	737	3	76
1	25.4	1.25	31.8	106	.73	.229	.341	29	737	5	127
11/4	31.8	1.54	39.2	99	.68	.305	.454	29	737	5	127
1½	38.1	1.77	44.9	89	.61	.372	.559	29	737	6	152
2	50.8	2.33	59.2	80	.55	.583	.869	29	737	8	203
2½	63.5	2.87	72.9	65	.45	.840	1.25	29	737	10	254
3	76.2	3.40	86.5	65	.45	1.01	1.50	29	737	12	305
4	101.6	4.50	114.0	55	.38	1.65	2.46	29	737	16	406
6	152.4	6.62	168.2	47	.32	3.27	4.87	29	737	36	914

Testing performed at 70°F.



AIR & **MULTIPURPOSE** Heavy Duty

CHEMICAL TRANSFER

EQUIPMENT

FOOD Washdown

MARINE

MATERIAL HANDLING Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER Discharge Suction &

Discharge Washdown

WELDING

COUPLING

APPENDIX



Product Specifications

APPLICATION: Medium-duty, light-weight construction; retains flexibility in cold weather. Smooth-bore tube

minimizes material buildup and resists a variety of chemicals found in agricultural and sanitary industries. Slightly corrugated outer helix promotes abrasion resistance, low coefficient of friction

and ease of coupling. Common uses can be found in waste management, construction, agricultural, marine and manufacturing industries.

CONSTRUCTION

TUBE: Black thermoplastic rubber, RMA Class B (medium oil resistance)

REINFORCEMENT: Rigid, lime-green polyethylene helix; available in a variety of custom colors

TEMPERATURE: -40°F to 180°F (-40°C to 82°C)

PACKAGING: 100' lengths, coiled and polywrapped

BRANDING (SPIRAL): Not branded

> **COUPLINGS:** Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 586-551

GREEN HORNET™ XF

I	D	NOM	I. OD	MAX	. WP	BEND F	RADIUS	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	lb./ft.	kg./m.
11/4	31.8	1.53	39.0	50	0.35	2.5	63.5	0.27	0.40
1½	38.1	1.78	45.3	50	0.35	3	76.2	0.32	0.48
2	50.8	2.40	61.0	50	0.35	4	101.6	0.56	0.83
2½	63.5	2.99	74.9	50	0.35	5	127.0	0.75	1.12
3	76.2	3.47	88.1	45	0.31	5	127.0	0.92	1.37
4	101.6	4.67	118.4	40	0.28	9	228.6	1.60	2.39
6	152.4	6.75	171.4	25	0.17	20	508.0	2.88	4.30



SPIRAFLEX® 1600



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: For water suction and discharge service in construction and septic tank cleaning operations, and

for general industrial and agricultural applications where mild chemical resistance is required.

CONSTRUCTION

TUBE: Olive green Pliovic® with high-density rigid helix

REINFORCEMENT: Olive green Pliovic® with high-density rigid helix

TEMPERATURE: 0°F to 158°F (-9°C to 70°C)

PACKAGING: 3/4"-6" 100' lengths, coiled and polywrapped

8"-10" 20' lengths, coiled and polywrapped

BRANDING: Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 586-411

SPIRAFLEX® 1600

ı	D	NOM	1. OD	MAX. WP		BEND	RADIUS	VACUI	JM HG	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
3/4	19.1	0.98	24.9	130	0.90	3	83	29	737	0.18	0.27
1	25.4	1.24	31.5	106	0.73	5	114	29	737	0.25	0.37
11/4	31.8	1.53	38.9	99	0.68	5	127	29	737	0.32	0.48
1½	38.1	1.78	45.2	89	0.61	6	152	29	737	0.37	0.55
2	50.8	2.32	58.9	79	0.54	8	203	29	737	0.61	0.91
2½	63.5	2.85	72.4	65	0.45	10	254	29	737	0.87	1.29
3	76.2	3.41	86.6	65	0.45	12	305	29	737	1.08	1.61
4	101.6	4.46	113.3	55	0.38	16	406	29	737	1.69	2.51
6	152.4	6.57	166.9	47	0.32	36	914	29	737	3.05	4.54
8	203.2	8.92	226.6	40	0.28	60	1524	20	508	6.35	9.45
10	254.0	10.93	277.6	35	0.24	100	2540	20	508	8.75	13.04



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER Discharge

Suction & Discharge

Washdown

WELDING

COUPLING

APPENDIX

SPIRAFLEX® WATER S&D HEAVY DUTY



Product Specifications

NEW

APPLICATION: Heavy-duty water suction and discharge hose used for a variety of applications where vacuum and high

working pressure are required. The abrasion-resistant outer helix allows for easy use to maneuver the hose, while the clear cover provides the ability to inspect hose contents in use.

CONSTRUCTION

TUBE: PVC

COVER: PVC

REINFORCEMENT: Polyester braid with rigid PVC Helix

TEMPERATURE: -15°F to 150°F (-26°C to 65°C)

PACKAGING: Coiled

BRANDING (SPIRAL): None

NON-STOCK/SIZES: Contact your Goodyear Engineered Products representative for special production run minimum


requirements.

SPIRAFLEX® WATER S&D HEAVY DUTY

ID		NOM. OD		MAX. WP		BEND RADIUS		VACUUM HG		WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m
2"	50.80	2.620	66.54	100	.69	4.0	101.60	29	737	0.70	1.04
3"	76.19	3.720	94.48	100	.69	6.0	152.39	29	737	1.13	1.68
4"	101.60	4.800	121.91	75	.51	7.1	180.33	29	737	1.74	2.59
6"	152.39	7.200	182.88	70	.48	10.0	254	29	737	3.88	5.77
8"	203.20	9.350	237.49	60	.41	16.0	406.4	29	737	5.54	8.24



SPIRAFLEX® AGGIE PVC



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: A general-purpose water suction hose for use in industrial, agriculture and construction

applications.

CONSTRUCTION

TUBE: Clear Pliovic®

REINFORCEMENT: High-density white rigid Pliovic helix

TEMPERATURE: 0°F to 158°F (-9°C to 70°C)

PACKAGING: 100' lengths coiled and polywrapped

BRANDING (SPIRAL): Not branded

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 586-453

SPIRAFLEX® AGGIE PVC

- 1	D	NOM. OD		MAX	. WP	BEND RADIUS		VACU	JM HG	WE	IGHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
3/4	19.1	1.00	25.4	120	0.83	3.0	76	29	737	0.18	0.27
1	25.4	1.24	31.5	106	0.73	4.5	114	29	737	0.23	0.34
11/4	31.8	1.53	38.9	99	0.68	5.0	127	29	737	0.34	0.51
1½	38.1	1.78	45.2	89	0.61	6.0	152	29	737	0.38	0.57
2	50.8	2.31	58.7	79	0.54	8.0	203	29	737	0.58	0.86
2½	63.5	2.85	72.4	65	0.45	10.0	254	29	737	0.90	1.34
3	76.2	3.41	86.6	65	0.45	12.0	305	29	737	1.07	1.59
4	101.6	4.47	113.5	55	0.38	16.0	406	29	737	1.69	2.51
6	152.4	6.60	167.6	47	0.32	36.0	914	29	737	3.29	4.90



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE


WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

FLEXWING® WATER S&D



Product Specifications

NEW

APPLICATION: A general-purpose, economical hose for applications in light or medium water suction and discharge

operations. Rated for full vacuum. Used in various industrial, agricultural and construction areas.

CONSTRUCTION

TUBE: Black Plioflex® Synthetic Rubber

COVER: Black Plioflex Synthetic Rubber

REINFORCEMENT: Synthetic fabric plies with internal wire helix

TEMPERATURE: -25°F to 180°F (-32°C to 82°C)

PACKAGING: 3/4" - 6" 100' lengths, coiled and polywrapped

8" –12" Custom length

BRANDING (SPIRAL): Example: Flexwing® Water S&D

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 542-249 (3/4" - 6") 541-249 (8" - 12")

FLEXWING® WATER S&D

ı	D	NOM. OD		MAX. WP		BEND I	RADIUS	VACUI	JM HG	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m
3/4	19.0	1.09	27.9	125	0.86	2	50	29	737	0.33	0.49
1	25.3	1.34	34.1	125	0.86	2	50	29	737	0.41	0.61
11/4	32.0	1.61	40.8	125	0.86	4	100	29	737	0.50	0.75
1½	38.0	1.84	46.9	125	0.86	4	100	29	737	0.63	0.94
2	51.1	2.38	60.4	125	0.86	7	180	29	737	0.84	1.25
2½	63.6	2.89	73.3	125	0.86	10	250	29	737	1.08	1.61
3	76.1	3.42	86.8	125	0.86	14	360	29	737	1.46	2.18
3½	90.0	3.97	100.9	125	0.86	14	360	29	737	1.80	2.68
4	102.1	4.45	113.1	125	0.86	18	460	29	737	2.03	3.02
5	127.3	5.53	140.5	125	0.86	20	510	29	737	3.34	4.98
6	152.6	6.63	168.0	125	0.86	24	610	29	737	4.67	6.96
8	203.5	8.75	222.3	125	0.86	48	1200	29	737	7.56	11.26
10	253.9	10.97	278.3	125	0.86	60	1500	29	737	12.34	18.39
12	305.5	12.19	335.4	125	0.86	72	1800	29	737	19.07	28.41



VERSIFLO® 150 WATER S&D



Product Specifications

APPLICATION: General-purpose water suction and discharge for medium- to heavy-duty applications. Can be

used in Lasso® applications.

CONSTRUCTION

TUBE: Black Versigard® synthetic rubber

COVER: Black Versigard synthetic rubber (wrapped finish)

REINFORCEMENT: Plies of synthetic fabric with wire helix

TEMPERATURE: -25°F to 200°F (-32°C to 93°C)

PACKAGING: 542-528 100' lengths, coiled and polywrapped

541-528 custom lengths

BRANDING (SPIRAL): Example: Goodyear® Versiflo® 150 Water Suction & Discharge.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 542-528 (1 1/4"-6") 541-528 (8"-14")

VERSIFLO® 150 WATER S&D

ı	D	NOM. OD		MAX. WP		BEND RADIUS		VACU	JM HG	WE	GHT
in.	mm.	in.	mm.	psi	Мра	in.	mm.	in.	mm.	lb./ft.	kg./m.
11/4	31.8	1.63	41.4	150	1.03	4	102	29	737	0.53	0.79
1½	38.1	1.87	47.5	150	1.03	4	102	29	737	0.65	0.97
2	50.8	2.39	60.7	150	1.03	7	178	29	737	0.87	1.29
2½	63.5	2.89	73.4	150	1.03	10	254	29	737	1.08	1.61
3	76.2	3.42	86.9	150	1.03	14	356	29	737	1.44	2.14
4	101.6	4.45	113.0	150	1.03	18	457	29	737	2.00	2.98
6	152.4	6.60	167.6	150	1.03	24	610	29	737	4.56	6.79
8	203.0	8.75	238.0	150	1.03	48	1200	29	737	7.40	11.00
10	254.0	10.96	278.0	150	1.03	60	1500	29	737	12.20	18.20
12	305.0	13.23	336.0	150	1.03	72	1800	29	737	18.70	27.90
14	408.0	15.57	396.0	150	1.03	84	2100	29	737	25.10	37.40

AIR & MULTIPURPOSE General Purpose Heavy Duty

> CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

WATER WASHDOWN



	Page	Temp Range	Non- marking Cover	Superior Oil Resistance Cover	Superior Abrasion Cover	Microban Cover	Tapered Nozzle	Textile	Wire
Fortress® 300	81	-20°F to 200°F	Yes	Yes	Yes	Yes		Yes	
Fortress® 1000	82	-20°F to 200°F	Yes	Yes	Yes	Yes		Yes	
Fortress® 3000	83	-20°F to 250°F	Yes	Yes	Yes	Yes			Yes
Gauntlet® 1500	59	-20°F to 200°F	Yes*	Yes	Yes			Yes	
Plicord® Washdown	238	-25°F to 200°F					Yes	Yes	
Pulp & Paper Washdown™	239	-25°F to 200°F					Yes	Yes	
Sani-Wash™ 300	88	-40°F to 205°F	Yes					Yes	
Super Sani-Wash™ 300	89	-40°F to 200°F	Yes			Yes		Yes	
Spectra® 300	85	-20°F to 200°F	Yes	Yes				Yes	
Spectra® 1000	86	-20°F to 250°F	Yes	Yes					Yes
Spectra® 3000	87	-20°F to 250°F	Yes	Yes					Yes
Sureline®	237	-40°F to 190°F	Yes*					Yes	

^{*}Nonblack Colors



SURELINE®



Product Specifications

APPLICATION: For a wide range of industrial, construction, and agricultural water discharge applications in

which a general-service water hose is needed.

CONSTRUCTION

TUBE: Versigard® synthetic rubber, RMA Class C (limited oil resistance)

COVER: Red or Black Versigard synthetic rubber

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -40°F to 190°F (-40°C to 88°C)

PACKAGING: 3/16"-3/4" 500' reels, maximum 3 pieces, 50' increments

1" 450' reels, maximum 3 pieces, 50' increments 1¼" 400' reels, maximum 3 pieces, 50' increments 1½" 300' reels, maximum 3 pieces, 50' increments

BRANDING: Example: 1/2" Sureline® Goodyear® 150 psi WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix D.

ORDER CODES: 569-048 (red) 569-049 (black)

SURELINE	®						
	ID	NOM. OD		MAX	. WP	WEIGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
1/4	6.4	0.48	12.2	150	1.03	0.08	0.12
3/8	9.5	0.66	16.8	150	1.03	0.13	0.19
1/2	12.7	0.78	19.8	150	1.03	0.17	0.25
5/8	15.9	0.93	23.6	150	1.03	0.26	0.39
3/4	19.1	1.08	27.4	150	1.03	0.33	0.49
1	25.4	1.39	35.3	150	1.03	0.52	0.77
11/4	31.8	1.63	41.4	150	1.03	0.57	0.85
1½	38.1	1.88	47.8	150	1.03	0.68	1.01

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

PLICORD® WASHDOWN WITH OPTIONAL INTEGRAL TAPERED NOZZLE



Product Specifications

APPLICATION: Plicord® Washdown hose is a quality water discharge hose for the environments typically found

in paper mills and other industrial operations. Can be supplied with an integral rubber nozzle.

CONSTRUCTION

TUBE: Black Plioflex® synthetic rubber

COVER: Black Plioflex synthetic rubber (wrapped impression). Also available in green or white

cover (non-FDA).

REINFORCEMENT: Spiral-plied synthetic fabric

TEMPERATURE: -25°F to 200°F (-32°C to 93°C)

PACKAGING: 50' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® Plicord® Washdown, 150 Max WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

Also available with integral tapered nozzle.

NON-STOCK/SIZES: Hose: 400' minimum order/400' increments

Hose with tapered nozzle: Two 50' lengths, two length increments

ORDER CODES: 542-454 (black) 542-455 (green) 542-507 (white)

PLICORD® WASHDOWN

- 1	D	NON	I. OD	MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/4	19.1	1.17	29.7	150	1.03	0.36	0.54
1	25.4	1.42	36.1	150	1.03	0.45	0.67
11/4	31.8	1.69	42.9	150	1.03	0.55	0.82
1½	38.1	1.97	50.0	150	1.03	0.71	1.06

Orifice sizes: 3/4" ID-1/2" Orifice

1" ID-1/2" Orifice

1¼" ID-5/8" Orifice

1½" ID-3/4" Orifice



PULP & PAPER WASHDOWN WITH OPTIONAL INTEGRAL TAPERED NOZZLE



AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: Heavy-duty water discharge hose for washdown service in pulp and papermills where kink

resistance is of major importance.

CONSTRUCTION

TUBE: Black Versigard® synthetic rubber (also available in white, non-FDA)

COVER: Black Versigard synthetic rubber

REINFORCEMENT: Spiral-plied synthetic fabric

TEMPERATURE: -25°F to 200°F (-32°C to 93°C)

PACKAGING: 50' lengths, coiled and polywrapped

BRANDING (SPIRAL): Example: Goodyear® HD Washdown, 300 psi Max WP.

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

Also available with integral tapered nozzle.

NON-STOCK/SIZES: Hose: 400' minimum order/400' increments

Hose with tapered nozzle: Two 50' lengths, two 50' length increments

ORDER CODES: 542-452

PULP & PAPER WASHDOWN

- 1	D	NOM	I. OD	MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/4	19.1	1.30	33.0	300	2.07	0.47	0.70
1	25.4	1.62	41.2	300	2.07	0.67	1.00
11/4	31.8	1.88	47.8	300	2.07	0.81	1.21
1½	38.1	2.11	53.7	300	2.07	0.91	1.36

Orifice sizes: 3/4" ID-1/2" Orifice

1" ID-1/2" Orifice

1¼" ID-5/8" Orifice 1½" ID-3/4" Orifice

GOOD YEAR
ENGINEERED PRODUCTS

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

WELDING



	Page	Oxygen (Green)	Acetylene (Red)	Fuel Gases* (Red)	Flame and Oil Resistant Tube	Flame and Oil Resistant Cover
Gemini® Twin Line Welding (Grade R)	241	Yes	Yes	No	No	No
Gemini® Twin Line Welding (Grade RM)	242	Yes	Yes	No	No	Yes
Gemini® Twin Line Welding (Grade T)	243	Yes	Yes	Yes	Yes	Yes
Wingfoot® Welding (Grade R)	244	Yes	Yes	No	No	No
Wingfoot® Welding (Grade RM)	245	Yes	Yes	No	No	Yes
Wingfoot® Welding (Grade T)	246	Yes	Yes	Yes	Yes	Yes

^{*}Fuel Gases are defined in RMA IP-7 welding hose standard. Flammable compressed gases commonly used in the welding and cutting industry including, but not limited to, acetylene, hydrogen, methane/natural gas, LP gas, propylene and methylacetylene propadiene stabilized.

RMA IP-7 and CGA E-1



GEMINI® TWIN LINE WELDING GRADE R - TYPE VD



MULTIPURPOSE General Purpose Heavy Duty

> CHEMICAL TRANSFER

AIR &

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: For welding service. Meets RMA IP-7 standard for Grade R welding hose.

CONSTRUCTION

TUBE: Versigard® synthetic rubber compatible with oxygen and acetylene gases.

COVER: Versigard synthetic rubber smooth surface

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -40°F to 120°F (-40°C to 49°C)

PACKAGING: 500' reels

BRANDING: Example: GEMINI® 1/4" GRADE R ACETYLENE ONLY STD DUTY MAX WP 200 PSI MEETS RMA

IP-7-2008 MADE IN USA GOODYEAR®

COUPLINGS:

Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES:

For special production run minimum requirements, see Appendix C.

ORDER CODES:

569-588

GEMINI® TWIN LINE WELDING GRADE R

II.	D	NOM	I. OD	MAX	X. WP		GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/16	4.8	0.44	11.2	200	1.38	0.13	0.19
1/4	6.4	0.53	13.5	200	1.38	0.18	0.27
5/16	7.9	0.59	15.0	200	1.38	0.22	0.33
3/8	9.5	0.66	16.8	200	1.38	0.26	0.39

Note: For Welding Hose Precautions, see Appendix C.



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GEMINI® TWIN LINE WELDING GRADE RM - TYPE VD



Product Specifications



APPLICATION: For welding service. Meets RMA IP-7 standard for Grade RM welding hose. Nonconductive.

CONSTRUCTION

TUBE: Plioflex® synthetic rubber compatible with oxygen and acetylene gases

COVER: Chemivic[™] synthetic rubber smooth cover

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -40°F to 120°F (-40°C to 49°C)

PACKAGING: 500' reels

BRANDING: Example: GEMINI® 1/4" GRADE RM ACETYLENE ONLY STD DUTY MAX WP 200 PSI MEETS RMA

IP-7-2008 MADE IN USA GOODYEAR®

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix C.

ORDER CODES: 569-598

GEMINI® TWIN LINE WELDING GRADE RM

I	D	NOM	I. OD	MAX	. WP	WEI	IGHT	
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.	
3/16	4.8	0.44	11.2	200	1.38	0.15	0.22	
1/4	6.4	0.53	13.5	200	1.38	0.21	0.31	
5/16	7.9	0.59	15.0	200	1.38	0.25	0.37	
3/8	9.5	0.66	16.8	200	1.38	0.29	0.43	

Note: For Welding Hose Precautions, see Appendix C.



GEMINI® TWIN LINE WELDING GRADE T - TYPE VD





Product Specifications

APPLICATION: For welding service. Meets RMA IP-7 and CGA E-1 standards for Grade T welding hose.

Nonconductive.

CONSTRUCTION

TUBE: Wingprene® synthetic rubber compatible with all common welding fuel gases

COVER: Chemivic[™] synthetic rubber smooth cover

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -40°F to 120°F (-40°C to 49°C)

PACKAGING: 500' reels

BRANDING: Example: GEMINI® 1/4" GRADE T FUEL GAS STD DUTY MAX WP 200 PSI MEETS RMA IP-7-2008/CGA

E-1 MADE IN USA GOODYEAR®

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix C.

ORDER CODES: 569-618

GEMINI® TWIN LINE WELDING GRADE T

ı	D	NOM. OD		MAX. WP		WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/16	4.8	0.44	11.2	200	1.38	0.13	0.19
1/4	6.4	0.53	13.5	200	1.38	0.18	0.27
5/16	7.9	0.59	15.0	200	1.38	0.22	0.33
3/8	9.5	0.66	16.8	200	1.38	0.26	0.39

Note: For Welding Hose Precautions, see Appendix C.

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE


WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

WINGFOOT® WELDING GRADE R



Product Specifications

APPLICATION: For welding service. Meets RMA IP-7 standard for Grade R welding hose.

CONSTRUCTION

TUBE: Versigard® synthetic rubber

COVER: Versigard synthetic rubber ribbed surface

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -40°F to 120°F (-40°C to 49°C)

PACKAGING: 500' reels

BRANDING: Example: 1/4" GRADE R ACETYLENE ONLY STD DUTY MAX WP 200 PSI MEETS RMA IP-7-2008

MADE IN USA GOODYEAR®

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix C.

ORDER CODES: 569-591 (red cover) (acetylene)

569-592 (green cover) (oxygen)

WINGFOOT® WELDING GRADE R

II.	D	NOM. OD		MAX. WP		WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/16	4.8	0.44	11.1	200	1.38	0.08	0.12
1/4	6.4	0.53	13.5	200	1.38	0.10	0.15
5/16	7.9	0.60	15.1	200	1.38	0.11	0.16
3/8	9.5	0.66	16.7	200	1.38	0.13	0.19

Note: For Welding Hose Precautions, see Appendix C.



WINGFOOT® WELDING GRADE RM





Product Specifications

APPLICATION: For welding service. Meets RMA IP-7 standard for Grade RM welding hose.

CONSTRUCTION

TUBE: Plioflex® synthetic rubber (nonconductive)

COVER: Chemivic[™] synthetic rubber ribbed surface

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -40°F to 120°F (-40°C to 49°C)

PACKAGING: 500' reels

BRANDING: Example: 1/4" GRADE RM OXYGEN STD DUTY MAX WP 200 PSI MEETS RMA IP-7-2008

MADE IN USA GOODYEAR®

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix C.

ORDER CODES: 569-589 (red cover) (acetylene)

569-590 (green cover) (oxygen)

WINGFOOT® WELDING GRADE RM

I	D	NOM	NOM. OD		MAX. WP		GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/16	4.8	0.44	11.1	200	1.38	0.08	0.12
1/4	6.4	0.53	13.5	200	1.38	0.10	0.15
5/16	7.9	0.60	15.1	200	1.38	0.12	0.18
3/8	9.5	0.66	16.7	200	1.38	0.13	0.19
1/2	12.7	0.88	22.2	200	1.38	0.27	0.40

Note: For Welding Hose Precautions, see Appendix C.

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

WINGFOOT® WELDING GRADE T



Product Specifications

 \otimes

APPLICATION: For welding service. Meets RMA IP-7 and CGA E-1 standards for Grade T welding hose.

Nonconductive.

CONSTRUCTION

TUBE: Wingprene® synthetic rubber compound compatible with all common welding fuel gases.

COVER: Chemivic[™] synthetic rubber ribbed surface

REINFORCEMENT: Spiral synthetic yarn

TEMPERATURE: -40°F to 120°F (-40°C to 49°C)

PACKAGING: 500' reels

BRANDING: Example: 1/4" GRADE T FUEL GAS STD DUTY MAX WP 200 PSI MEETS RMA IP-7-2008/CGA E-1

MADE IN USA GOODYEAR®

COUPLINGS: Contact fitting manufacturer for proper fitting recommendation and coupling procedure.

NON-STOCK/SIZES: For special production run minimum requirements, see Appendix C.

ORDER CODES: 569-619 (red cover) (acetylene or other common welding fuel gas)

569-620 (green cover) (oxygen)

WINGFOOT® WELDING GRADE T

I	D	NON	I. OD	MAX	. WP	WEI	GHT
in.	mm.	in.	mm.	psi	Мра	lb./ft.	kg./m.
3/16	4.8	0.44	11.1	200	1.38	0.08	0.12
1/4	6.4	0.53	13.5	200	1.38	0.10	0.15
5/16	7.9	0.60	15.1	200	1.38	0.12	0.18
3/8	9.5	0.66	16.7	200	1.38	0.14	0.21

Note: For Welding Hose Precautions, see Appendix C.



COUPLING SYSTEMS



	Page	Aluminum	Stainless Steel	Brass	Carbon Steel	Steel
Insta-Lock™ Dust Cap	255	Yes	Yes	Yes		
Insta-Lock [™] Dust Plug	256	Yes	Yes	Yes		
Insta-Lock [™] Gaskets	258					
Insta-Lock [™] Interlocking Ferrules	259		Yes		Yes	
Insta-Lock™ Interlocking Stainless Steel Male NPT Hose Stem	254			Yes		
Insta-Lock™ Repair Kits	257		Yes	Yes		
Insta-Lock™ Type A	248	Yes	Yes	Yes		
Insta-Lock™ Type B	249	Yes	Yes	Yes		
Insta-Lock™ Type C	250	Yes	Yes	Yes		
Insta-Lock™ Type D	251	Yes	Yes	Yes		
Insta-Lock™ Type E	252	Yes	Yes	Yes		
Insta-Lock™ Type F	253	Yes	Yes	Yes		
Pressure Washer Fittings	261					Yes
Stainless Steel Crimp Sleeves for Infinity™ and Paladin® Hose	260	Yes	Yes			

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

INSTA-LOCK[™] TYPE A MALE ADAPTER X FEMALE NPT THREAD



Product Specifications

APPLICATION: Type A fitting is commonly threaded onto a pipe, threaded hose end or manifold system, which is

connected and disconnected on a regular basis. Insta-Lock $^{\mathsf{TM}}$ fittings are designed for liquids and dry bulk. Consult the chemical resistance guide for specific chemical recommendations.

MATERIALS: Aluminum, 316# Stainless Steel and Brass

PRESSURE RATING: Sizes 1/2" – 2", 250 PSI; sizes 2½" – 4", 150 PSI; sizes 5" – 6", 75 PSI. Recommended working

pressure ratings based on ambient temperature (70°F).


BRANDING: Example: Goodyear® A200SS

ORDER CODES: 650-825 (aluminum)

650-841 (stainless steel)

650-833 (brass)

INSTA-LOCK™ TYPE A MALE ADAPTER X FEMALE NPT THREAD



SIZE	ALUMINUM	STAINLESS STEEL	BRASS
1/2	A050AL	A050SS	A050BR
3/4	A075AL	A075SS	A075BR
1	A100AL	A100SS	A100BR
11/4	A125AL	A125SS	A125BR
1½	A150AL	A150SS	A150BR
2	A200AL	A200SS	A200BR
2½	A250AL	A250SS	A250BR
3	A300AL	A300SS	A300BR
4	A400AL	A400SS	A400BR
5	A500AL	A500SS	A500BR
6	A600AL	A600SS	A600BR

SIZE	DISTANCE CHAIN LUG EXTENDS FROM BODY	OVERALL LENGTH (L)	MAXIMUM WIDTH ACROSS ADAPTER (0)	MINIMUM ID (I)
in.	in.	in.	in.	in.
1/2	0.375	1.656	1.500	0.500
3/4	0.375	1.656	1.688	0.781
1	0.375	2.163	1.804	0.875
11/4	0.375	2.437	2.237	1.063
1½	0.375	2.531	2.368	1.375
2	0.375	2.781	2.909	1.750
21/2	0.375	3.093	3.585	2.187
3	0.375	3.281	4.009	2.812
4	0.375	3.528	5.257	3.750
5	0.375	3.813	6.438	4.688
6	0.375	3.656	7.688	5.750

Note: Goodyear Engineered Products Insta-Lock Fittings are never to be used in steam or compressed air service.



INSTA-LOCK™ TYPE B FEMALE COUPLER X MALE NPT THREAD



Product Specifications

APPLICATION: Type B fitting is normally threaded onto a pipe or manifold which joins to a rubber hose assembly

which is connected and disconnected regularly. Insta-Lock™ fittings are designed for liquids and dry bulk. Consult the chemical resistance guide for specific chemical recommendations.

MATERIALS: Aluminum, 316# Stainless Steel and Brass

PRESSURE RATING: Sizes 1/2" – 2", 250 PSI; sizes 2½" – 4", 150 PSI; sizes 5" – 6", 75 PSI. Recommended working


pressure ratings based on ambient temperature (70°F) with Standard Nitrile gaskets.

BRANDING: Example: Goodyear® B200SS

ORDER CODES: 650-826 (aluminum) 650-834 (brass)

650-842 (stainless steel)

INSTA-LOCK™ TYPE B FEMALE COUPLER X MALE NPT THREAD



SIZE	ALUMINUM	STAINLESS STEEL	BRASS
1/2	B050AL	B050SS	B050BR
3/4	B075AL	B075SS	B075BR
1	B100AL	B100SS	B100BR
11/4	B125AL	B125SS	B125BR
1½	B150AL	B150SS	B150BR
2	B200AL	B200SS	B200BR
2½	B250AL	B250SS	B250BR
3	B300AL	B300SS	B300BR
4	B400AL	B400SS	B400BR
5	B500AL	B500SS	B500BR
6	B600AL	B600SS	B600BR

SIZE	MAX WIDTH WITH CAM ARMS CLOSED (0)	OVERALL LENGTH (L)	EXPOSED LENGTH (E)	MINIMUM ID (I)	MAX WIDTH WITH CAM ARMS EXTENTED (C)
in.	in.	in.	in.	in.	in.
1/2	2.469	1.906	1.188	0.469	4.969
3/4	2.781	2.031	1.313	0.688	5.261
1	2.920	2.500	1.625	0.875	5.367
11/4	3.510	2.937	2.000	1.063	7.669
1½	3.830	2.937	2.000	1.375	7.967
2	4.210	3.218	2.156	1.750	8.340
2½	4.720	3.718	2.250	2.187	8.837
3	5.680	4.000	2.468	2.812	10.435
4	6.780	4.218	2.593	3.750	11.538
5	7.813	4.406	2.625	4.688	12.571
6	9.344	4.750	2.844	5.750	16.096

Note: Goodyear Engineered Products Insta-Lock Fittings are never to be used in steam or compressed air service. Goodyear Engineered Products Insta-Lock Cam Arms are designed exclusively for Insta-Lock fittings.



AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

INSTA-LOCK™ TYPE C FEMALE COUPLER X HOSE SHANK



Product Specifications

APPLICATION: Type C fitting can be attached to a rubber hose with the use of interlocking ferrules, crimp

sleeves, or bands. Insta-Lock™ fittings are designed for liquids and dry bulk. Consult the chemi-

cal resistance guide for specific chemical recommendations.

MATERIALS: Aluminum, 316# Stainless Steel and Brass

PRESSURE RATING: Sizes 1/2" – 2", 250 PSI; sizes 2½" – 4", 150 PSI; sizes 5" – 6", 75 PSI. Recommended working


pressure ratings based on ambient temperature (70°F) with Standard Nitrile gaskets.

BRANDING: Example: Goodyear® C200SS

ORDER CODES: 650-827 (aluminum) 650-835 (brass)

650-843 (stainless steel)

INSTA-LOCK™ TYPE C FEMALE COUPLER x HOSE SHANK



SIZE	ALUMINUM	STAINLESS STEEL	BRASS
1/2	C050AL	C050SS	C050BR
3/4	C075AL	C075SS	C075BR
1	C100AL	C100SS	C100BR
11/4	C125AL	C125SS	C125BR
1½	C150AL	C150SS	C150BR
2	C200AL	C200SS	C200BR
2½	C250AL	C250SS	C250BR
3	C300AL	C300SS	C300BR
4	C400AL	C400SS	C400BR
5	C500AL	C500SS	C500BR
6	C600AL	C600SS	C600BR

SIZE	MAX WIDTH WITH CAM ARMS CLOSED (0)	OVERALL LENGTH (L)	EXPOSED LENGTH (E)	MINIMUM ID (I)	MAX WIDTH WITH CAM ARMS EXTENTED (C)
in.	in.	in.	in.	in.	in.
1/2	2.469	3.063	1.188	0.260	4.969
3/4	2.781	3.656	1.313	0.490	5.261
1	2.920	4.250	1.975	0.718	5.367
11/4	3.510	4.625	2.350	0.906	7.669
1½	3.830	4.750	2.370	1.156	7.967
2	4.210	5.281	2.531	1.625	8.340
2½	4.720	5.750	2.625	2.093	8.837
3	5.680	6.840	2.849	2.560	10.435
4	6.780	7.218	2.994	3.468	11.538
5	7.813	7.563	2.625	4.469	12.571
6	9.344	8.969	2.844	5.469	16.096

Note: Goodyear Engineered Products Insta-Lock Fittings are never to be used in steam or compressed air service. Goodyear Engineered Products Insta-Lock Cam Arms are designed exclusively for Insta-Lock fittings.



INSTA-LOCK[™] TYPE D FEMALE COUPLER X FEMALE NPT THREAD



Product Specifications

APPLICATION: Type D fitting is commonly threaded onto a pipe, threaded hose end, or manifold system, which is

connected and disconnected on a regular basis. Insta-Lock $^{\text{TM}}$ fittings are designed for liquids and dry bulk. Consult the chemical resistance guide for specific chemical recommendations.

MATERIALS: Aluminum, 316# Stainless Steel and Brass

PRESSURE RATING: Sizes 1"-2", 250 PSI; sizes 2½"-4", 150 PSI; sizes 5"-6", 75 PSI. Recommended working


pressure ratings based on ambient temperature (70°F) with Standard Nitrile gaskets.

BRANDING: Example: Goodyear® D200SS

ORDER CODES: 650-828 (aluminum) 650-836 (brass)

650-844 (stainless steel)

INSTA-LOCK™ TYPE D FEMALE COUPLER x FEMALE NPT THREAD



SIZE	ALUMINUM	STAINLESS STEEL	BRASS
1/2	D050AL	D050SS	D050BR
3/4	D075AL	D075SS	D075BR
1	D100AL	D100SS	D100BR
11/4	D125AL	D125SS	D125BR
1½	D150AL	D150SS	D150BR
2	D200AL	D200SS	D200BR
2½	D250AL	D250SS	D250BR
3	D300AL	D300SS	D300BR
4	D400AL	D400SS	D400BR
5	D500AL	D500SS	D500BR
6	D600AL	D600SS	D600BR

SIZE	MAX WIDTH WITH CAM ARMS CLOSED (0)	OVERALL LENGTH (L)	EXPOSED LENGTH (E)	MINIMUM ID (I)	MAX WIDTH WITH CAM ARMS EXTENTED (C)	
in.	in.	in.	in.	in.	in.	
1/2	2.469	1.813	1.188	0.656	4.969	
3/4	2.781	2.063	1.313	0.813	5.261	
1	2.920	2.375	1.975	1.000	5.367	
11/4	3.510	2.687	2.350	1.300	7.669	
1½	3.830	2.843	2.370	1.560	7.967	
2	4.210	3.156	2.531	1.937	8.340	
2½	4.720	3.437	2.625	2.312	8.837	
3	5.680	3.718	2.849	2.937	10.435	
4	6.780	4.030	2.994	3.750	11.538	
5	7.813	4.313	2.563	4.688	12.571	
6	9.344	4.513	2.719	5.750	16.096	
_						

Note: Goodyear Engineered Products Insta-Lock Fittings are never to be used in steam or compressed air service. Goodyear Engineered Products Insta-Lock Cam Arms are designed exclusively for Insta-Lock fittings.



AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

INSTA-LOCK[™] TYPE E MALE ADAPTER X HOSE SHANK



Product Specifications

APPLICATION: Type E fitting can be attached to a rubber hose with the use of interlocking ferrules, crimp sleeve

and bands. Insta-Lock™ fittings are designed for liquids and dry bulk. Consult the chemical

resistance guide for specific chemical recommendations.

MATERIALS: Aluminum, 316# Stainless Steel and Brass

PRESSURE RATING: Sizes 1"-2", 250 PSI; sizes 21/2"-4", 150 PSI; sizes 5"-6", 75 PSI. Recommended working


pressure ratings based on ambient temperature (70°F).

BRANDING: Example: Goodyear® E200SS

ORDER CODES: 650-829 (aluminum) 650-837 (brass)

650-845 (stainless steel)

INSTA-LOCK™ TYPE E MALE ADAPTER X HOSE SHANK



SIZE	ALUMINUM	STAINLESS STEEL	BRASS
1/2	E050AL	E050SS	E050BR
3/4	E075AL	E075SS	E075BR
1	E100AL	E100SS	E100BR
11/4	E125AL	E125SS	E125BR
1½	E150AL	E150SS	E150BR
2	E200AL	E200SS	E200BR
2½	E250AL	E250SS	E250BR
3	E300AL	E300SS	E300BR
4	E400AL	E400SS	E400BR
5	E500AL	E500SS	E500BR
6	E600AL	E600SS	E600BR

SIZE	MAXIMUM OD (0)	OVERALL LENGTH (L)	EXPOSED LENGTH (E)	MINIMUM ID (I)
in.	in.	in.	in.	in.
1/2	1.188	3.500	1.625	0.260
3/4	1.262	3.969	1.625	0.490
1	1.625	4.569	1.944	0.718
11/4	2.000	4.812	2.187	0.906
1½	2.312	5.000	2.250	1.156
2	2.687	5.625	2.500	1.625
2½	3.062	6.187	2.687	2.093
3	3.781	7.125	2.750	2.562
4	4.875	7.434	2.809	3.468
5	6.563	7.844	2.906	4.469
6	7.125	9.188	3.063	5.469

Note: Goodyear Engineered Products Insta-Lock Fittings are never to be used in steam or compressed air service.



INSTA-LOCK[™] TYPE F MALE ADAPTER X MALE NPT THREAD



Product Specifications

APPLICATION: Type F fitting is normally threaded into pipe or manifold connections and mated with Part C, Part

B, or Part D. Used in applications that require frequent connections. Insta-Lock™ fittings are designed for liquids and dry bulk. Consult the chemical resistance guide for specific chemical

recommendations.

MATERIALS: Aluminum, 316# Stainless Steel and Brass

PRESSURE RATING: Sizes 1/2" – 2", 250 PSI; sizes 2½" – 4", 150 PSI; sizes 5" – 6", 75 PSI. Recommended working


pressure ratings based on ambient temperature (70°F).

BRANDING: Example: Goodyear® F200SS

ORDER CODES: 650-830 (aluminum) 650-838 (brass)

650-846 (stainless steel)

INSTA-LOCK™ TYPE F MALE ADAPTER X MALE NPT THREAD



SIZE	ALUMINUM	STAINLESS STEEL	BRASS
1/2	F050AL	F050SS	F050BR
3/4	F075AL	F075SS	F075BR
1	F100AL	F100SS	F100BR
11/4	F125AL	F125SS	F125BR
1½	F150AL	F150SS	F150BR
2	F200AL	F200SS	F200BR
2½	F250AL	F250SS	F250BR
3	F300AL	F300SS	F300BR
4	F400AL	F400SS	F400BR
5	F500AL	F500SS	F500BR
6	F600AL	F600SS	F600BR

SIZE	MAXIMUM WIDTH ACROSS ADAPTER (0)	OVERALL LENGTH (L)	EXPOSED LENGTH (E)	MINIMUM ID (I)	DISTANCE CHAIN LUG EXTENDS FROM BOD (C)
in.	in.	in.	in.	in.	in.
1/2	1.150	2.250	1.531	0.469	0.375
3/4	1.688	2.375	1.656	0.688	0.375
1	1.730	2.819	2.038	0.875	0.375
11/4	2.130	3.156	2.279	1.187	0.375
1½	2.300	3.222	2.347	1.437	0.375
2	2.909	3.593	2.596	1.750	0.375
2½	3.281	4.218	2.812	2.187	0.375
3	3.844	4.343	2.875	2.812	0.375
4	4.994	4.746	3.184	3.734	0.375
5	6.188	4.906	3.125	4.688	0.375
6	7.500	5.219	3.313	5.750	0.375

Note: Goodyear Engineered Products Insta-Lock Fittings are never to be used in steam or compressed air service. Goodyear Engineered Products Insta-Lock Cam Arms are designed exclusively for Insta-Lock fittings.



AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

INSTA-LOCK[™] INTERLOCKING STAINLESS STEEL MALE NPT HOSE STEM



Product Specifications

APPLICATION: Interlocking Stainless Steel Male NPT Hose Stem fittings are designed to be attached to a rubber

hose with the use of a Goodyear Engineered Products Insta-Lock™ Ferrule. Consult the chemical

resistance guide for specific chemical resistance recommendations.

MATERIALS: 316# Stainless Steel


PRESSURE RATING: Sizes 1" to 2" 250 PSI, 2½" to 4" 150 PSI. Recommended working pressure ratings based on

ambient temperature (70°F)

BRANDING: Example: Goodyear® GTM200SS

ORDER CODES: 604-824 (stainless steel)

INSTA-LOCK™ INTERLOCKING STAINLESS STEEL MALE NPT HOSE STEM



SIZE	STAINLESS STEEL
1	GTM100SS
11/4	GTM125SS
1½	GTM150SS
2	GTM200SS
21/2	GTM250SS
3	GTM300SS
4	GTM400SS

SIZE	MAXIMUM O.D. (0)	OVERALL LENGTH (L)	EXPOSED LENGTH (E)	MINIMUM ID (I)
in.	in.	in.	in.	in.
1	1.315	4.375	1.750	0.830
11/4	1.660	4.500	1.875	1.130
1½	1.900	4.750	2.000	1.360
2	2.375	5.250	2.125	1.820
2½	2.875	6.125	2.625	2.240
3	3.500	7.000	2.625	2.730
4	4.500	7.625	3.000	3.710

Note: Goodyear Engineered Products Insta-Lock Fittings are never to be used in steam or compressed air service.



INSTA-LOCK™ DUST CAP



Product Specifications

APPLICATION: Dust cap is used to seal the pipe system and hose assemblies during non-use or transfer of

assembly. Mating parts are the Part A, Part E, and Part F.


MATERIALS: Aluminum, 316# Stainless Steel and Brass (standard Nitrile gasket)

BRANDING: Example: Goodyear® DC200SS

ORDER CODES: 650-831 (aluminum) 650-839 (brass)

650-847 (stainless steel)

INSTA-LOCK™ DUST CAP



SIZE	ALUMINUM	STAINLESS STEEL	BRASS
1/2	DC050AL	DC050SS	DC050BR
3/4	DC075AL	DC075SS	DC075BR
1	DC100AL	DC100SS	DC100BR
11/4	DC125AL	DC125SS	DC125BR
1½	DC150AL	DC150SS	DC150BR
2	DC200AL	DC200SS	DC200BR
2½	DC250AL	DC250SS	DC250BR
3	DC300AL	DC300SS	DC300BR
4	DC400AL	DC400SS	DC400BR
5	DC500AL	DC500SS	DC500BR
6	DC600AL	DC600SS	DC600BR

SIZE	MAX WIDTH WITH CAM ARMS CLOSED (0)	OVERALL LENGTH (L)	OD WITH CAM ARMS EXTENDED (C)	DISTANCE CHAIN LUG EXTENDS FROM BODY
in.	in.	in.	in.	in.
1/2	2.469	1.625	4.969	0.375
3/4	2.781	1.625	5.261	0.375
1	2.920	2.086	5.367	0.375
11/4	3.510	2.360	7.669	0.375
1½	3.830	2.400	7.967	0.375
2	4.210	2.633	8.340	0.375
2½	4.720	2.786	8.837	0.375
3	5.680	2.957	10.435	0.375
4	6.780	3.134	11.538	0.375
5	7.813	3.219	12.571	0.375
6	9.344	3.500	16.096	0.375

Note: Goodyear Engineered Products Insta-Lock Fittings are never to be used in steam or compressed air service. Goodyear Engineered Products Insta-Lock Cam Arms are designed exclusively for Insta-Lock fittings.

Warning: Dust Caps and Dust Plugs are not to be used in pressure applications for safety and environmental reasons.



AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

INSTA-LOCK™ DUST PLUG



Product Specifications

APPLICATION: Dust plug is used to seal the pipe system and hose assemblies during non-use or transfer of

assembly. Mating parts are the Part C, Part B, and Part D.


MATERIALS: Aluminum, 316# Stainless Steel and Brass

BRANDING: Example: Goodyear® DP200SS

ORDER CODES: 650-832 (aluminum) 650-840 (brass)

650-848 (stainless steel)

INSTA-LOCK™ DUST PLUG



SIZE	ALUMINUM	STAINLESS STEEL	BRASS
1/2	DP050AL	DP050SS	DP050BR
3/4	DP075AL	DP075SS	DP075BR
1	DP100AL	DP100SS	DP100BR
11/4	DP125AL	DP125SS	DP125BR
1½	DP150AL	DP150SS	DP150BR
2	DP200AL	DP200SS	DP200BR
2½	DP250AL	DP250SS	DP250BR
3	DP300AL	DP300SS	DP300BR
4	DP400AL	DP400SS	DP400BR
5	DP500AL	DP500SS	DP500BR
6	DP600AL	DP600SS	DP600BR

SIZE	OVERALL LENGTH (L)	EXPOSED LENGTH (E)
in.	in.	in.
1/2	1.531	0.500
3/4	1.563	0.500
1	1.843	0.469
11/4	2.125	0.469
1½	2.156	0.469
2	2.375	0.469
2½	2.437	0.469
3	2.500	0.469
4	2.559	0.469
5	2.594	0.469
6	2.781	0.469

Note: Goodyear Engineered Products Fittings are never to be used in steam or compressed air service.

Warning: Dust Caps and Dust Plugs are not to be used in pressure applications for safety and environmental reasons.



INSTA-LOCK™ REPAIR KITS



MULTIPURPOSE
General Purpose
Heavy Duty

CHEMICAL TRANSFER

AIR &

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

Product Specifications

APPLICATION: 316# Stainless Steel and Brass

MATERIALS: 1 handle, 1 finger ring, 1 pin

ORDER CODES: 605-855 (stainless steel) 605-856 (brass)

PART NUMBER SYSTEM: First 3 digits = Size

S = Stainless Steel

B = Brass

G = Goodyear Insta-Lock Handle

M = Music Wire Ring

P = Pin

INSTA-LOCK™ REPAIR KITS				
SIZE	STAINLESS STEEL HANDLES	BRASS HANDLES		
in.	in.	in.		
1/2	050SGMP	050BGMP		
3/4	100SGMP	100BGMP		
1	100SGMP	100BGMP		
11/4	125SGMP	125BGMP		
1½	150SGMP	150BGMP		
2	200SGMP	200BGMP		
2½	250SGMP	250BGMP		
3	300SGMP	300BGMP		
4	300SGMP	300BGMP		
5	300SGMP	300BGMP		
6	600SGMP	600BGMP		

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

INSTA-LOCK™ GASKETS



Product Specifications

MATERIALS: Nitrile, Viton, Teflon Encapsulated Viton, White Neoprene, Neoprene, Silicone


ORDER CODES: 650-849 (Nitrile) 650-850 (Viton®)

650-849 (Nitrile) 650-850 (Viton®) 650-851 (Teflon®) 650-852 (White Neoprene) 650-853 (Neoprene) 650-854 (Silicone)

PART NUMBER SYSTEM: G = Gasket

First 3 digits = Size of Gasket Letters = Gasket Material Code

INSTA-LOCK™ GASKETS



Size	OD (O)	ID (I)	THICKNESS (T)
1/2	1.031	0.688	0.156
3/4	1.375	0.875	0.218
1	1.563	1.062	0.250
11/4	1.938	1.359	0.250
1½	2.188	1.625	0.250
2	2.625	2.000	0.250
2½	3.125	2.375	0.250
3	3.719	3.000	0.250
4	4.875	4.000	0.250
5	5.906	4.875	0.250
6	7.063	6.000	0.250

SIZE	NITRILE	VITON	TEFLON ENCAPSULATED VITON	WHITE NEOPRENE	NEOPRENE	SILICONE
in.	in.	in.	in.	in.	in.	in.
1/2	G050BN	G050VT	G050TE	G050WN	G050NE	G050SL
3/4	G075BN	G075VT	G075TE	G075WN	G075NE	G075SL
1	G100BN	G100VT	G100TE	G100WN	G100NE	G100SL
11/4	G125BN	G125VT	G125TE	G125WN	G125NE	G125SL
1½	G150BN	G150VT	G150TE	G150WN	G150NE	G150SL
2	G200BN	G200VT	G200TE	G200WN	G200NE	G200SL
2½	G250BN	G250VT	G250TE	G250WN	G250NE	G250SL
3	G300BN	G300VT	G300TE	G300WN	G300NE	G300SL
4	G400BN	G400VT	G400TE	G400WN	G400NE	G400SL
5	G500BN	G500VT	G500TE	G500WN	G500NE	G500SL
6	G600BN	G600VT	G600TE	G600WN	G600NE	G600SL

Nitrile = BN; Black

Teflon = TE; White/Black with yellow stripe


Neoprene = NE; Black with red stripe Viton = VT; Black with yellow stripe White Neoprene = WN; White Silicone = SL; Red

® Viton is a registered trademark of DuPont Dow Elastomers L.L.C.

® Teflon is a registed trademark of E.I. du Pont de Nemours and Company.



INSTA-LOCK™ INTERLOCKING FERRULES



Product Specifications

MATERIALS: 304# Stainless Steel

Plated Carbon Steel

PART NUMBER SYSTEM: FRSS200244 or FRCS200244

FR = Ferrule; SS = Stainless Steel; CS = Plated Carbon Steel

First 3 digits = Inside Diameter of Hose

Fourth digit = Inside Diameter of Ferrule in inches.

Fifth & Sixth digits = Inside Diameter of Ferrule in 64ths of an inch.

INSTA-LOCK™ INTERLOCKING FERRULES

IINO IIA	-LOUK INTERE	.ookiik	3 I LINNOLLS				
		STAI	NLESS STEEL			PLATE	D CARBON STEEL
1"	FRSS100124	2"	FRSS200232	3"	FRSS300332	1½"	FRCS150208
	FRSS100128		FRSS200236		FRSS300336		FRCS150212
	FRSS100132		FRSS200240		FRSS300340		FRCS150216
	FRSS100136		FRSS200244		FRSS300344		
	FRSS100140		FRSS200248		FRSS300348	2"	FRCS200232
			FRSS200252		FRSS300352		FRCS200236
1¼"	FRSS125144		FRSS200256		FRSS300356		FRCS200240
	FRSS125148		FRSS200260		FRSS300360		FRCS200244
	FRSS125152				FRSS300400		FRCS200248
	FRSS125156	2½"	FRSS250256		FRSS300404		
			FRSS250260			3"	FRCS300336
1½"	FRSS150156		FRSS250300	4"	FRSS400436		FRCS300340
	FRSS150160		FRSS250304		FRSS400440		FRCS300344
	FRSS150200		FRSS250308		FRSS400444		FRCS300348
	FRSS150204		FRSS250312		FRSS400448		
	FRSS150208		FRSS250316		FRSS400452	4"	FRCS400444
	FRSS150212		FRSS250320		FRSS400456		FRCS400448
	FRSS150216		FRSS250324		FRSS400460		FRCS400452
	FRSS150220				FRSS400500		
					FRSS400504		

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE


WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

STAINLESS STEEL & ALUMINUM CRIMP SLEEVES FOR INFINITY PALADIN® HOSES



Product Specifications

MATERIALS: 304# Stainless Steel Aluminum

PART NUMBER SYSTEM: CSSS300400

CS = Crimp Sleeves SS = Stainless Steel SAL = Aluminum

First 3 digits = Inside Diameter of Hose

Fourth digit = Inside Diameter of Sleeve in inches.

Fifth & Sixth digits = Inside Diameter of Sleeve in 64ths of an inch.

INFINITY™ AND PALADIN™ CRIMP SLEEVES

SIZE	STAINLESS STEEL	ALUMINUM
in.	part number	part number
2	CSSS200300	SAL200260
3	CSSS300400	SAL300360
4	CSSS400500	SAL400460



PRESSURE WASHER FITTINGS



Product Specifications

APPLICATION: 1/4" and 3/8" bite to wire pressure washer fittings. Only for use with the following Goodyear

Engineered Products pressure washer hose specs: Fortress® 3000, Neptune™ 3000, Neptune™ 4001-R, Neptune™ 4500, Gauntlet® 3000, Gauntlet® 4500, Spectra® 3000, Galvanator 3000

and Neptune[™] 6000.

MATERIALS: Steel, yellow zinc diachromate finish

BRANDING: Non-branded

General Purpose Heavy Duty Push-on

MULTIPURPOSE

CHEMICAL TRANSFER

AIR &

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE


WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS


APPENDIX

NPTF MALE SOLID




ORDER CODE	HOSE SIZE (in.)	THREAD SIZE (in.)
539-173-538-24000	1/4	1/4-18
539-173-538-22800	3/8	3/8-18F250BR

NPTF MALE SWIVEL



ORDER CODE	HOSE SIZE (in.)	THREAD SIZE (in.)
539-173-538-23600	1/4	1/4-18
539-173-538-22900	3/8	3/8-18

22MM POWER WASH



ORDER CODE	HOSE SIZE (in.)	THREAD SIZE (mm.)
539-173-538-23800	3/8	22 x 1.5



APPENDIX A

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

ADDITIONAL PRODUCTS

ORDER CODE	HOSE DESCRIPTION	APPLICATION
ONDER GODE	HOOL BLOOKII HON	Air & Multipurpose
549-406	Plicord Green EC Air	
349-400	Plicord Green EC All	400 psi wrapped finish Green Air hose, Class B Nitrile tube, Green SBR Class C cover
549-153	Ortac II	200 psi air hose, Class A Nitrile static dissipating tube, Red Class B cover
549-007	Plicord Air Yellow	300 psi air hose, Class C non conductive tube, Yellow Class C cover
549-260	Plicord Rock Drill	400-500 psi air hose, Class C tube, Blue with Yellow stripe Class C cover
563-599	Ultrabraid Air	400 psi air hose, Class C tube, Class C
536-600		nonconductive MSHA cover in Green or Yellow
539-158	Ultrabraid Bull Hose	500 psi air hose, Class C tube, Yellow Class C cover
536-589	Ultrabraid HD Plus	400 psi air hose, Class A Nitrile tube
536-598		Class A Yellow or Green MSHA cover
539-156	Ultrabraid Supreme	1000 psi air hose, Class A Nitrile tube, Class A
539-157		Yellow or Blue high abrasion resistant MSHA cover
		Chemical
549-014	Brown Chem-Acid Discharge	Chemrin tube, versatile chemical discharge hose capable of handling a wic
010 011	Brown onem hora Broomarge	variety of industrial chemicals
546-014	Fabchem ARC	Pliosyn tube, Fabchem with a ARC (Abrasion-Resistant Cover) for a wide
F40 011	0 0 4 10 1	variety of industrial chemicals
546-011	Gray Chem-Acid Discharge	Weatherex tube, versatile chemical discharge hose capable of handling a wide variety of industrial chemicals
546-067	Gray Flexwing	Weatherex tube, versatile chemical transfer hose capable of handling a wid variety of industrial chemicals
546-064	Yellow Flexwing	Hysunite tube, versatile chemical transfer hose capable of handling a wide
		variety of industrial chemicals
546-010	Yellow Chem-Acid Discharge	Hysunite tube, versatile chemical discharge hose capable of handling a wivariety of industrial chemicals
		Cleaning Equipment
539-132	Neptune 2250	Pressure washer service application
539-141	Neptune 3600	Pressure washer service application
000 111	Hoptune sous	Food
E40 147	White Floring	
549-147	White Flextra	Lightweight, flexible hose for transferring oily and nonoily edibles under pressure on tank truck or in-plant service
549-150	White Softwall	Discharge transfer of dry or liquid foods having either oily or nonoily bases
010 100	Willie Goldwall	Marine
EOC 4E4	Cuinefley Marine Dilge	
586-454 586-447	Spiraflex Marine Bilge	PVC hose for drain, vanity, and scooper lines
	Spiraflex Marine Livewell	PVC hose for head intake, discharge, and pump out service
586-439	Spiraflex Marine Sanitation FDA	PVC hose for potable water transfer
586-451	Spiraflex Marine Vacuum	PVC hose for bilge pumps or holding tank pump out service
586-444	Spiraflex Marine Vacuum FDA	PVC hose for potable water transfer
		Material Handling
549-946	Concrete Vibrator Hose	Reinforced rubber sleeve for concrete vibrator
541-262	Clam Jetting	Softwall hose for underwater jetting and collection of clams
549-859	Blast Hole Slurry/Dewatering	Hardwall hose for filling blast hole with explosive



APPENDIX A

ADDITIONAL PRODUCTS

ORDER CODE	HOSE DESCRIPTION	APPLICATION
		Material Handling (continued)
541-814	Plicord Hyrdrovator Red S&D	Corrugated Plioflex cover and red natural rubber tube provide good flexibility durability and outstanding abrasion and tear resistance.
549-337	Liquid Mud Hose	Transfer Drilling Mud
549-706	Refractory Hose, 2 Plies	Refractory hose with static dissipating tube
549-863	Gunite, 4 Plies	Sand cement gunning application with static dissipation tube
586-479	Mulchblower	PVC hose for transfer of mulch products
586-477	Barkblower	PVC heavy-duty hose for transfer of wood chips
Cust Serv	Air Seeder	PVC hose for agricultural seeding applications
		Mining
549-229	Plicord Cable Cover Hose	Non-conductive hose for cooling/protection of electrical cables
		Petroleum
532-390	LT Redwing Fuel Oil	Improved flexibility at lower temperatures
541-593	Dock Hose Nitrile FDA	Large bore hose for food products
543-485	Floater Fuel Delivery (Marathon)	Softwall fuel discharge for ship to shore transfer
541-606	Smooth Bore Hot Tar & Asphalt	Hardwall hose with a smooth reinforced line for high-temp applications
541-688	Smooth Bore Molten Sulphur	Hardwall hose with a smooth reinforced liner for high-temp applications
543-142	Black Flextra II 150	Corrugated Petroleum based product transfer hose where aromatic content exceeds 50%
541-579	Plicord Rough Bore Dock	For the transfer of petroleum products between docks and ships
543-802	Plicord LW Northern Petroleum	Lighter weight petroleum based product transfer hose where aromatic content does not exceed 50%
543-663	Infinity HD LT Petroleum Transfer	Lightweight and flexible properties with improved cold weather capabilitites to -40°F / -40°C.
543-509	Plicord Vapor Recovery	Recovering gasoline vapors while unloading tank trucks at service stations or loading tanks at bulk terminals
586-425	Spiraflex Vapor Recovery	PVC hose for vapor recovery
Cust Serv	Oil Rig Supply Hose	Specialized hose lines for use on offshore drilling platforms
		Gasoline Dispensing
532-388	Hardwall Dispensing - Europe	Wire braid gasoline dispensing, meets European Standard EN 1360
532-387	Textile Dispensing - Australian	Textile braid gasoline dispensing, meets Australian Standard AS 2683
532-357	Hardwall Dispensing - Australian	Wire braid gasoline dispensing, meets Australian Standard AS 2683
586-425	Spiraflex Vapor Recovery	PVC hose for vapor recovery
		Special Application
541-219	Fish Suction	Heavy-duty hardwall hose with a abrasive liner
541-320	Furnace coolant hose	Large diameter hose for water cooling in blast furnaces
Cust Serv	Manure line hose	Delivery of manure from holding tanks to field
542-956	Radiator Hose (Standard)	Coolant hose, EPDM tube, EPDM cover, 2 plies
542-957	Radiator Hose (Heavy Duty)	Coolant hose, EPDM tube, EPDM cover, 4 plies
541-843	Plicord Paper Machine Suction Box	Flexible connection on the suction box of paper machines
541-301	Plicord Leaf Collector	For street cleaning equipment to remove debris
542-683	Plicord Roof Drain - Nitrile	Handling rainwater drainage from floating tank roof

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



APPENDIX A

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

ADDITIONAL PRODUCTS

ORDER CODE	AL NON-STOCK SPECIFICATION HOSE DESCRIPTION	APPLICATION
OKDEK CODE	HOSE DESCRIPTION	
		Special Application (continued)
542-901	Plicord Roof Drain - Viton	Handling rainwater drainage from floating tank roof
Cust Serv	Air Seeder	PVC hose for agricultural seeding applications
586-402	PVC Fish Suction	PVC hose for transfer of fish
549-806	Irrigation pivot joint (boot)	Flexible joint for joining piping
586-476	Fire Engine Suction	PVC hose for water transfer service (clear with black helix)
536-461	Freon Charging GY5	Air-conditioning refrigeration hose (colors: blue/red/yellow)
536-303	Freon Charging All Rubber	Air-conditioning refrigeration hose (colors: blue/red/yellow)
536-486	Divers Hose High Pressure	High pressure diving hose application
536-451	Divers Hose Low Pressure	Low pressure diving hose application
		Water
586-452	Premier	Medium-duty suctionand discharge hose for use in agricultural, construction and general industrial service
542-157	Plicord Contractors S&D	Water suction & discharge hose, SBR tube and cover
542-547	Jetting & Utility	High pressure water service
542-445	Potable Water 150 psi	Potable water, white natural FDA tube
542-162	Plicord Water Discharge-300 psi	General purpose water discharge hose for heavier duty applications
542-322	Plicord Water & Suction-300 psi	General purpose water S&D hose for heavier duty applications
537-512	Spiraflex 3000 (black)	PVC Layflat for wheel line irrigation service
		Military
569-536	ZZ H 500C	General shop service pneumatic hose
569-567	ZZ H 601E	General water & potable water discharge service
Cust Serv	ZZ H 601E	General water & potable water discharge service
543-811	Mil PRF 370H Type A	Fuel transfer standard collapsible
543-760	Mil PRF 370H Type B	Fuel transfer standard noncollapsible
543-552	Mil DTL-6615 Type I	Fuel transfer hose with low-temperature capability, with electrical bond
543-553	Mil DTL-6615 Type II	Fuel transfer hose with low-temperature capability, without electrical bond
Cust Serv	ZZ H 561K	Water suction & discharge hose
543-766	Mil H 22240F Type A	Lightweight fuel hose for alongside service
543-769	Mil H 22240F Type C	Lightweight fuel/water discharge hose for alongside service
Cust Serv	Mil PRF 11588G	Fuel discharge hose style ST only
Cust Serv	Mil H 82127 Type A	Fuel discharge hose for Aviation gasoline, diesel, and automotive fuels
549-749	Mil H 24136/4	Sound attenuation hose
547-855	Mil H 8788C	For use in hydraulic systems
536-341	Mil H 24580SH	Onboard ship firefighting hose



CHEMICAL CHARTS

GOODYEAR ENGINEERED PRODUCTS CHEMICAL RESISTANCE CHARTS

RATINGS AND DEFINITIONS

The Goodyear Engineered Products Chemical Resistance Chart is to be used as a guide only.

- A The chemical is expected to have minor or no effect on the product. Product may be used for continuous service. Changes in working conditions, such as concentration of the chemical or temperature, may affect product performance and cause degradation of the product.
- **B** The product may be used for continuous or intermittent service, however the product properties will be affected by the exposure to the chemical. Changes in working conditions, such as concentration of the chemical or temperature, may affect product performance and cause degradation of the product.
- **X** The product should not be used with this chemical.
- Insufficient or no data available for this chemical. Further testing is recommended to determine compatibility of the chemical with the product.

Caution: Unless otherwise specified, the ratings applied to tube stocks are based on fully concentrated or saturated solutions at 100°F under normal service conditions.

Note: Hose ratings are for the effect on the polymer only. The degree of resistance of a rubber compound to a specific chemical depends on many variables such as temperature, concentration, length of exposure, stability of chemical, etc. For a specific compound, many grades of polymers are available which can alter the compound's chemical resistance.

WHEN IN DOUBT, before using a specific product, contact your local Goodyear Engineered Products Sales Representative for assistance if unusual service conditions or high temperatures are present in the product application.

THIS CHEMICAL RESISTANCE CHART SUPERSEDES ALL PREVIOUSLY PUBLISHED INFORMATION REGARDING GOODYEAR ENGINEERED PRODUCTS CHEMICAL HOSE RESISTANCE RATINGS.

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

CHEMICAL CHARTS

Common Name & Description	Veyance Technologies, Inc. Trade Name	Goodyear Engineered Products Examples with Polymer in the Tube
UHMWPE (Ultra High Molecular Weight Polyethylene)	Pliosyn™	Fabchem™
Butyl (Isobutylene and Isoprene)	Weatherex®	Gray Flexwing®
Hypalon® (Chlorosulfonated Polyethylene)	Hysunite™	Yellow Flexwing®
NR - Natural Rubber (Isoprene, natural)	Pureten™	Tan Flexwing®
Viton®	Flosyn®	Orange Flexwing®
Nitrile		Flexwing® Petroleum
CPE (Chlorinated Polyethylene)	Chemrin®	Brown Flexwing®, ExtremeFlex™ Brown
EPDM (Ethylene Propylene Diene)	Versigard®	Purple Flexwing®, ExtremeFlex™ Purple
EPDM (Heat Resistant)	Pyrosyn®	Flexsteel® 250 Steam, Whitewater®
Cross-Link Polyethylene (XLPE)	Speclar®	Blue Flexwing®, Green XLPE
Alphasyn® (Modified Cross-Link Polyethylene)	Alphasyn®	Viper™
Teflon®		Hi-Per®
316 Stainless Steel		Insta-Lock™
Aluminum		Insta-Lock™
Brass		Insta-Lock™

Caution: This chart and the following chemical resistance charts are intended to reflect the various tube compounds as they pertain to Goodyear Engineered Products petroluem and chemical hose. Always use a Goodyear Engineered Products petroleum or chemical hose when the hose is to be used for conveyance of petroleum or chemicals. Consult the following pages for chemical compatability of the various tube stocks.

®Hypalon is a registered trademark of DuPont Dow Elastomers L.L.C.
 ®Viton is a registered trademark of DuPont Dow Elastomers L.L.C.
 ®Teflon is a registed trademark of E.I. du Pont de Nemours and Company.
 ®Versigard is a registed trademark of The Goodyear Tire and Rubber Company.



CHEMICAL CHARTS

This chemical chart is offered as a guide only. There are many variables to be considered with each application. Ratings are for tube polymer only! For explanation of ratings see the initial page of these Chemical Charts in Appendix B. Contact customer services for chemicals or polymers not listed at 800-235-4632.

RATING SCALE					COOL	NE /	ם בו	NGINEI	DED E	DODII	СТС					
A = May be used for					uuui)		MICAL			GIS)			FII	TING
Continuous Service			_	7	7	7	7				/	7	7	_		
$\mathbf{B} = May$ be used for			/		/		/		<u>w</u> /	ble		Viper **	. /	/		/ /
Intermittent Service		/	' /	 	. gg /	· . /	ving/	trole,			/ مع	/ % /	/ /	/	/ ,	/ /
I = Insufficient Data, contact customer services		Fabchar	· /				<u> </u>			EPE SE	XMII	<i>16 1</i>	, /	*	⋨ /	Insta-Lock
$\mathbf{X} = \mathbf{Do} \text{ not Use}$		Cho										Pro		2 / E	1. C	ta-10
GASKET		Fal	679	Vellow E.	[Jail	Orange F.	Flexwing	Brown Flexwing Extremes:	Purple Flexwing	Green XIPE	13	HI-PED® W	Insta. I	Insta	Insta (\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
T = Teflon® V = Viton®	(F)	/PE									Alphasyn"					
$\mathbf{B} = \text{Nitrile}$ $\mathbf{N} = \text{Neoprene}$	Ē.	UHMWPE	Butyl	Hypalon®	¥	Viton®	Nitrile	SP.	EPDM	XLPE	Ilpha	Teflon∘	316 SS	Aluminum	Brass	Gasket
S = Silicone	Femperature		_	_		_	_				_	_	(.,			
A	<u></u>					HOS	E TU	BE POL	YMER					M	ETA	
Acetaldehyde	100	В	В	χ	χ	χ	χ		A	Α	Α	Α	Α	В	χ	TS
Acetic Acid, Conc.	100	Α	Α	χ	В	χ	χ	Α	Α	Α	Α	Α	Α	В	Χ	T
Acetic Acid, Dilute 10	150	В	Α	χ	Α	χ	Χ	Α	Α	Α	Α	Α	Α	I	Χ	TVN
Acetic Acid, Glacial	100	Α	В	χ	χ	χ	χ	Α	Α	Α	Α	Α	Α	В	Χ	TS
Acetic Aldehyde	100	Α	В	χ	χ	χ	Χ	ı	Α	Α	Α	Α	Α	В	Χ	T
Acetic Anhydride	100	В	А	В	χ	χ	χ	Α	Α	Α	Α	Α	Α	В	Χ	TS
Acetic Ester	100	В	В	χ	χ	χ	χ	В	Α	Α	Α	Α	Α	Α	Α	ΤV
Acetic Ether	100	В	В	χ	χ	χ	χ	В	Α	Α	Α	Α	Α	Α	Α	T
Acetic Oxide	100	В	A	В	χ	χ	χ	Α	Α	Α	Α	Α	Α	В	Χ	T
Acetone	100	Α	A	χ	В	χ	Χ	Α	Α	Α	Α	Α	Α	Α	ı	T
Acetone Cyanohydrin	100	В	A	χ	χ	χ	Χ	Α	Α	Α	Α	Α	ı	ı	- 1	TS
Acetyl Acetone	100	В	В	χ	χ	χ	X	В	ı	Α	Α	Α	- 1	В	I	T
Acetyl Chloride	100	В	χ	χ	χ	В	X	Α	В	В	Α	Α	В	Х	Α	TV
Acetyl Oxide	100	В	Α	В	Χ	χ	Χ	A	Α	Α	Α	Α	Α	В	Χ	T
Acetylene (dry)	100	Α	Α	Α	Α	Α	Α	A	Α	Α	Χ	Α	Α	ı	ı	TVBNS
Acetylene Dichloride	100	В	Х	Χ	Χ	Α	Х	ı	- 1	Α	Χ	Α	ı	Α	Χ	TV
Acetylene Tetrachloride	100	В	Х	Χ	χ	Α	Χ	ı	- 1	Α	ı	Α	Α	Х	Χ	TV
Acrolein	100	В	Α	В	В	Α	В	ı	ı	Α	Α	Α	1	ı	ı	TV
Acrylic Acid	100	В	Х	Χ	Χ	Α	X	Х	Х	Α	Α	Α	Α	ı	1	TV
Acrylonitrile	100	В	Χ	Χ	χ	χ	X	А	Χ	В	Α	Α	Α	Х	ı	T
Alk-Tri	100	I	Х	Х	Χ	Α	Х	ı	- 1	Α	ı	Α	Α	ı	ı	TV
Allyl Alcohol	100	Α	Α	Α	Α	В	Α	Α	Α	Α	Α	Α	Α	ı	Α	TBN
Allyl Bromide	100	В	Х	Χ	χ	В	Χ	В	- 1	В	ı	Α	ı	ı	ı	T
Allyl Chloride	100	В	Х	Χ	Χ	В	X	В	Х	В	1	Α	Α	Х	Χ	TS
Alum	150	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	1	Χ	TVBNS
Aluminum Acetate	100	Α	Α	Α	χ	χ	Χ	Α	Α	Α	Α	Α	Α	ı	Χ	T
Aluminum Chloride	150	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	I	1	Χ	TVB
Aluminum Formate	100	Α	В	Χ	χ	χ	Χ	I	- 1	Α	Α	Α	I	1	ı	T
Aluminum Hydroxide	150	Α	Α	В	Α	χ	В	Α	Α	Α	Α	Α	Α	1	Χ	TS
Aluminum Sulfate	150	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Х	Χ	TVBNS
Aminoethanol	100	Α	Α	В	В	I	В	Α		Α	Α	Α	Α	В	- 1	TBN
Aminoethylethanolamine	100	Α	А	В	В	I	В	Α		Α	Α	Α		ı	-	T
Ammonia			NO H	OSE R	ECOM	MEND	ED FO	OR THIS	APPLIC <i>A</i>	TION						

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

CHEMICAL CHARTS

RATING SCALE								NGINEI	. ,							
A = May be used for					GUUI)		MICAL			GIS)			FIT	TING
Continuous Service B = May be used for				/	/	/	$\overline{/}$	Brown Flexwing Extremer	Purple Flexwing Extrem.		/	W. J.		$\sqrt{}$		$\overline{//}$
Intermittent Service		/	/	Vellow EL	/ . & /	/	Flexwing	Brown Flexwing	9. B. O. B.		.	HI-PED® Viper	/ ,	/	/ ,	/ /
I = Insufficient Data, contact		/	• / :	Vellow EL	Tan Flore	BUIM E	, ex			Green KIPE		16 14	Instant	~ /s	ĕ /	<u>*</u>
customer services X = Do not Use		Fabcha				100	XWin Sc		ble F			HI-PED®		, (5	Insta (Insta-Lock
GASKET	ت.	Fal	Gra	/e/	Zan	0,0	F/8	Ext.	Ext.	67.00	15	/≢		M. 47007-11	su ₁	Sill
T = Teflon® V = Viton®	e (F)	UHMWPE									Alphasyn"			Aluminum		l te l
$\mathbf{B} = \text{Nitrile}$ $\mathbf{N} = \text{Neoprene}$	Temperature	H	Butyl	Hypalon⊗	æ	Viton®	Nitrile	CPE	EPDM	XLPE	Alpha	Teflon®	316 SS	Alum	Brass	Gasket
S = Silicone	nper						- TI	DE DOI	\/14ED						AI	
Α	Ē					HUS	E IU	BE POL	YMER					IV	ETAL	
Ammonia Cupric Sulfate	150	Α	Α	Α	Χ	Α	Α	Α	А	Α	Α	Α	- 1	ı	Ι	TVB
Ammonium Chloride	150	A	A	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Х	Χ	TVBN
Ammonium Hydroxide	150	Α	A	В	А	Χ	X	Α	Х	Α	Α	Α	Α	Х	- 1	TNS
Ammonium Nitrate (ANFO)	150							REQUI		_		A	В	X	TVBS	
Ammonium Phosphate	150	A	A	A	A	A	A	A	A	A	Α	A	Α	X	X	TVBNS
Ammonium Sulfate	150	A	A	A	A	A	X	A	A	A	Α	A	A	X	X	TVNS
Ammonium Sulfide	150	Α	A	A	A	A	X	A	A	A	Α	Α	A	X	X	TVN
Ammonium Sulfite	150	Α	Α	A	Α	Α	A	A	A	A	A	A	A	X	l	TVBN
Ammonium Thiosulfate Amyl Acetate	100	A	A A	A B	X	X	A X	A X	A B	A A	A	A	A	B A	X	TVBN
Amyl Alcohol	100	A	A	A	A	^ 	A	A	A	A	A	A	A	I	A	TBNS
Amyl Chloride	100	A	Х	χ	χ	A	Х	χ	Х	A	В	A	A	χ	1	TV
Amyl Oleate	100	A	Х	Х	Х	1	В	ı	1	A	ı	A	1	Î	i	T
Amyl Phenol	100	A	Χ	Х	Х	A	Х	i	i	A	i	A	i	i	i	TV
Amyl Phthalate	100	Α	Α	χ	χ	Χ	Χ	ı	1	Α	ı	Α	ı	ı	ı	T
Amylamine	100	Α	В	χ	χ	Χ	Χ	В	χ	Α	1	Α	1	ı	I	T
Anethole	100	χ	χ	χ	χ	В	Χ	χ	1	Χ	ı	Α	ı	ı	- 1	T
Anhydrous Ammonia		NO	HOSE	REC	OMME	NDED	FOR	THIS AP	PLICATIO	ON						
Aniline	100	Α	Α	χ	χ	Α	Χ	В	Α	Α	Α	Α	Α	В	Χ	ΤV
Animal Grease	100	Α	χ	χ	χ	Α	Α	В	Χ	Α	Α	Α	Α	Α	-	TVB
Animal Oils	100	Α	В	χ	Χ	Α	Α	Α	Х	Α	В	Α	Α	Α	-1	TVB
Antimony Pentachloride	100	Α	χ	χ	Χ	I	X	I	Х	В	В	Α	1	ı	- 1	T
Aqua Ammonia	150	Α	Α	В	Α	Α	В	В	В	Α	Α	Α	Α	Х	-	TV
Aromatic Spirits	100	A	Χ	Χ	Х	Α	X	I	Χ	Α	1	Α	Α	ı	ı	TV
Aromatic Tar	100	Α	χ	Χ	Х	Α	Χ	В	Х	Α	I	Α	ı	ı	- 1	TV
Arquads	100	Α	Α	Α	A	A	Α	Α	Α	Α	Α	Α	1	1	1	TVB
Arsenic Acid	100	A	A	A	A		X	A	A	A	A	A	A	X	X	TVS
Arsenic Chloride	100	<u> </u>	Χ	Х	X	X	X	Х	X	X	χ	A	 	<u> </u>	1	TN
Arsenic Trichloride	100	I	Χ	Χ	Х	X	Х	Х	Х	Χ	χ	Α	X		T\/NI	TN
Asphalt	500 100	Λ	χ	В				E REQUII		Λ	Λ	A	Ι Λ	Ι Λ	TVN	TVDNC
ASTM #1 Oil ASTM #2 Oil	100	A	Х	X	X	A	A A	A A	X	A A	A	A	A	A	I A	TVBNS TVB
ASTM #2 OII	100		χ	χ	Х		_	A	Х	_	A				A	TVB
HOTIVI #O UII	100	Α	٨	٨	٨	A	A	A	٨	A	А	A	A	Α	А	IVD



CHEMICAL CHARTS

This chemical chart is offered as a guide only. There are many variables to be considered with each application. Ratings are for tube polymer only! For explanation of ratings see the initial page of these Chemical Charts in Appendix B. Contact customer services for chemicals or polymers not listed at 800-235-4632.

or ratings see the initial page of these offening	· onarto	търо	idin Di													$\underline{}$
RATING SCALE	GOODYEAR ENGINEERED PRODUCTS CHEMICAL HOSE													FIT	TING	
A = May be used for Continuous Service			_				Uni				,			_		
$\mathbf{B} = \mathbf{May}$ be used for			/					Brown Flexwing Extremes:	Purple Flexwing	9/		HI-PEDE " & Viper"	. /			/ /
Intermittent Service		/	/	/ e /	<u>@</u> /	/	/ <u>18</u> 0/	oleu, 19	9 Pom			/ipe	/ ,	/	/	/ /
I = Insufficient Data, contact	t	/	_ /		erwi.	<i>®</i> / ;	exil (exil)			15 PE		, S		* /	/ ∗	*/*
customer services		/ de							le FI		<u></u>		<u>}</u> /:	2/20	, /g/	
X = Do not Use		Fabchan	Gray	Vellow E.	Tan Flore	0,41	Flexwing	Brown Flexwing Extremes:	Extre	Green KIPE	Cle C	HI-PED®	Insta (Insta ,	Insta (Insta-Lock
GASKET	(F)					,				,	- III			E		
T = Teflon® V = Viton® B = Nitrile N = Neoprene	EL C	UHMWPE	Butyl	Hypalon®	~	Viton®	Nitrile	CPE	EPDM	XLPE	Alphasyn™	Teflon®	316 SS	Aluminum	Brass	Gasket
S = Silicone	eral		B	£	똪	i.	Z	5	₩	=	A	<u> </u>	31	A	æ	ä
	Temperature					HOS	E TU	BE POL	YMER					M	ΕΤΑ	
B Baring Ontoneto	· ·	Δ.	۸	۸	۸	۸	Λ	Δ.	Δ.	۸	۸	_	۸	v		TVDN
Barium Carbonate	150	A	Α	Α	Α	Α	A	A	A	A	A	A	A	X	1	TVBN
Barium Chloride	150	Α	A	Α	Α	A	A	A	A	A	A	A	Α	X	l	TVBN
Barium Hydroxide Barium Sulfate	150 150	A	Α	Α	A	В	Α	A	A	Α	A	A	A	X	X	TBNS TVBS
Barium Sulfide	150	A	A A	<u>А</u> А	A	<u>А</u> А	A A	A A	A A	A A	A	A	B A	A X	Х	TVBS
Benzal Chloride	100	A	В	ı	ı	A I	Х	Х	H I	A	ı	A	В	χ	^ 	T
Benzaldehyde	100	A	В	Х	Х	X	X	X	В	A A	В	A	A	B	 	T
Benzene (Benzol)	100	A	Х	Χ	χ	A	Χ	χ	Х	B	В	A	A	A	A	TV
Benzine (Ligroin)	100	A	Х	Χ	χ	A	A	1	Х	A	В	A	A	A	1	TVB
Benzine Solvent (Ligroin)	100	A	Х	Х	χ	A	A	<u>'</u>	X	A	ı	A	A	A	ı	TVBS
Benzoic Acid	100	A	В	B	χ		ı	A	В	A	A	A	В	В	X	TVN
Benzoic Aldehyde	100	A	В	Х	χ	Х	Х	Х	В	A	1	A	A	ī	В	T
Benzotrichloride	100	Х	ı			<u>^</u>	X	X	Х	X	Х	A		H	ı	T
Benzoyl Chloride	100	Х	i	İ	İ	İ	Х	Х	X	В	Х	A	В	i	i	T
Benzyl Acetate	100	Α	A	В	χ	χ	Χ	В	1	A	В	Α	В		1	T
Benzyl Alcohol	100	Α	A	χ	χ	Α	Χ	A	Χ	Α	A	A	A	В	Ī	TVS
Benzyl Chloride	100	Α	χ	χ	χ	Α	Χ	Х	Χ	Α	Ι	Α	Α	Х	Χ	ΤV
Bichromate of Soda	150	Α	Α	χ	1	-	ı	ı	I	Α	Α	Α	ı	ı	ı	Т
Black Sulfate Liquor	150	Α	χ	В	В	В	В	Α	В	Α	Α	Α	Α	Х	Χ	TVBN
Black Sulfate Liquor	275	Х	χ	χ	χ	χ	Χ	Α	Χ	Χ	Χ	Α	Α	Х	Χ	T
Bleach	100	Х	В	χ	χ	В	χ	ı	Α	Χ	В	Α	χ	χ	χ	ΤV
Brine	150	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Х	ı	TVBNS
Bromine	100	Χ	χ	χ	χ	В	Χ	I	Х	Χ	Χ	Α	Χ	Х	Χ	ΤV
Bromo Benzene	100	В	χ	χ	χ	В	Χ	Х	Χ	Χ	Χ	Α	I	ı	ı	ΤV
Bromo Toluene	100	Х	χ	Χ	Χ	В	Χ	Х	Χ	Χ	Χ	Α	-	1	-	T
Bromochloromethane	100	Χ	В	χ	χ	В	Χ	Х	- 1	Χ	Α	Α	Α	Х	Χ	T
Bunker C.	100	В	χ	χ	χ	Α	Α	- 1	Χ	Α	В	Α	Α	ı	- 1	TVB
Bunker Oil	100	В	Χ	Χ	Χ	Α	Α	I	Χ	Χ	В	Α	Α	1	- 1	TVB
Butanol	100	Α	Α	Α	Α	В	Α	Α	А	Α	Α	Α	Α	1	ı	TBN
Butyl (Normal) Alcohol	100	Α	Α	Α	Α	В	Α	Α	Α	Α	Α	Α	Α	1	1	TBN
Butyl (Secondary) Alcohol	100	Α	Α	Α	Α	В	Α	Α	Α	Α	Α	Α	Α	1	- 1	TBN
Butyl Acetate	100	Α	Α	В	χ	χ	Χ	В	В	Α	В	Α	Α	В	I	T
Butyl Acetoacetate	100	A	χ	Χ	Χ	Χ	Χ	Х		Α	В	Α	I			T

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

CHEMICAL CHARTS

or ratings see the initial page of these Chemica	onails	ш жүре	nuix D.										υυζ.			<u> </u>
RATING SCALE					GOO	DYE/			ERED P L HOSE		CTS				FIT	TING
 A = May be used for Continuous Service B = May be used for Intermittent Service I = Insufficient Data, contact 		/		ing® /	Wiling	% /	/	Brown Flexwing			. 	HI-PED® Wiper"	.//	ř <u>ě</u> /		
customer services X = Do not Use		Fahchon	ray EL	Yellow E.	Tan Flor	rango E.	Flexwing	rown Flex	urple Fley trems r.	Green KIPE	hem o	HI-PED	Insta (Masta (Insta (Insta-Lock
GASKET	(F)		9	l	~	0		<i>∞</i> 43	\ \alpha \ \alpha \	/ 9 8	3	/ *	/ *		/ *	
T = Teflon® V = Viton® B = Nitrile N = Neoprene S = Silicone	Temperature (UHMWPE	Butyl	Hypalon®	쭕	Viton®	Nitrile	GE.	ЕРОМ	XLPE	Alphasyn™	Teflon®	316 SS	Aluminum	Brass	Gasket
В	Temp					HOS	E TU	IBE POI	YMER					M	ETAI	
Butyl Acrylate	100	В	Х	Χ	Х	Х	Х	В	Х	В	В	Α	- [I	-	T
Butyl Alcohol	100	Α	Α	Α	Α	В	Α	Α	Α	Α	Α	Α	Α	ı	- 1	TBN
Butyl Aldehyde	100	Α	В	Χ	Χ	Χ	Χ	В	Х	Α	В	Α	Χ	Α	Χ	T
Butyl Amine	100	Α	В	Χ	Χ	Х	Χ	В	Х	Α	В	Α	Α	Α	-1	T
Butyl Benzene	100	Α	χ	χ	χ	Α	Χ	Х	Х	Α	В	Α	1	ı	1	ΤV
Butyl Benzl Phthalate	100	Α	A	Χ	Х	Х	Χ	I	I	Α	-1	Α	1	ı	- 1	T
Butyl Bromide	100	В	Х	Х	Х	В	Х	Х	Х	В	В	Α	1	ı	- 1	T
Butyl Butyrate	100	В	Х	Χ	Х	X	Χ	Х	ı	В	ı	Α	ı	ı	ı	TV
Butyl Carbitol	100	A	Α	Α	Х	ı	Х	A	В	Α	Α	Α	ı	ı	ı	T
Butyl Cellosolve	100	A	Α	Α	Х	Х	Χ	A	Α	Х	Α	Α	Α	Α	Х	T
Butyl Chloride	100	В	Х	Х	Х	A	Χ	Х	ı	В	1	Α	В	ı	ı	TV
Butyl Ether	100	A	Х	В	Х	Х	В	A	Х	Α	Α	Α	Α	ı	ı	T
Butyl Ethyl Acetaldehyde	100	A	В	Х	Х	Х	X	1	1	Α	В	Α	1	ı	1	T
Butyl Ethyl Ether	100	A	Х	В	Х	1	В	I	Х	A	Α	Α			-	T
Butyl Phthalate	100	A	A	X	X	X	Х	<u> </u>	ı	A	A	Α	A	Α		T
Butyl Stearate	100	A	X	Х	X	1	A	В	Х	A	В	A	A	A	A	TBS
Butylate	100	A		1	- 1	1		<u> </u>	A	<u> </u>	-	I		1		<u> </u>
Butyraldehyde	100	A	В	X	Х	X	X	В	X	A	В	Α	Х	A	X	T
Butyric Acid	100	A	X	В	X	1	X	A	В	A	A	Α	A	В	-	T
Butyric Anhydride	100	Α	Х	В	Х	I	Χ	l		Α	ı	A		1	I	T
С								1								
Cadmium Acetate	100		A	A	X	X	X	A	ı	A	Α	A		1		T
Calcium Acetate	100	A	A	A	X	X	X	A	A	A	A	Α	A	<u> </u>	1	TB
Calcium Aluminate	100	A	A	A	A	Α.	A	A	A	A	A	Α			1	TVB
Calcium Bichromate	150	X	A	X	1		<u> </u>	l	ı	X		A				T
Calcium Bisulfate	150	A	A	A	A	A	A	A	A	A	A	Α	A	X	X	TVBN
Calcium Bisulfite	150	A	A	A	A	A	A	A	A	ı	Α	A	A	Χ	X	TVBNS
Calcium Carbonate	150	A	A	A	A	A	A	A	A	A	A	A	A	1	X	TVBNS
Calcium Chloride	150	A	A	A	A	A	A	A	A	A	A	A	В	X	X	TVBNS
Calcium Hydroxide (Caustic Lime)	100	A	A	В	A	χ	В	A	A	A	Α	A	A	χ	X	TNS
Calcium Hypochlorite	100	В	В	X	X	В	X	A	В	X	A	A	A	X	X	TVDN
Calcium Nitrate	150	A	A	A	A	A	A	A	A	Α	Α	A	В	X	X	TVBN
Calcium Silicate	150	A	A	A	A	A	А	A	A	A	Α	Α		Α		TVBN



CHEMICAL CHARTS

This chemical chart is offered as a guide only. There are many variables to be considered with each application. Ratings are for tube polymer only! For explanation of ratings see the initial page of these Chemical Charts in Appendix B. Contact customer services for chemicals or polymers not listed at 800-235-4632.

RATING SCALE									ERED P							
A = May be used for					uoo	J 1 L,			L HOSE		013	,			ah	TING
Continuous Service				/	/	/	/	/ /	Purple Flexwing Extremo	_ /	/	/ 2		$\overline{}$		$\overline{77}$
B = May be used for Intermittent Service		,	/	/	/	/ ,	/ on /	Brown Flexwing Extremes		urple		HI-PEDE W VIDET	·/	/		
I = Insufficient Data, contact			. /	Yellow E.	Tan Flo.	& /	Flexwing	etrol Wijo		Green KIPE	.jg/	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	/ /	<i>į</i> /	/ . /	[′] . /.
customer services		Fabchan	֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓	(K) (K)		ני / עולי פי	ياً. / دا	# / E			, \ <u>`</u>	HI-PED®	IIISta (Insta (Instal	Insta-Lock
X = Do not Use	_	abct	'Yav	, ello	an F							[] [4]				ista.
GASKET	(F)		9	l	~	_		₩ ₩	/ * **	7 4	, 9	-	\vdash	/ <u>~</u>	\leftarrow	
T = Teflon® V = Viton®		UHMWPE	=	Hypalon®		Viton®	Nitrile				Alphasyn"	Teflon®	316 SS	Aluminum	Brass	Gasket
B = NitrileS = SiliconeN = Neoprene	eratı	善	Buty	至	똪	Vite	Niti	끎	EPDM	XLPE	용	Te	316	₽	Bra	Gas
	Temperature					HOS	F TU	BE POL	YMFR					М	ETAI	
С	_	-														
Calcium Sulfate	150	A	A	A	A	A	A	A	A	A	Α	A	A	I	1	TVBS
Calcium Sulfhydrate	100	A	A	A	A	A	A	A	A	A	Α	A				TVB
Calcium Sulfide	150	A	A	A	A	A	A	A	A	A	A	A	A	X	X	TVBN
Calcium Sulfite	150	A	A	A	X	A	A	A	A	A	A	A	В	В	X	TVBNS
Caprylic Acid	100	A	X	В	X	1	X	A	Ι	Α	A	A	В	1	X	T
Carbitol Carbitol Acetate	100	A A	A B	A B	X	<u> </u>	X	A	A	A 	A	A	В	A	X	T
Carbolic Acid, Phenol	100	A	A	Х	Х	A	Х	A	Х	A	В	A	A	В	A	TV
Carbon Dioxide	100	A	A	A	A	A	A	A	A	A	A	A	A	В	ı	TVBNS
Carbon Disulfide		А							IS APPLI			_ ^		_ U		1 1 1 1 1 1 3
Carbon Tetrachloride	100	В	Х	χ	X	A	X	X	X	A	В	Α	A	П	1	ΤV
Carbonic Acid	100	A	A	A	A	A	A	A	A	A	A	A	A	В	В	TVBS
Casinghead Gasoline	100	В	Х	Х	Х	A	Α	В	Х	В	В	A	Ī	Ī	Ī	TVB
Caster Oil (Castor Oil)	100	Α	Α	Α	Χ	Α	Α	Α	Α	Α	Α	Α	Α	Α	ı	TVBS
Caustic Potash	150	Α	Α	В	Α	Χ	В	Α	В	Α	Α	Α	Α	Х	Χ	T
Caustic Soda	150	Α	Α	В	Α	Χ	В	Α	Α	Α	Α	Α	Α	Х	Χ	TNS
Cellosize	100	Α	Α	Χ	Χ	ı	Χ	I	ı	Α	Α	Α	1	ı	- 1	T
Cellosolve	100	Α	Α	Α	Χ	Χ	Χ	I	А	Α	Α	Α	Α	Α	Χ	T
Cellosolve Acetate	100	Α	В	В	Χ	Χ	Χ	Х	В	Α	Α	Α	Α	1	Χ	T
Chloracetic Acid	100	Α	Χ	Χ	В	Χ	Χ	Α	Х	Α	Α	Α	Α	Х	Χ	T
Chlorinated Solvents	100	В	Х	X	X	A	X	В	Х	Α	- 1	Α	В	Х	Α	TV
Chlorine (Dry) (Gas)			NO	HOS	E REC	OMME		FOR TH	IS APPL		_					
Chlorine (Wet)	100	χ	Χ	Х	X	В	Χ	Х	Х	Χ	Χ	Α	Х	Х	Χ	TV
Chloroacetone	100	Α	- 1	Х	Х	Х	Х	Х	Х	Α	ı	Α	Α	Х	Χ	T
Chlorobenzene	100	В	Х	Х	Х	A	X	Х	Х	Α	В	Α	Α	В	1	TV
Chlorobenzol	100	A	Х	X	Х	A	X	- 1	Х	A	В	A	A	В	ı	TV
Chlorobutane	100	Χ	X	X	X	A	X	X	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	X	 	A	<u> </u>	<u> </u>	<u> </u>	TV
Chloroethylbenzene	100	A	X	X	X	A	X	I	Х	A		A	1		1	TV
Chloroform	100	В	X	X	X	В	Χ	X	X	Χ	В	Α	Α	В	-	TV
Chloropentane	100	Α	X	X	X	A	X	X	X	A	I	A	A	X	ı	TV
Chlorophenol	100	A	X	X	X	В	X	X	X	X	В	A	1			TV
Chloropropanone Chlorocylfonic Acid	100	A	V	X	X	X	X	X	X	A	V	Α	l D	V	X	T
Chlorosulfonic Acid	100	χ	Х	Χ	Х	χ	χ	I	Х	Х	Χ	A	В	Х	λ	T

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

CHEMICAL CHARTS

RATING SCALE																
A = May be used for					GUUI	JTE		NGINEE MICAL			U13	•			FII	TING
Continuous Service			_	7	7	7	7				/	/_	7	7		
B = May be used for			/		/			Brown Flexwing	UM _C	Jole /		, Viper	. /	/		
Intermittent Service			/	Vellow E.		\	Flexwing	ing to			20/	HI-PED® W	/ /	/	/ ,	/ /
I = Insufficient Data, contact customer services		Fabcham	<u> </u>		Tan Flau.		. jek			15 K	exwii	<u>"</u> 9[[Insta (Insta (ặ /	Insta-Lock
X = Do not Use		pcho	7/ H	Mol	1/2/		3/Wii					HI-PEO®	$\frac{1}{2} / \frac{1}{2}$			7-e ₁
GASKET	(F)		/ 🕏		la _l	/ 6	/ #	Brown Flexwing Extremer:	Purple Flexwing	Green KIPE	/3	/ \≢	/ 💐		Insta ,	
T = Teflon® V = Viton®		UHMWPE	_	Hypalon∞		ا.	<u>e</u>				Alphasyn"	å	SS	Aluminum	S	et
$\mathbf{B} = \text{Nitrile}$ $\mathbf{N} = \text{Neoprene}$	ratm	暑	Butyl	Нур	똪	Viton®	Nitrile	CPE	EPDM	XLPE	빰	Teflon®	316 SS	₽	Brass	Gasket
S = Silicone	Temperature					1100	F T11	DE DOI	VMED					N /	ГТАІ	
С	▣					пиз	E 10	BE POL	TIVIER					IVI	ETA	
Chlorothene	100	Χ	Χ	Χ	Χ	Α	Χ	ı	Х	Α	ı	Α	Α	1	- 1	TV
Chlorotoluene	100	χ	Χ	χ	χ	Α	Χ	Х	Х	Χ	ı	Α	Α		ı	TV
Chlorpyrifos	100	ı	ı	ı	- 1	١	ı		Х	I	ı	I	1		ı	1
Chromic Acid 25%	100	В	Χ	В	χ		Χ	A	Х	Х	В	Α	В	X	Х	TV
Coal Oil	100	Α	Χ	χ	χ	Α	Α	A	Х	Α	Α	Α	Α	Х	Α	TVB
Coal Tar	100	Α	Χ	X	Χ	Α	Х	В	Х	Α	Α	A	Α		-	TVS
Coal Tar Naptha	100	Α	Χ	Χ	Χ	Α	Χ	В	Х	Α	Α	Α	Α	Α	ı	TV
Copper Chloride	100	Α	Α	Α	χ	Α	Α	A	Α	Α	Α	Α	Х	Х	Χ	TVBNS
Copper Hydrate	100	Α	Α	В	χ	χ	В	I	- 1	Α	Α	Α	1		- 1	TB
Copper Hydroxide	100	Α	Α	В	χ	χ	В	- 1	- 1	Α	Α	Α	1		-	TB
Copper Nitrate	100	Α	Α	Α	χ	Α	Α	A	Α	Α	Α	Α	Α	Х	Χ	TVBNS
Copper Nitrite	100	Α	Α	Α	χ	Α	Α	A	Α	Α	Α	A	1		-	TVB
Copper Sulfate	100	Α	Α	Α	χ	Α	Α	A	Α	Α	Α	Α	Α	Х	Х	TVBNS
Copper Sulfide	100	Α	Α	Α	χ	Α	Α	A	Α	Α	Α	Α	ı		ı	TVB
Creosols	100	Α	Α	χ	χ	А	Х	A	Х	Α	В	Α	Α		Х	TV
Creosote	100	Α	Х	χ	χ	Α	В	- 1	Х	Α	В	Α	Α		-	TV
Cresylic Acid	100	Α	Α	χ	χ		Χ	Х	Х	Α	ı	Α	Α	В	Χ	TV
Crotonaldehyde	100	Α	Α	Χ	χ	X	Χ	A	- 1	Α	Α	Α	1		1	T
Crude Oil	100	Α	X	X	χ	Α	Α	В	Х	Α	В	Α	Α	A	1	TVB
Cumene	100	A	Χ	Χ	χ	A	Χ	Χ	Х	A	В	Α	<u> </u>		ı	TV
Cupric Carbonate	100	Α	Α	A	χ	A	A	A	Α	Α	Α	Α	<u> </u>		ı	TVBN
Cupric Chloride	100	A	Α	Α	χ	A	Α	Α	A	Α	Α	A	В	X	 	TVBNS
Cupric Nitrate	100	A	A	A	χ	A	A	A	A	A	Α	A	В		ı	TVBN
Cupric Nitrite	100	A	A	A	Χ	A	A	A	A	A	Α	A	<u> </u>		 	TVB
Cupric Sulfate	100	A	A	A	χ	A	A	A	A	Α	A	A	<u> </u>	<u> </u>		TVBNS
Cyclohexane	100	A	X	Χ	Χ	A	В	A	Х	A	В	A	A	В	χ	TV
Cyclohexanol	100	A	X	Х	Χ	В	В	A	X	A	В	A	A	X	X	TVB
Cyclohexanone	100	A	X	X	Χ	Χ	X	χ	Х	A	В	A	A	<u> </u>	1	T
Cyclopentane	100	A	X	X	Χ	A	В	В	X	A	В	A		<u> </u>	 	TVN
Cyclopentane, methyl	100	A	X	X	Χ	A	В		Х	A	В	A		<u> </u>	<u> </u>	TV
Cyclopentanol	100	A	X	X	X	В	В	A	Х	A	A	A			<u> </u>	TVB
Cyclopentanone	100	А	Χ	χ	χ	Χ	Χ	Х	Χ	Α	В	A				T



CHEMICAL CHARTS

This chemical chart is offered as a guide only. There are many variables to be considered with each application. Ratings are for tube polymer only! For explanation of ratings see the initial page of these Chemical Charts in Appendix B. Contact customer services for chemicals or polymers not listed at 800-235-4632.

RATING SCALE					CUUI	NE /	D E	NGINE	EDEN E	ווחחם	CT0					
A = May be used for					uuui	JIEF		MICAL			UIS	'			FIT	TING
Continuous Service			_	7	7	7	7	7 7			/	/_	7	7		
B = May be used for			/		/		/_	Brown Flexwing Extremer:	Purple Flexwing	/ple		Viper"	./	/		/ /
Intérmittent Service				Vellow E.	. Blijs	/ مو	Flexwing	itole Ving		Green KIPE	20/	HI-PED® W	/ /	/ = /	/ /	/ /
I = Insufficient Data, contact customer services		Fabcham	[/ _i		Tan Flore		<u> </u>	3 / F	£ 6	K K	GXWI] []	Insta 1	ž/	Insta. L	Insta-Lock
$\mathbf{X} = \text{Do not Use}$		bcho	JA E		1/2	allo	eXwi					HI-PED®	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	7-ets
GASKET	(£)		0,7	\\ \sigma_{\sigma}	/a/	/6	12/2	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	/ 5 %	/5	/₩	/ ×	Insta (/ ¥	/ 4
T = Teflon® V = Viton®		UHMWPE		lon®			a				*Iphasyn	e l	SS	Aluminum	S	ᇥ
$\mathbf{B} = \text{Nitrile}$ $\mathbf{N} = \text{Neoprene}$	Temperature	MH I	Butyl	Hypalon⊗	¥	Viton®	Nitrile	GF.	EPDM	XLPE	Alph	Teflon∘	316 SS	Alum	Brass	Gasket
S = Silicone	ıper															
D	둳					HOS	E TU	BE POL	YMER					M	ETAL	
D.D.T. in Kerosene	100	Α	Χ	Χ	Χ	Α	Α	Α	Х	Α	В	Α	ı	ı	Α	TVB
D.M.P.	100	χ	Χ	χ	χ	χ	χ	Х	Х	χ	Α	Α	Α	ı	- 1	TV
Decalin®	100	Χ	Χ	Χ	Χ	А	χ	Х	Х	Α	Χ	Α	Ι	ı	-	T V
Decanol	100	Α	Α	Α	χ	В	Α	Α	Α	Α	Α	Α	- 1	ı	-	T B
Decyl Alcohol	100	Α	Α	Α	Χ	В	Α	Α	Α	Α	Α	Α	-	I	-	T B
Decyl Aldehyde	100	Α	X	Χ	Χ	χ	Χ	ı	I	А	В	Α	Ι	ı	-	T
Decyl Butyl Phthalate	100	Α	Α	Χ	Χ	χ	Χ	1	- 1	Α	ı	Α	Ι	ı	-	T
Denatured Alcohol	100	Α	A	Α	Α	В	Α	А	Α	Α	Α	Α	Α	В	Α	T B
Diacetone Alcohol	100	Α	Α	В	В	χ	Χ	А	Х	А	Α	Α	Α	ı	-	T
Diamyl Phenol	100	Α	X	Χ	Χ	Α	Χ	А	Х	Α	ı	Α	Ι	ı	1	T V
Diamylamine	100	Α	Α	χ	В		В	A	ı	Α	В	Α	-	ı	ı	T B
Diamylene	100	Α	Х	Х	Χ	Α	Х	В	Х	Α	В	Α	-	ı	-	TV
Dibenzyl Ether	100	Α	В	χ	χ		Χ	Х	Х	Α	В	Α	Α	Α	Χ	T
Dibromobenzene	100	В	Χ	χ	χ	Α	Χ	I	Χ	Α	-	Α	-	ı	- 1	TV
Dibutyl Amine	100	Α	X	Х	В	X	В	Α	Х	Α	Α	Α	-	I	1	
Dibutyl Ether	100	Α	X	В	X	Χ	Χ	A	X	Α	Α	Α	Α	Α	Χ	<u>T</u>
Dibutyl Phthalate	100	Α	Α	χ	χ	χ	Χ	Х	Α	Α	Α	Α	Α	Α	-	TV
Dibutyl Sebacate	100	Α	A	Х	X	X	X	В	X	Α	1	Α	-	ı	1	TVS
Dicalcium Phosphate	100	A	A	A	A	A	A	A	A	A	A	Α	-	1	1	TVB
Dicamba	100	Α		- 1	-			<u> </u>	A	A	1	Α	-	ı	<u> </u>	
Dichloroacetic Acid	100	Α	X	X	В	X	X	В	- 1	Α	-	Α	-	I	l	T
Dichlorobenzene	100	Α	X	Х	Х	A	Х	Х	X	A	В	Α	A	В	1	T V
Dichlorobutane	100	A	Х	X	Χ	A	X	X	Х	A		Α	-	 	-	TV
Dichlorodifluoromethane	100	 	X	Х	X	В	В	<u> </u>	X	<u> </u>	Х	Α	-	 -	<u> </u>	TVB
Dichloroethane	100	A	Х	Х	X	A	X	Х	Х	A	A	A		A	1	T V
Dichloroethyl Ether	100	A	Χ	Χ	Χ	-	X	В	Χ	A	В	Α	-	ı		T
Dichloroethylene	100	Χ	Х	Х	X	A	X	l v	l	X	X	A		A	Χ	TV
Dichlorohexane	100	A	X	Χ	Χ	Α	X	Х	X	A	A	Α		-	-	TV
Dichloropentane	100	A	Χ	χ	X	A	X	Х	Х	A	В	Α	1	1	-	T V
Dichloropropane	100	A	X	Х	X	A	X	X	Х	В		A	A	X	-	TVD
Diesel Oil	150	A	X	Χ	χ	A	A	A	Х	A	В	A	A	A	-	TVB
Diethanol Amine	100	Α	A	Χ	В	1	В	A	l	A	A	Α	Α	1	-	T
Diethyl Benzene	100	Α	χ	χ	χ	Α	χ	Х	X	А	В	Α		1		T V

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

CHEMICAL CHARTS

or ratings see the mittal page of these offennear		, , , , , , ,														
RATING SCALE					GOOI	DYE <i>F</i>			ERED F L Hose		CTS	,			FIT	TING
A = May be used for Continuous Service			_	7	7	7	7				/			_		
$\mathbf{B} = \text{May be used for}$			/		/		/	Brown Flexwing Extremos:	Purple Flexwing	9/0		HI-PED® & Viper	. /			
Intermittent Service		/	/	Vellow EL	.gg /	'. /	Flexwing	rolei ine	يَّةِ / هَيْ	Green KIPE	٠.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	/ /	/	/ ,	/ /
I = Insufficient Data, contact		Fabcham	• / :		, kw					IPE (XMIII/	<u>"</u> 91/	. /	<u>~</u> /5/	≱ /	Insta-Lock
customer services X = Do not Use		(cho;					XWin Oct					P / C	$\frac{1}{2} / \frac{1}{2}$, r	t / 6	ta-16
GASKET	_	Fat	Gra	Vellow EL	Tan Flavor	0,0	Fle	Ext	Ext	67.E	1/3	HI-PED®	Insta 1	Insta (Insta (SII
T = Teflon® V = Viton®	(F)	PE									syn"			mnu m		
$\mathbf{B} = \text{Nitrile}$ $\mathbf{N} = \text{Neoprene}$	a file	UHMWPE	Butyl	Hypalon∞	¥	Viton®	Nitrile	CPE	EPDM	XLPE	Alphasyn"	Teflon®	316 SS	Aluminum	Brass	Gasket
S = Silicone	Temperature					_			ш			_	(1)			
D	<u></u>					HOS	E TU	BE POL	YMER					M	ETAL	
Diethyl Carbinol	100	Α	Α	Α	Α	В	Α	ı	I	Α	Α	Α	- [ı	-	TBN
Diethyl Ketone	100	Α	В	χ	Χ	χ	χ	χ	Χ	Α	В	Α	Ι	ı	1	T
Diethyl Oxalate	100	Α	В	χ	В		χ	Α	Χ	Α	В	Α	1	I	1	T
Diethyl Phthalate	100	Α	Α	Χ	Χ	χ	χ	В	Χ	Α	В	Α	1	I	1	T
Diethyl Sebacate	100	Α	Α	Χ	Χ	χ	Χ	В	Х	Α	В	Α	Α	Α	I	T
Diethyl Sulfate	100	Α	В	χ	Χ	χ	Χ	Α	I	Α	Α	Α	Χ	I	ı	TNS
Diethyl Triamine	100	Α	Α	χ	В	_	В	Α	I	Α	Α	Α	_	Ι	-	ΤB
Diethylamine	100	Α	Α	χ	В		В	В	В	Α	В	Α	Α	ı	Χ	ΤB
Diethylene Dioxide	100	Α	В	χ	Χ	χ	Χ	В	Α	Α	Α	Α	Χ	Χ	Χ	T
Diethylene Glycol	100	Α	Α	Α	Α	Α	Α	Χ	Α	Α	Α	Α	Α	В	Α	TVBN
Diethylene Triamine	100	Α	Α	χ	В		В	Α	- 1	Α	Α	Α	ı	ı	Χ	T
Dihydroxydiethyl Ether	100	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	1	ı	-	TVBN
Dihydroxyethyl Amine	100	Α	Α	Χ	В	Ι	В	Α	I	Α	Α	Α	Ι	ı	-	T B
Diisobutyl Ketone	100	Α	В	Х	Χ	χ	Χ	ı	В	Α	В	Α	ı	I	ı	T
Diisobutylene	100	Α	X	Х	Χ	Α	Α	Х	Х	Α	В	Α	Α	ı	ı	TVB
Diisoctyl Adipate	100	Α	Α	χ	Χ	χ	Х	I	ı	Α	ı	Α	ı	ı	ı	T
Diisoctyl Phthalate	100	Α	Α	χ	χ	χ	Χ	ı	ı	Α	ı	Α	ı	I	ı	T
Diisocyanate	100	χ	Χ	Χ	Χ	Χ	Х	Х	Х	Х	В	Α	-	ı	ı	T
Diisodecyl Adipate	100	Α	Α	Х	Χ	Χ	X	1	1	Α	1	Α	-	ı	1	
Diisodecyl Phthalate	100	Α	Α	Χ	X	Χ	Χ	- 1	1	Α	l	Α	1	ı	1	T
Diisopropanol Amine	100	A	A	X	В	<u> </u>	В	<u> </u>	l	Α	В	Α	-	<u> </u>	1	T B
Diisopropyl Amine	100	A	A	Χ	В	<u> </u>	В	<u> </u>	l	A	В	A		<u> </u>	<u> </u>	T B
Diisopropyl Ether	100	A	Χ	В	Χ		В	- 1	X	A	В	A	A	1	-	T B
Diisopropyl Ketone	100	A	В	Х	Х	X	Х	1	В	A	В	A	A	A	ı	<u> </u>
Dilauryl Ether	100	Α	NO	В	X		В	FOD TU	IC ADDI	A	В	Α	I	ı		T B
Dimethyl Amine	100	Λ.				-			IS APPL	_		Α	۸			TV
Dimethyl Benzene	100	A	X	Х	X	A	Х	Х	X	A	В	Α	A	1	1	TV
Dimethyl Ether	100	Α	X	В	Х	l v	В	l ^	Χ	В	В	A	I	1		T B
Dimethyl Ketone	100	Α	A	X	В	Χ	X	A	A	В	Α	Α	A	A		T V
Dimethyl Phenol	100	Α	X	X	X	A	X	Ι	Х	Α	Α	Α	Ι	1		TV
Dimethyl Phthalate	100	Α	A B	X	X	X	X	A	В	Α	Α	Α	A	1	1	T V
Dimethyl Sulfate	100	Α				Х	X	A END TU	IC ADDI	A	Α	Α		1	ļ	<u> </u>
Dimethyl Sulfide			NU	пиэр	REU	UNINE	משענו	TUK IH	IS APPL	IGALIUN						



CHEMICAL CHARTS

This chemical chart is offered as a guide only. There are many variables to be considered with each application. Ratings are for tube polymer only! For explanation of ratings see the initial page of these Chemical Charts in Appendix B. Contact customer services for chemicals or polymers not listed at 800-235-4632.

of fatings see the initial page of these one-initial	· onarto															<u> </u>
RATING SCALE					GOO	DYE/		NGINEI Micai			CTS				FIT	TING
A = May be used for Continuous Service			_		7		7				/		7	_		
$\mathbf{B} = \mathbf{May}$ be used for			/							%		Ø 79	. /			
Intermittent Service		/	/	((e)	!!!!	′. /	/ <u>M</u>	rolei ino	يَّةِ / هَيْ		. مە	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	/ ,	/ ,	/ ,	/ /
I = Insufficient Data, contact customer services		/ :	• /		, exw		, exp			[P.]	XMII)	# 91 /	. /	<u>~</u> /2/	≱ /	Insta-Lock
X = Do not Use		Fabchon					XW.					D / G	, \ i	1 / t	, \f	ta-L
GASKET		Fat	619	Vellow EI	Tan Flor	/ os	Flexwing Flexwing	Brown Flexwing Extremes	Purple Flexwing	Green XIPE	1/3	HI-PED® " & Viper"	Insta (Insta (Hists (1
T = Teflon® V = Viton®	(F)	Æ									Alphasyn"	l .				
$\mathbf{B} = \text{Nitrile}$ $\mathbf{N} = \text{Neoprene}$	重	UHMWPE	Buty	Hypalon⊗	¥	Viton®	Nitrile	CPE	EPDM	XLPE	Npha	Teflon®	316 SS	Aluminum	Brass	Gasket
S = Silicone	Temperature										_	_				
D	Tel					HOS	E TU	BE POL	YMER					M	ETA	
Dimethyl Carbinol	100	Α	Α	Α	Α	В	Α	А	Α	Α	Α	Α	Α	I	I	TBNS
Dinitrobenzene	100	Α	χ	χ	χ	Α	Χ	I	ı	Α	В	Α	ı	ı	ı	ΤV
Dioctyl Adipate	100	А	А	χ	Χ	Χ	Χ	Χ	В	Α	1	А	ı	I	ı	T
Dioctyl Amine	100	Α	Α	χ	В	ı	В	I	- 1	Α	В	Α	1	ı	ı	T
Dioctyl Phthalate	100	A	В	χ	χ	Α	Χ	Χ	Χ	Α	Α	Α	Α	ı	ı	ΤV
Dioctyl Sebacate	100	A	A	χ	Х	Х	Χ	Χ	В	Α	1	Α	1	1	- 1	TV
Dioxane	100	Α	В	Χ	Х	Х	Χ	В	Χ	Α	Α	A	Α	1	- 1	T
Dioxolane	100	Α	Х	χ	Χ	1	Χ	В	Х	Α	В	Α	ı	ı	ı	T
Diphenyl Phthalate	100	A	A	Х	Х	Х	X	1	1	Α	Α	A	1	1	-	T
Dipropyl Ketone	100	A	В	X	X	X	X	Χ	<u> </u>	A	Α	A	1	<u> </u>	1	T
Dipropylamine	100	A	A	Χ	В	1	В	В	<u> </u>	A	A	A			1	T
Dipropylene Glycol	100	A	A	A	A	A	A	A		A	A	A	1		 	TVB
Disodium Phosophate	100	A	A	A	A	1	A X	A	X	A	A	A	A		В	T B T V
Divinyl Benzene	100	Α	X	X	X	Α	Х	Χ	Х	A	B	A			1	
Dodecyl Benzene Dodecyl Toluene	100	A	X	X	X	A	Х	 	Х	A A	В	A	<u> </u>	<u> </u>	<u> </u>	TV
Dow-Per	100	A	X	X	Х	A	Х	ı	Х	A	В	A	<u> </u>	<u> </u>	1	TV
Dowtherm® A	100	A	_ ^ _ I	Χ	Х	A	Х	Х	Х	A	A	A	H	A	i	TV
Dowtherm® E	100	A	X	X	X	A	Х	Х	Х	A	A	\ \frac{1}{1}	<u> </u>	Х	i	V
Dowtherm® SR-1	100	A	A	A	A	A	A	ı	I	A	A	H	i	ì	i	TVB
E	100								•		, ,		•	<u> </u>		
Endolene	100	П	1	Т	1	ı	-	ı	- 1	1	1	П	I	П	1	
Epichlorohydrin		-	NO	HOSI	REC			FOR TH	IS APPL	ICATION					-	
Ethanol	100	Α	Α	Α	Α	В	Α	Α	Α	Α	Α	Α	Α	В	Α	TBN
Ethanol Amine	100	Α	Α	В	В	I	В	Α	В	Α	В	Α	Α	В	ı	T B
Ethyl Acetate	100	Α	В	χ	Χ	Χ	Χ	В	Α	Α	Α	Α	Α	Α	Α	T
Ethyl Acetoacetate	100	Α	В	Χ	Χ	Χ	Χ	А	В	Α	Α	Α	В	ı	I	T
Ethyl Acrylate	100	Α	χ	χ	χ	Χ	Χ	В	Χ	В	В	Α	Α	Α	Α	T
Ethyl Alcohol	100	Α	Α	Α	Α	Α	Α	Α	А	Α	Α	Α	Α	В	Α	TVBNS
Ethyl Aldehyde			NO	HOSI	REC	OMME	NDED	FOR TH	IS APPL	ICATION						
Ethyl Aluminum Dichloride	100	Χ	Χ	Χ	Х	В	Χ	I	Х	В	I	A	-	ı	ı	TV
Ethyl Benzene	100	A	Х	Χ	Х	Α	Х	Χ	Χ	Α	В	Α	Α	Α	Х	TV
Ethyl Butanol	100	A	A	Α	Α	В	Α	Α	А	Α	Α	A			-	TB

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

CHEMICAL CHARTS

RATING SCALE					GOOI	DYF#	R E	NGINEI	ERED F	PRODU	CTS					
A = May be used for					u 00.	J,		MICAI			0.0					TING
Continuous Service B = May be used for							/.	Brown Flewing Extremer:	Purple Flerwing Extrem	l'ple	/	Viper"	./	\int		
Intermittent Service I = Insufficient Data, contact				Vellow EI	Mijg	/ مع	Flexwing	etrole Wing		Green XIPE	. <u>8</u> 0/	HI-PED® W	/ /	/ ~ /	/ /	/ /
customer services		Fabcha			Tan Flore		, re,	1 P. P. P. P. P. P. P. P. P. P. P. P. P.			exiliary (์ อีโล	Insta. (Insta ,	Insta i	Insta-Lock
X = Do not Use		abch	L'AN E	://mo//	an Fi	Jallo	lexw					HI-PEO®				7sta.
GASKET	(F)		9		~	9		1 40 43	/ 4. 4 <u>3</u>	799	/ S	/ *	<u> </u>		_~	
T = Teflon® V = Viton®		UHMWPE	J.	Hypalon®		·u	Nitrile				Alphasyn™	Teflon®	316 SS	Aluminum	SS	Gasket
$\mathbf{B} = \text{Nitrile}$ $\mathbf{N} = \text{Neoprene}$	Temperature	害	Butyl	돌	똪	Viton®	ij	S.	EPDM	XL PE	묨	重	316	H	Brass	Gas
S = Silicone	ad mis					HOS	F TII	BE POL	YMFR					М	ETA	
E	·					1100	- 10	DE 1 OF	. I WILK					IVI		
Ethyl Butyl Acetate	100	Α	Α	В	χ	χ	Χ	ı	- 1	A	В	Α	I	ı	ı	T
Ethyl Butyl Alcohol	100	Α	A	Α	Α	В	Α	Α	Α	Α	Α	Α	I	ı	ı	T B
Ethyl Butyl Amine	100	Α	Α	Х	В	_	В	I	- 1	I	ı	Α	I	ı	ı	T B
Ethyl Butyl Ketone	100	A	В	X	X	X	Х	Х	<u> </u>	A	A	A	1	-	1	T
Ethyl Butyraldehyde	100	Α	В	Х	Х	Χ	Х	X	<u> </u>	A	В	A	l	ı	ı	T
Ethyl Chloride								FOR TH			_					
Ethyl Dichloride	100	В	Х	Х	X	В	X	X	X	В	В	A	l	ı	I	TV
Ethyl Ether	100	Λ.	NO					FOR TH			۸	۱,	٨			TV
Ethyl Hoverel	100	Α	В	X	X	В	X	A	В	A	A	A	A	1	I	T V TBN
Ethyl Hexanol Ethyl Hexoic Acid	100	A	A X	A B	X	D I	A X	A	A	A	A	A		<u> </u>	1	T
Ethyl Hexyl Acetate	100	A	A	В	χ	Х	Χ	<u>'</u>	<u>'</u>	A	В	A		1	ı	T
Ethyl Hexyl Alcohol	100	A	A	A	A	В	A	A	A	A	A	A	<u> </u>	1	ı	TBN
Ethyl lodide	100	Х	Х	X	Х	В	Х	Х	X	В	В	A	<u> </u>	i	i	TV
Ethyl Isobutyl Ether	100	A	Х	В	Х	ı	В		X	A	В	A	i	i	i	T
Ethyl Methyl Ketone	100	A	В	Х	Х	Х	Х	i		A	A	A	A	A	A	T
Ethyl Oxalate	100	Α	A	Х	A	<u> </u>	Х	A	X	A	В	A	1	1	1	TV
Ethyl Phthalate	100	Α	Α	χ	χ	χ	Χ	В	1	Α	ı	Α	ı	ı	ı	T
Ethyl Propyl Ether	100	Α	χ	В	χ	Ι	В	Α	Х	Α	В	Α	1	ı	1	T B
Ethyl Propyl Ketone	100	Α	В	χ	χ	χ	Χ	ı	ı	Α	Α	Α	1	ı	ı	T
Ethyl Silicate	100	Α	Α	ı	χ	ı	Α	Α	ı	Α	Α	Α	Α	I	ı	TBN
Ethyl Sulfate	100	Α	В	χ	χ	χ	Χ	Α	ı	Α	Α	Α	Χ	ı	-1	TBS
Ethylamine			NO	HOSI	E REC	OMME	NDED	FOR TH	IS APPL	ICATION						
Ethylene Bromide	100	Χ	χ	Χ	χ	В	Χ	ı	χ	В	В	Α	Α	Χ	- 1	ΤV
Ethylene Chloride	100	В	χ	Χ	χ	В	Χ	ı	χ	В	В	Α	Α	В	- 1	ΤV
Ethylene Diamine	100	Α	Α	χ	В	-	В	I	В	Α	ı	Α	Α	ı	ı	T B
Ethylene Dibromide	100	χ	χ	Χ	Х	В	Χ	I	Χ	В	В	Α	Α	Χ	- 1	TV
Ethylene Dichloride	100	В	χ	Χ	Χ	В	Χ	Х	Χ	В	Α	Α	Α	В	- 1	TV
Ethylene Glycol	150	Α	Α	Α	Α	Α	Α	А	Α	A	Α	Α	Α	Α	- 1	TVBNS
Ethylhexil Phosphorodieth	100	ı	χ	Χ	- 1	I	Α	Α	Χ	Х	I	1	-	ı	- 1	В
Ex-Tri	100	A	χ	Χ	Х	A	Χ	I		Α	В	Α	I	I	ı	TV



CHEMICAL CHARTS

This chemical chart is offered as a guide only. There are many variables to be considered with each application. Ratings are for tube polymer only! For explanation of ratings see the initial page of these Chemical Charts in Appendix B. Contact customer services for chemicals or polymers not listed at 800-235-4632.

RATING SCALE					GOOI	DYE <i>F</i>		NGINEI MICAI			CTS	5			FIT	TING
A = May be used for Continuous Service			_			7	Uni				/			_		
$\mathbf{B} = \text{May be used for}$			/						E /	<i>a</i>		/ F.	. /			/ /
Intermittent Service		/	/	Vellow EL	. 20 /	/ /	Flexwing	Brown Flexwing Extremes:	Purple Flexwing	Green XLPE	٨.	Viper"	/ ,	/		/ /
I = Insufficient Data, contact		/ 4	_ /		erwi.	<i>®</i> / ;	exil (exil)			# B	rwing/	, S		* /	/ ∗	* / *
customer services		1					Wing		le FI		<u>,</u>		<u>}</u> /:	2/20	, \g	7. Loc.
X = Do not Use	_	Fabchar	Gray	Vellow EL	Tan Flor	0,91	Flex	Extre	Extre			HI-PED®		Insta ,	Insta (Insta-Lock
GASKET	(F)					,	/			<u> </u>				E		
T = Teflon® V = Viton® B = Nitrile N = Neoprene	ture	UHMWPE	Butyl	Hypalon⊗	~	Viton®	Nitrile	GE	EPDM	XLPE	Alphasyn"	Teflon®	316 SS	Aluminum	Brass	Gasket
S = Silicone	erai	=	<u> </u>	£	똪		Z	5	₩	=	₹	۳	31	A	B	ä
	Temperature					HOS	E TU	BE POL	YMER					M	ETAI	
Ferric Bromide	150	Λ	۸	Λ	۸	Λ	Λ	Λ	Λ	Λ	Λ	Ι _ Λ			-	TVB
Ferric Chloride	150	A A	A A	A A	A A	<u>А</u> А	A A	A A	A A	A 	A	A	Х	Х	Х	TVBNS
Ferric Sulfate	150	A	A	A	A	A	A	A	A	A	A	A	A	χ	χ	TVBN
Ferrous Acetate	100	A	A	A	χ	Х	Х	I	1	A	A	A	1	1	1	T
Ferrous Chloride	150	A	A	A	A	B	A	A	A	A	A	A	<u> </u>	X	Х	T B
Ferrous Hydroxide	100	A	A	В	A	χ	В	, I	1	A	A	A	В	ì	1	TN
Ferrous Sulfate	150	A	A	A	A	A	A	A	A	A	A	A	В	X	Х	TVBN
Fluoboric Acid 65%	150	В	A	A	A	<u> </u>	1	A	1		A	A	Ī	ì	Х	TN
Fluorine (wet)	100	χ	Х	χ	χ	χ	Х	Х	Х	X	Х	В	Х	Х	Х	T
Fluosilicic Acid 50%	150	В	A	A	A	<u> </u>	1	A	1		A	A	A	Х	Х	TN
Formaldehyde 40%	100	A	A	A	В	В	A	A	A	A	A	A	A	В	1	T B
Formalin	100	Α	Α	Α	В	Α	Α	Α	Α	Α	Α	A	Α	В	ı	TVB
Formic Acid	100	Α	Α	χ	В	χ	Χ	Α	Α	В	Α	Α	В	ı	Χ	ΤV
Freon® 12	100	Α	Χ	χ	χ	В	В	ı	Χ	В	Χ	Α	Α	ı	ı	TN
Freon® 22	100	Α	χ	χ	χ	χ	χ	ı	ı	В	Χ	Α	Α		1	TN
Fuel A (ASTM)	100	В	Χ	χ	χ	Α	Α	ı	Χ	В	В	Α	Α	Α	Α	TVB
Fuel B (ASTM)	100	В	χ	Χ	χ	Α	Α	- 1	Χ	В	В	Α	ı	П	I	TVB
Fuel Oil	100	Α	χ	χ	χ	Α	Α	Х	Χ	В	В	Α	Α	Α	ı	TVB
Furfural	100	Α	Α	-	_	χ	χ	Α	В	Α	Α	Α	Α	Α	Χ	T
Furfuryl Alcohol	100	Α	χ	-	-	χ	ı	Α	1	Α	Α	Α	Α	Α	-	T
G																
Gallic Acid	100	Α	В	-	Α	Ι	1	Α	В	I	В	Α	В	1	-	TS
Gasoline	100	В	Χ	χ	χ	Α	Α	В	Χ	В	В	Α	Α	ı	ı	TVB
Glacial Acetic Acid	100	Α	В	χ	χ	χ	Χ	В	Α	Α	Α	Α	Α	В	Χ	T
Gluconic Acid	100	Α	χ	В	χ	_	Χ	Α	- 1	Α	Α	A	Χ	Х	Α	T
Glycerin	100	Α	Α	Α	Α	Α	Α	Α	Α	В	Α	A	Α	Α	Α	TVBNS
Glyphosate	100	Α	١	ı	- 1	-	-	1	Α	I	-		1	I	-	1
Graffinite	100	- 1	χ	χ	χ	Χ	Α	Α	Χ	Χ	1	1	Ι	1	-1	В
Grease	100	Α	χ	Χ	Χ	Α	Α	I	Χ	В	Α	A	Α	Α	Α	TVB
Green Sulfate Liquor	150	Α	Α	Α	Α	I	Α	Α	Α	Α	Α	Α	Α	Χ	Χ	TBS
Н										_						
Heptanal	100	Α	χ	χ	χ	Χ	Χ	Х	I	Α	I	Α	I	ı	ı	TB
Heptane	100	Α	χ	Χ	Χ	Α	Α	А	Χ	В	В	A	Α	Α	ı	TVB

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

CHEMICAL CHARTS

of ratings see the initial page of these Chemica	l Charts	ın Appe	ndıx B.	Contact	custom	er servi	ces for (chemicals (or polymers	not listed	at 800-	-235-4	632.			<u> </u>
RATING SCALE					G00	DYE			ERED F		CTS	;			FIT	TING
 A = May be used for Continuous Service B = May be used for Intermittent Service I = Insufficient Data, contact customer services X = Do not Use 		Fabers	Gray Fr.	Vellow E.	Tan Flo.	Orange Z	7	Brown Flexwing			Chem S	HI-PED® & Viper	/	Insta ,	Insta. I	Insta-Lock
T = Teflon® V = Viton®	(F)										3yn."					
B = Nitrile N = Neoprene S = Silicone	Temperature	UHWWPE	Butyl	Hypalon®	æ	Viton®	Nitrile	SPE	EPDM	XLPE	Alphasyn"	Teflon®	316 SS	Aluminum	Brass	Gasket
Н	Ē					HUS	E IU	BE POI	YMER					IVI	ETAL	
Heptane Carboxylic Acid	100	Α	Χ	В	Χ	Α	Χ	A	I	Α	Α	Α	1	ı	-1	ΤV
Hexaldehyde	100	Α	Х	Χ	Х	Χ	Χ	- 1	Х	Α	В	Α	Α	Α	1	T
Hexane	100	В	Х	Χ	Х	Α	Α	В	Х	В	В	Α	Α	Α	Α	TVB
Hexanol	100	Α	Α	Α	Α	В	Α	Α	Α	A	Α	Α	Α	ı	ı	T B
Hexyl Methyl Ketone	100	Α	В	Χ	Х	Х	Χ	I	1	Α	Α	Α	ı	ı	ı	T
Hexylamine	100	Α	В	Х	Х	Х	Χ	В	I	Α	В	Α	ı	ı	-	T
Hexylene	100	Х	Х	Х	Х	Α	Α	1	Х	Х	1	Α	1	I	-	TVB
Hexylene Glycol	150	Α	Α	Α	Α	Α	Α	Α	1	Α	Α	Α	Α	В	Α	TVBN
Hexyl-Alcohol	100	Α	Α	Α	Α	В	Α	A	Х	Α	Α	Α	Α	I	1	TB
Hi-Tri	100	A	Х	Х	X	A	X	I	Х	A	В	A		l v		TV
Hydrobromic Acid (37%)	150	В	Α	Α	Α	ı	Χ	A	А	l	Α	Α	Х	Х	Х	TN
Hydrochloric Acid 38%	105			.,			.,	.,					.,	١,,	.,	_
concentrated, fuming acid	125	A	В	X			X	X	I	A	1	A	X	X	X	T
Hydrochloric Acid 37%	125	A	В	A	В	X	Х	A	В	A	Α	A	X	X	X	T
Hydrofluoric Acid (10%)	125	A	A	A	X	<u> </u>	X	A	ı	A	A	A	A	X	X	TN
Hydrofluosilicic Acid	150	В	В	A	A	<u> </u>		A	A	<u> </u>	A	A	A	X	X	T
Hydrogen Dioxide 10%	100	В	X	X	X	A	Χ		l v	!	-	A	A	В	X	TV
Hydrogen Dioxide over 10%	100	В	Х	X	X		Х	FOD TH	X		ı	A	ı	ı	χ	T
Hydrogen Gas	100	D	χ						IS APPL	ICATION		Α		В		TVS
Hydrogen Peroxide 10% to 50% Hydrogen Peroxide over 50%	100	Х	Х	X	X	A X	X	A X	X	X	1	A	A	B	Х	T
nydrogen Peroxide over 50 %	100	_ ^	^	^	^	_ ^	٨	^	۸	٨	ı	A	А	!	٨	
lodine	100	Α	ı	Α	- 1	-	ı	Α	- 1	В	-1	Α	1	ı	Χ	TVB
Iron Acetate	100	Α	Α	Α	Х	χ	Χ	I	ı	Α	Α	Α	1	ı	I	TNS
Iron Hydroxide	100	A	Α	В	Х	Х	В	ı	I	Α	Α	Α	1	1	- 1	TN
Iron Salts	150	A	Α	A	Α	Α	Α	Α	Α	Α	Α	Α	1	1	ı	TVBN
Iron Sulfate	150	A	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	ı	ı	I	TVBN
Iron Sulfide	150	A	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	ı	ı	I	TVB
Isoamyl Acetate	100	Α	Α	В	Χ	Х	χ	I	Х	Α	В	Α	ı	1	I	T
Isoamyl Alcohol	100	Α	Α	Α	Α	В	Α	Α	Α	Α	Α	Α	Α	1	Α	TBN
Isoamyl Bromide	100	В	Х	Χ	Χ	В	χ	I	Х	В	ı	Α	-1	1	I	TV
Isoamyl Butyrate	100	В	Х	Х	Х	Χ	Χ	I	ı	В	В	Α	ı	ı	I	T
Isoamyl Chloride	100	Х	Х	Χ	Χ	В	Χ	I	- 1	Х	В	A		ı	I	TV



CHEMICAL CHARTS

This chemical chart is offered as a guide only. There are many variables to be considered with each application. Ratings are for tube polymer only! For explanation of ratings see the initial page of these Chemical Charts in Appendix B. Contact customer services for chemicals or polymers not listed at 800-235-4632.

or ratings see the initial page of these Chemical	Ullaits	ш арре	IIUIX D. 1	JUIILAUL	Custoni	ei seivi	CG2 IOI (chemicals (n polyillers	not noten e	at 000-	-233-4	UJZ.			<u> </u>
RATING SCALE					GOO	DYE/		NGINE			CTS	;			FIT	TING
 A = May be used for Continuous Service B = May be used for Intermittent Service I = Insufficient Data, contact customer services 		Fabehous	FILE	rellow E.	Tan Flo.	ickwing go F.	7	Brown Flexwing Extremes			riexwing n. C.	HI-PEPE	Insta (Insta.1		
X = Do not Use		Fabo	Gray	/@/	[an]	0,41	Flex	Stre		Sie G			1/3/1	1811	184) tul
GASKET T = Teflon® V = Viton® B = Nitrile N = Neoprene S = Silicone	Temperature (°F)	UHWWPE	Butyl	Hypalon®	NR .	Viton®	Nitrile	CPE	EPDM	XIPE	Alphasyn"	Teflon®	316 SS	Aluminum	Brass	Gasket
	Tem					HOS	E TU	BE POL	YMER					M	ETAL	
Isoamyl Ether	100	Α	Х	В	Х	ī	В	ı	Х	Α	ı	А	ī	ı		T
Isoamyl Phthalate	100	A	A	Х	X	Х	Х	i	1	A	i	A	H	Η̈́	İ	T
Isobutane		•••						FOR TH	IS APPL		•			<u> </u>		
Isobutanol	100	Α	Α	А	Α	В	Α	А	А	А	Α	Α	Α	П	1	TBNS
Isobutyl Acetate	100	Α	Α	В	Х	Χ	Χ	В	Х	Α	В	Α	Α	В	1	T
Isobutyl Alcohol	100	Α	Α	Α	Α	В	Χ	Α	Α	Α	Α	Α	Α	ı	1	TNS
Isobutyl Aldehyde	100	Α	В	χ	χ	Χ	Χ	В	ı	Α	В	Α	ı	ı	1	T
Isobutyl Amine	100	Α	В	χ	Χ	Χ	Χ	I	ı	Α	В	Α	Ι	ı	1	T
Isobutyl Bromide	100	В	χ	χ	Χ	В	Χ	I	Χ	Χ	I	Α	I	ı	1	ΤV
Isobutyl Carbinol	100	Α	Α	Α	Α	В	Α	Α	Α	Α	Α	Α	Α	ı	Α	TBN
Isobutyl Chloride	100	В	χ	χ	Χ	В	χ	I	Χ	Χ	ı	Α	Ι	ı	-	ΤV
Isobutyl Ether	100	Α	Χ	В	Χ	I	Χ	I	χ	Α	ı	Α	Ι	ı	-	ТВ
Isobutylene	100	Α	χ	χ	Χ	Α	χ	I	Χ	Α	В	Α	Ι	ı	ı	ΤV
Isooctane	100	В	Χ	χ	Χ	Α	Α	_	Χ	В	В	Α	Α	Α	Α	TVBS
Isopentane			NO	HOSI	REC	OMME	NDED	FOR TH	IS APPL	ICATION						
Isophorone	100	В	Α	ı	ı	ı	Χ	- 1	A	В	В	Α	В	Α	- 1	T
Isopropanol	100	Α	A	Α	Α	В	Α	Α	А	Α	Α	Α	Α	ı	- 1	TVBS
Isopropanol Amine	100	Α	A	χ	В	Х	В	I	ı	Α	В	Α	-	ı	- 1	T B
Isopropyl Acetate	100	Α	A	χ	Х	X	χ	В	Х	Α	Α	Α	A	ı	- 1	T
Isopropyl Alcohol	100	Α	A	Α	Α	В	Α	Α	Α	Α	Α	Α	Α	1	- 1	TBNS
Isopropyl Amine	100	Α	В	Χ	Х	Х	Χ	I	- 1	Α	В	Α	-	1	- 1	T
Isopropyl Benzene	100	Α	Х				Χ			Α			ı	I	- 1	TV
Isopropyl Chloride						E REC		NDED F				1				
Isopropyl Ether	100	Α	Х	В	Х	1	Χ	I	Х	Α	В	A	A	1	1	ТВ
Isopropyl Toluene	100	Α	Х	Χ	Х	Α	χ	I	Х	Α	ı	A				TV
J												1				
Jet Fuels					SP	ECIAL	. HOS	E REQUII	RED			Α	Α	Α	TVB	
K																
Kerosene	100	А	χ	Χ	Х	Α	Α	Α	χ	А	Α	Α	Α	Α	- 1	TVB
L																
Lauryl Alcohol	100	Α	А	Α	Α	В	Α	Α	А	А	Α	А	Ι	I	I	ТВ
Lead Acetate	100	Α	Α	χ	Χ	χ	χ	Α	В	Α	Α	Α	А	Χ	Χ	T

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

CHEMICAL CHARTS

of ratings see the initial page of these Chemica	l Charts	in Appe	ndix B.	Contact	custom	er servi	ces for (chemicals o	or polymers	not listed	at 800	-235-4	632.			\
RATING SCALE		CHEMICAL HOSE														TING
 A = May be used for Continuous Service B = May be used for Intermittent Service I = Insufficient Data, contact customer services X = Do not Use 		Fahrhe	sray El	Vellow Ex	Tan Flo.	Talloe F.	7	Brown Flexwing	,		Steries Cherwing	HI-PED® & Viper	Insta (Install		
GASKET	(F)			l			_	74	<u> </u>		٦_	\vdash	\leftarrow			
T = Teflon® V = Viton® B = Nitrile N = Neoprene S = Silicone	Temperature	UHMWPE	Butyl	Hypalon®	W.	Viton®	Nitrile	CPE	EPDM	XLPE	Alphasyn"	Teflon®	316 SS	Aluminum	Brass	Gasket
3 = Silicone	Temp					HOS	E TU	IBE POI	YMER					M	ETAI	
Lead Sulfate	150	Α	Α	Α	Α	Α	Α	A	Α	Α	Α	Α	Α	χ	χ	TVBN
Ligroin	100	A	χ	Х	Х	A	A	1	X	A	В	A	A	A	1	TVB
Linseed Oil	100	A	A	В	Х	A	A	A	В	1	A	A	A	i i	A	TVBNS
Liquefied Natural Gas (LNG)								FOR TH		ICATION						
Liquefied Petroleum Gas (LPG)								FOR TH								
Lubricating Oils	100	Α	χ	χ	χ	Α	Α	1	χ	Α	1	Α	Α	A	Α	TVB
M											-					
MIBK	100	Α	χ	Χ	χ	Х	Χ	Х	χ	А	В	Α	Χ	χ	χ	T
M.E.K.	100	A	Х	Х	Х	X	Х	X	X	A	В	A	Х	X	Х	T
Magnesium Acetate	100	A	A	A	Х	Х	Х	A	1	A	A	A	1	i i	1	T
Magnesium Chloride	150	A	A	A	A	A	A	A	A	A	Α	A	A	X	i	TVBS
Magnesium Hydrate	150	A	A	В	A	В	В	1	1	A	A	A	A	X	i	TN
Magnesium Hydroxide	150	Α	Α	В	A	В	В	A	A	A	Α	Α	Α	Х	1	TVBN
Magnesium Sulfate	150	A	A	A	A	A	A	A	В	A	Α	A	A	i	i	TVBNS
Maleic Acid	100	A	Х	Х	Х	ī	Х	1	Ī	В	ī	A	A	В	χ	TV
Malic Acid	150	В	ı	Α	Α	ı	1	1	1	ı	ı	A	Α	В	χ	TVBNS
Manganese Sulfate	150	Α	Α	Α	Х	A	A	A	Α	Α	Α	A	A	П	1	TVBN
Manganese Sulfide	150	Α	Α	Α	Х	Α	Α	Α	Α	Α	Α	A	Τ	Т	Ι	TVB
Manganese Sulfite	150	Α	Α	Α	Х	Α	Α	Α	Α	Α	Α	Α	Ι	Т	ı	TVB
Methanol	100	Α	Α	Α	Α	χ	Α	А	Α	Α	Α	Α	Α	Т	Ι	T B
Mesityl Oxide	100	Α	В	Χ	Χ	χ	Χ	В	Х	Α	В	Α	Α	ı	1	T
Methallyl Alcohol	100	Α	Α	Α	Α	В	Α	Α	Α	Α	Α	Α	Ι	ı	1	T B
Methyl (Wood) Alcohol	100	Α	Α	Α	Α	χ	Α	А	Α	Α	Α	Α	Α	ı	Τ	TBNS
Methyl Acetate	100	Α	Α	В	Χ	Х	Χ	Α	Α	Α	Α	Α	А	ı	ı	T
Methyl Acetoacetate	100	Α	В	Χ	Χ	Х	Χ	Α	ı	Α	Α	Α	1	ı	ı	T
Methyl Acetone			NO	HOSI	E REC	OMME	NDED	FOR TH	IS APPL	ICATION						
Methyl Amyl Acetate	100	В	Α	В	Χ	χ	χ	I	Х	Α	В	Α	Τ	П	-1	T
Methyl Amyl Alcohol	100	Α	Α	Α	А	В	Α	Α	Α	Α	Α	Α	Ι	ı	ı	TBN
Methyl Amyl Carbinol	100	Α	Α	Α	А	В	Α	Α	Α	Α	Α	Α	Ι	ı	ı	T B
Methyl Amyl Ketone	100	Α	В	Χ	Χ	χ	Χ	Х	I	Α	В	Α	I	Т	1	T
Methyl Benzene	100	Α	Χ	Χ	Χ	Α	Χ	Х	Χ	Α	В	Α	Α	Α	Α	ΤV
Methyl Butanol	100	Α	Α	Α	Α	В	Α	А	I	Α	Α	Α	Α	П	Α	TBN



CHEMICAL CHARTS

This chemical chart is offered as a guide only. There are many variables to be considered with each application. Ratings are for tube polymer only! For explanation of ratings see the initial page of these Chemical Charts in Appendix B. Contact customer services for chemicals or polymers not listed at 800-235-4632.

RATING SCALE					000	DVE /	. D. E.	NOINE		DODII	OTC					
A = May be used for					GUUI	UYEA			ERED P L Hose		U13	'			FIT	TING
Continuous Service			_	7	7	7	7				/		7	_		$\overline{}$
B = May be used for			/		/		/	Brown Flexwing Extremos:	LIMI /	ple		78r 14	. /	/		
Intermittent Service		/	/	Vellow Er	!!!	· . /	Flexwing	ing trole		رُ هُمْ فَي	20/	8 /ii/	/ /	/	/ /	/ /
I = Insufficient Data, contact customer services		Fabchon			Tan Flor		, eg	8 / 19 E		1 PE 1 PE	exwii	<u>"</u> 9[[Instant	Insta (Insta. (Insta-Lock
$\mathbf{X} = Do \text{ not Use}$		pcho	3/1/2			allo,				. (eg)		HI-PED®	$\frac{1}{2}/\frac{1}{2}$			7-e ₁₅
GASKET	(F)		9	/ Si	79	6	13/1	Brown Flexwing Extremos:	Purple Flexwing	Green KIPE	\{\mathcal{S}}	HI-PED® Wiper	/ ×		 	I
T = Teflon® V = Viton®		UHMWPE		Hypalon⊗		€_	9				Alphasyn™			Aluminum	S	늏
$\mathbf{B} = \text{Nitrile}$ $\mathbf{N} = \text{Neoprene}$	atm	MH	Buty	Нура	뚲	Viton®	Nitrile	띪	EPDM	XLPE	App	Teflon®	316 SS	₩ W	Brass	Gasket
S = Silicone	Temperature						- TI	DE DOI	V1450						FTAI	
М	Ē					HUS	E IU	BE POL	YMER					IV	ETAL	
Methyl Butanone	100	Α	В	Χ	Χ	Χ	Χ	В	В	Α	В	Α	I	ı	1	T
Methyl Butyl Ketone	100	Α	В	χ	Χ	χ	Χ	Х	1	Α	В	Α	Α	В	ı	T
Methyl Carbitol	100	Α	A	Α	Х	ı	Χ	Α	1	Α	Α	Α	1	1	- 1	T
Methyl Cellosolve	100	Α	A	Α	Х	I	Χ	A	А	Α	Α	Α	Α	В	Α	T
Methyl Chloride									IS APPLI	CATION						
Methyl Cyclohexane	100	Α	X	X	Х	В	Х	В	Х	В	I	Α	1	1	-	TV
Methyl Ethyl Ketone (M.E.K.)	100	A	X	Χ	X	Χ	Х	Х	Х	A	В	Α	Х	X	X	T
Methyl Hexanol	100	A	A	A	В	A	A	A	A	A	Α	A		<u> </u>	-	TVB
Methyl Hexanone	100	A	В	Х	X	X	Х	X	<u> </u>	A	В	A	<u> </u>	<u> </u>	<u> </u>	
Methyl Hexyl Ketone	100	A	В	X	X	Х	X	X	ı	A	В	A		<u> </u>	<u> </u>	TDN
Methyl Isobutyl Carbinol	100	A	A	A	A	В	A	A	A	A	Α	A	В			TBN
Methyl Isobutyl Ketone (MIBK)	100	A	X	X	X	X	X	Х	Х	A	В	A	X	X	Χ	T
Methyl Isopropyl Ketone	100	A	В	X	X	X	X	В	В	Α	В	A	A		<u> </u> 	T
Methyl Normal Amyl Ketone	100	A	В	Χ	X	Х		1	Ι	Α	В	A			-	TD
Methyl Propyl Carbinol	100	A	A	A	A	В	A	A	A	Α	A B	Α	<u> </u>		!	T B
Methyl Propyl Ether	100	A A	ХВ	<u>В</u> Х	Х	X	X	l B	Х	A 	В	A	<u> </u>		ı	T
Methyl Propyl Ketone Methyl Tertiary Butyl Ether	100	А	D	٨	٨	٨	٨	D	ı	А	D	A	<u> </u>		ı	<u> </u>
(MTBE) 100% Concentratel	100	Х	Х	Х	Х	Х	Χ	X	Х	Α	В	١,	١,		1	
Methylallyl Acetate	100	A	A	^ 	Х	X	X	_ ^ 	A	A	A	A	<u> </u>	H	<u> </u>	T
Methylallyl Chloride	100	A	Х	Х	X	Χ	Χ	Х	ı	B	ı	A	<u> </u>		<u>'</u>	T
Methyldiethanolamine	100	A	X	X	X	X	A	A	Х	A	A	A	÷	H	<u> </u>	T B
Methylene Bromide	100	В	X	X	X	В	Х	ı	Х	В	A	A	÷	H	· 	TV
Methylene Chloride	100		Λ					NDFD F	OR THIS						•	
Metribuzin	100	Α	1	1	1		1	1	A		1	Α	1	П	1	T
Mineral Spirits	100	A	Х	Х	Х	В	A	i	X	A	В	A	A	A	i	T B
Monochloroacetic Acid	100	A	Х	Χ	В	ı	Χ	A	X	A	Α	Α	Α	Х	Х	T
Monochlorobenzene	100	В	Х	Х	Х	A	Х	Х	Х	 B	В	A	Α	В	В	T V
Monochlorodifluoromethane	100	Ī	X	Х	X	Х	X	1	I	Ī	I	A	A	ī	1	TN
Monoethanol Amine	100	A	A	Χ	В	I	В	A	В	Α	В	Α	Α	В	1	TN
Monoethyl Amine			NO		E REC	OMME	NDED	FOR TH	IS APPL	CATION						
Monoisopropanol Amine	100	Α	Α	Χ	В	I	В	I	I	Α	В	Α	-1	Ι	- 1	T B
Muriatic Acid	125	Α	Х	Χ	Α	I	Χ	A	Χ	Α	Α	Α	Х	Х	Χ	T

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &

Discharge Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

CHEMICAL CHARTS

or ratings see the initial page of these Chemical	Clians	ш Арре	IIUIX D. I	Jonitaci	Custom	er servi	ces ior (chemicals (or polymers	not iisteu	at ouu-	-233-4	032.			<u> </u>
RATING SCALE					GOO	DYE/			ERED F L Hose		CTS	;			FIT	TING
A = May be used for Continuous Service			_				7				/			_		
$\mathbf{B} = \text{May be used for}$			/							96		# 100 m	. /			
Intermittent Service		/	/	 	<u>.</u> gg/	/	/ <u>@</u> /	, oleu			Òn /	S Vin	/ /	/	/	/ /
I = Insufficient Data, contact customer services		/ :	. /		, exw	Miji Miji	, / ex	exw s			XWin	91 1 91	. /	~_ / 2	<u>*</u>	Insta-Lock
$\mathbf{X} = \mathbf{Do} \text{ not Use}$		9					XW.					HI-PEG	, \ i	1. LG) 	ta-Lo
GASKET	ت.	Fahchon	6ra	Yellow E.	Tan Flor	/ os	Flexwing	Brown Flexwing	Purple Flexwing	Green KIPE	15	HI-PEP. & Viper	Insta (Insta (1007-0CK	
T = Teflon® V = Viton®	(F)	UHMWPE		°U0							Alphasyn"			Aluminum		
$\mathbf{B} = \text{Nitrile}$ $\mathbf{N} = \text{Neoprene}$	aţ	돌	Buty	Hypalon∞	¥	Viton®	Nitrile	SP.	EPDM	K.	Alpha	Teflon®	316 SS	Alum.	Brass	Gasket
\$ = Silicone	Temperature															
N	ᆵ					HOS	E TU	BE POI	YMER					W	ETA	
N/Methylpyrrolidone	100	Α	χ	χ	χ	Χ	Χ	Х	Х	Α	ı	Α	ı	I	-	T
Naphtha	100	Α	χ	χ	χ	Α	Α	Α	Х	Α	Α	Α	Α	Α	Τ	TVBN
Naphthalene	100	Α	χ	χ	χ	Α	Χ	I	Х	Α	ı	Α	Α	В	ı	ΤV
Natural Gas			NO	HOSE	REC	OMME	NDED	FOR TH	IS APPL	CATION						
Neohexane	100	Α	χ	χ	χ	Α	Α	В	Х	Α	В	Α	Α	Α	1	TVB
Neu-Tri	100	Α	χ	χ	χ	Α	Χ	I	Χ	Α	В	Α	I	ı	ı	TV
Nickel Chloride	150	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	В	Х	Χ	TVBS
Nickel Nitrate	150	Α	A	Α	Α	Α	Α	Α	Α	Α	Α	Α	В	Х	Χ	TVBN
Nickel Sulfate	150	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Х	Χ	TVBNS
Nitric Acid 25%	100	В	В	χ	Х	Х	Χ	Х	Х	В	Α	Α	Α	Х	Х	TV
Nitric Acid 37%	100	Χ	Χ	χ	Χ	Χ	χ	Х	X	Χ	Α	A	Α	Х	Χ	TV
Nitric Acid 40%-60%	100	Х	Х	χ	Х	Х	Χ	Х	X	Χ	В	A	Α	Х	Χ	TV
Nitric Acid 70%	100	χ	Χ	χ	Х	Х	Χ	Х	Х	Χ	В	A	В	Х	Х	T
Nitro Benzene	100	Α	χ	χ	Х	В	Χ	Х	Х	Α	В	A	Α	В	Х	T
Nitrogen Gas	100	Α	A	Α	Α	Α	Α	A	А	Α	Α	A	Α		-1	TVBNS
Nitrous Oxide	100	Α	Α	Α	Α	Α	Α	A	А	Α	Α	A	A	1	X	TVBNS
Nonenes	100	A	Х	χ	Х	A	A	ļ	Х	Α	В	A	ı	I	-	V B
0													•			
Octadecanoic Acid	100	A	В	Χ	Х	ı	Α	Α	В	Α	Α	A	Α	В	Α	T B
Octane	100	В	Х	Χ	Х	Α	Α	Α	Х	В	В	A	В	1	В	TVB
Octanol	100	A	A	Α	Α	В	Α	A	Х	Α	Α	Α	Α	1	-1	TBN
Octyl Acetate	100	Α	А	Α	Х	Χ	Χ	Х	ı	Α	В	Α	- 1	1	- 1	T
Octyl Alcohol	100	Α	Α	Α	Α	В	Α	Α	X	Α	Α	A	Α	1	-	TB
Octyl Aldehyde	100	A	Χ	Χ	Х	Χ	Χ	I	ı	Α	1	Α	1	1	ı	T
Octyl Amine	100	Α	В	Х	Х	Х	Х	В	ı	Α	В	A	ı	1	I	T
Octyl Carbinol	100	Α	Α	Α	A	В	Α	A	Α	A	Α	A			-	T B
Octylene Glycol	100	A	Α	Α	Α	Α	Α	A	Α	Α	Α	A	١		ı	TVB
Oil Petroleum	100	В	Х	Х	Х	Α	Α	A	Х	Α	В	A	A	A	Х	TVB
Oleic Acid	100	A	В	Х	X	1	В	A	X	A	В	A	A	В	X	TB
Oleum	100	Х	X	X	X	X	Χ	X	Х	Х	X	A		X	X	TV
Organic Fatty Acids	100	A	X	X	X	X	A	A	X	Α	В	A	A		I	TB
Orthodichlorobenzene	100	Α	Х	Χ	Х	Α	Χ	I	Х	Α	В	A	ı		I	TV



CHEMICAL CHARTS

This chemical chart is offered as a guide only. There are many variables to be considered with each application. Ratings are for tube polymer only! For explanation of ratings see the initial page of these Chemical Charts in Appendix B. Contact customer services for chemicals or polymers not listed at 800-235-4632.

	_							cnemicais o								$\underline{}$
RATING SCALE					GOO	DYE		NGINE			CTS				FIT	TING
A = May be used for Continuous Service			_				CHE	MICAI			/					, ,
$\mathbf{B} = \text{May be used for}$			/					Brown Flexwing Extremes:	Purple Flexwing	್ಳ /		Z	. /			
Intermittent Service		/	/	/	/ <u>&</u> /	/ /	/ <u> </u>	/o/e//	8 OW			Viper."	/	/	/	/ /
I = Insufficient Data, contact		/ ž	, /	Wing	PAW!	. Se	e XM	Petr	EX	Pr Pr	Ming/	~~~ /		* /	<u>~</u> /	* / *
customer services		4					Wing				<u> </u>		-/:		<u> </u>	3-toc
X = Do not Use		Fabchan	Gray FL.	Vellow Er	Tan Flori	0,4	Flexwing	Brown Flexwing Extremes:	Extre	Green XIPE		HI-PED® W	Install	Insta (Insta (Insta-Lock
GASKET	(F)		/		/	/				/	1	l .		=		
T = Teflon® V = Viton® B = Nitrile N = Neoprene	m.e	UHMWPE	Butyl	Hypalon⊗	~	Viton®	Nitrile	CPE	EPDM	XLPE	Alphasyn"	Teflon®	316 SS	Aluminum	Brass	Gasket
S = Silicone	eral	5	B	£	똪	<u>'</u>	Z	5	₩	=	₹	۳	31	A	盈	Ğ
	Temperature					HOS	E TU	BE POL	YMER					M	ETAI	
Orthodichlorobenzol	100	Λ	V	v	v	۸	V	1	v	Λ		Ι _ Λ	-	1	1	ΤV
Orthoxylene	100	A B	X	X	Х	A	X	 	X	A A	В	A	-		<u> </u> 	TV
Oxalic Acid	100	A	A	Χ	X	ı	Х	A	В	ı	В	A	A	В	χ	TS
Oxygen		A				NMME		FOR TH	_	ICATION		A	А	ט	٨	13
Ozone	100	Α	В	В	X	I	X	A	A		В	Α	1	1	1	TS
P	100	А	U	U	٨	•	٨	Λ	Λ	'	U	^	'	'		10
·	100	Λ	۸	В	Х	-	۸	Λ	В	В	В	Ι Λ	۸		χ	TBS
Palmitic Acid	150	A	A A	A	A	A	A A	A A	A	A	A	A	A	1	^ 	TVBN
Papermakers Alum Paradichlorobenzol	100	В	Х	Х	Х	A	Х	ı	Х	A	ı	A	1	1	ı	TV
Paraffin	150	A	B	Χ	Х	A	A	A	X	Х	1	A	A	A	A	TVB
Paraldehyde	100	A	В	X	X	Х	Х	ı	В	A	В	A	A	A	1	T
Paraxylene	100	A	Х	Х	Х	A	Х	<u>'</u>	Х	A	В	A	1	1	i	TV
Pelargonic Acid	100	A	A	Х	Х	1	A	i	1	A	ı	A	i	i	i	T B
Pentachloroethane	100	A	χ	Х	Х	A	Х	i	Х	A	i	A	A	В	Х	TV
Pentane			NO					FOR TH		ICATION	-					
Pentanol	100	Α	Α	Α	Α	В	Α	Α	Α	Α	Α	Α	ı	ı	ı	TBN
Pentanone	100	Α	В	χ	Χ	Χ	Χ	В	I	Α	В	Α	ı	ı	ı	T
Perchloroethylene	100	В	χ	χ	Χ	Α	Χ	χ	Χ	Α	В	Α	Α	В	Χ	ΤV
Petroleum Ether (Ligroin)	100	Α	χ	χ	Χ	Α	Α	Α	Χ	Α	В	Α	Α	Α	I	TVB
Petroleum - Crude	100	Α	χ	χ	χ	Α	Α	Α	Χ	Α	В	Α	Α	Α	Χ	TVB
Petroleum Oils	100	Α	χ	Χ	Χ	Α	Α	Α	Χ	Α	В	Α	Α	Α	Χ	TVB
Phenol	125	Α	А	Χ	Χ	Α	Χ	Α	Χ	Α	В	Α	Α	В	В	ΤV
Phenolsulfonic Acid	100	Χ	χ	Χ	Χ	Χ	Χ	Α	- 1	В	В	Α	В	ı	ı	T
Phenyl Chloride	100	Α	χ	χ	Χ	Α	Χ	Χ	Χ	Α	В	Α	Α	В	ı	ΤV
Phosphoric Acid 10%	150	Α	Α	Α	Α	Χ	Α	Α	Α	Α	Α	Α	Α	Χ	Χ	TVBN
Phosphoric Acid 10-85%	100	Α	Α	Α	В	Χ	Χ	Α	Α	Α	Α	A	Α	Χ	ı	TVN
Pine Oil	100	Α	χ	Χ	Χ	Α	χ	В	Χ	Α	В	Α	Α	ı	Χ	TV
Pinene	100	Α	χ	Χ	Х	Α	В	В	Х	Α	В	A	В	ı	ı	T V
Polyethylene Glycol	150	A	Α	Α	Α	Α	Α	Α	Α	Α	Α	A	I	ı	ı	TVBN
Polypropylene Glycol	150	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	-	ı	ı	TVB
Potassium Acetate	100	A	Α	В	Х	Χ	Χ	Α	В	Α	Α	A	Α	Х	Χ	T B
Potassium Bisulfate	150	A	Α	Α	A	Α	Α	Α	А	Α	Α	A	Α	ı	Х	TVBN
Potassium Bisulfite	150	A	Α	Α	A	A	Α	Α	А	Α	Α	A			I	TVBN

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

CHEMICAL CHARTS

RATING SCALE	CHEWIICAL HUSE															
A = May be used for					uuu) I E					013	•			FII	TING
Continuous Service				/	/	/	/	/ /	/ /	/	/	/ 2		$\overline{}$		$\overline{}$
B = May be used for Intermittent Service		,	/		/	/ ,	ر مح	Brown Flexwing	Purple Flexwing			HI-PED	i/	/		/ /
I = Insufficient Data, contact			. /	Yellow E.	Tan Fig.	/ ها.	Flexwing	Petro. Viving		Green XIPE	.ju	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	/	/ <u>*</u> _/	/ /	/
customer services		Fabehan			9 /				e Fie			HI-PEG	<u> </u>	Insta (₹) ,	Insta-Lock
X = Do not Use		Fabc	Gray	, Vello	lang	orani	Flex	Brown Street		Gree Silve				187	13.4	Insta
GASKET	(F)			l			/	7 7			1=					
T = Teflon® V = Viton® B = Nitrile N = Neoprene	ınce	UHMWPE	Butyl	Hypalon∞		Viton®	Nitrile	F.	EPDM	XLPE	Alphasyn"	[eflon®	316 SS	Aluminum	Brass	Gasket
B = NitrileS = SiliconeN = Neoprene	erat	=	盈	£	¥	Ė	Z	5		=	¥	<u> </u>	31	A	盈	65
Р	Temperature					HOS	E TU	BE POI	YMER					M	ETA	L
Potassium Carbonate	150	A	Α	Α	Α	Α	Α	А	Α	Α	Α	A	А	Х	Χ	TVBN S
Potassium Chloride	150	A	A	A	A	A	A	A	A	A	A	A	A	X	X	TVBNS
Potassium Chromate	150	В	A	Χ	1	ı	1	Α	1	В	В	A	В	I	1	TVBN
Potassium Dichromate	150	В	Α	χ	ı	ı	ı	Α	ı	В	В	Α	Α	В	Χ	TVBNS
Potassium Hydrate	150	Α	Α	В	Α	Χ	В	Α	В	Α	Α	Α	Α	Х	1	TS
Potassium Hydroxide	150	В	А	В	Α	Χ	В	Α	В	Α	Α	Α	Α	Χ	Χ	TN
Potassium Nitrate	150	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	В	Α	TVBNS
Potassium Permanganate	100	Α	A	Α	Α	Α	В	I		Α	Α	A	Α	1	1	TVS
Potassium Silicate	150	Α	Α	Α	Α	Α	Α	Α	A	Α	Α	Α	Α		-	TVBNS
Potassium Sulfate	150	Α	Α	Α	Α	A	Α	A	Α	Α	Α	A	Α	В	Α	TVBNS
Potassium Sulfide	150	Α	Α	Α	Α	A	Α	A	Α	A	Α	A	A	X	Х	TVBNS
Potassium Sulfite	150	A	A	A	A	A	Α	A	A	A	Α	A	A		X	TVBNS
Propanediol	100	A	A	A	A	A	A	A	A	A	A	A	l l	l v	I V	TVBS
Propane Gas	100	X A	X A	X A	X A	В	X A	X A	X A	X A	X	X	X	X	X	TVB
Propanol Propyl Acetate	100	A	A	В	Х	Х	Х	В	Х	A	В	A	A		+	T
Propyl Alcohol	100	A	A	A	A	B	A	A	A	A	A	A	A	H	<u>'</u>	T B
Propyl Aldehyde	100	A	В	Х	Х	Х	Х	X	1	A	В	A	1	H	÷	T
Propyl Chloride									IS APPL		_	ļ ^\		<u>'</u>		<u>'</u>
Propylene Diamine	100	Α	A	Х	В	1	В	A		А		Α	ı	П	1	ТВ
Propylene Dichloride	100	В	X	Х	Χ	В	Χ	Х	χ	В	1	A	A	Х	Ī	TV
Propylene Glycol	100	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	1	Ι	TVBS
Propylene Tetramer	100	Α	Χ	Χ	Χ	Χ	Α	Α	χ	Α	В	Т	Τ	Т	Ι	В
S				•							•		•			
Sea Water	100	Α	Α	Α	Α	Α	Α	А	Α	А	Α	Α	Α	ı	Χ	TVBNS
Sewage	100	Α	Χ	Α	χ	I	Α	Α	Α	Α	Α	А	А	Х	- 1	TBNS
Silicate of Soda	100	A	Α	Α	А	Α	Α	Α	Α	Α	Α	Α	Α	Х	Χ	TVBNS
Soap	100	Α	Х	Χ	Χ	Χ	Α	A	χ	Χ	I	Α	Α	Х	Χ	TBNS
Soda Ash	100	Α	Α	Α	Α	Α	Α	A	Α	Α	Α	Α	Α	Х	I	TVBNS
Soda, Caustic	100	Α	Α	В	Α	Х	В	A	A	Α	Α	Α	Α	Х	Х	TNS
Soda, Lime	100	A	Α	В	A	Χ	В	A	A	A	Α	A	I	<u> </u>	I	TVB
Soda, Niter	100	A	A	A	A	A	A	A	В	A	A	A	A	В	1	TVB
Sodium Acetate	100	A	A	Α	Х	Χ	Χ	A	В	В	В	A	А		Α	TNS



CHEMICAL CHARTS

This chemical chart is offered as a guide only. There are many variables to be considered with each application. Ratings are for tube polymer only! For explanation of ratings see the initial page of these Chemical Charts in Appendix B. Contact customer services for chemicals or polymers not listed at 800-235-4632.

DATING COALS	GOODYEAR ENGINEERED PRODUCTS CHEMICAL HOSE FITTING															
RATING SCALE					GUUI	JYE <i>F</i>					CIS				FIT	TING
A = May be used for Continuous Service			_	7	7	7	7				/		7	_		
B = May be used for			/		/			Brown Flexwing Extremos:	Purple Flexwing	90		Viper	. /			
Intermittent Service		/	/	/ /	. & /	′ /	/ <u>@</u> /	ole l	å. \ 0.00 1.000	القي في	Ò.	Z Z	/	/	/ .	/ /
I = Insufficient Data, contac	t	/	· /		`\ &		, em			[PE]	XWin	, e	$_{\cdot}$ /	~ /c	* /	Insta-Lock
customer services X = Do not Use		Cho.					Win / Win) d	<u> </u>	2 \ 2) }	07-b 19-10
GASKET	_	Fabchar	era (Vellow EL	Tan Flore	6	Flexwing	Ext	Ext	Green XIPE	Chem C	HI-PEO®		Insta (Masta (
T = Teflon® V = Viton®	(F)										""uk			E		
$\mathbf{B} = \text{Nitrile}$ $\mathbf{V} = \text{Vitor}$ $\mathbf{B} = \text{Nitrile}$ $\mathbf{N} = \text{Neoprene}$	ture	UHMWPE	Butyl	Hypalon®	Æ	Viton®	Nitrile	GPE.	EPDM	XLPE	Alphasyn"	Teflon®	316 SS	Aluminum	Brass	Gasket
S = Silicone	Temperature					>		-	ш	~	•	<u> </u>	m	•	ш	- 5
S	Tem					HOS	E TU	BE POL	YMER					M	ETA	
Sodium Aluminate	100	Α	Α	Α	Α	Α	Α	А	Α	A	Α	Α	Α	ı	1	TVBN
Sodium Bisulfate	150	A	A	A	A	A	A	A	A	Α	A	A	A	X	Х	TVBNS
Sodium Bisulfite	150	A	A	A	A	Α	A	A	A	A	Α	A	A	X	Х	TVBNS
Sodium Carbonate	150	A	A	A	A	A	A	A	A	A	Α	A	A	X	ı	TVBNS
Sodium Chloride (Brine)	150	A	A	A	A	A	A	A	A	A	Α	A	A	X	i	TVBNS
Sodium Chromate	150	χ	A	χ	1	1	1	A	1	χ	1	Α	A	A	A	TVBN
Sodium Dichromate	150	A	A	χ			Ī	A	A	A	A	A	A	i	Χ	T
Sodium Hydrate	150	Α	Α	В	Α	Χ	В	Α	Α	Α	Α	Α	В	Х	Χ	TN
Sodium Hydrochlorite (20%)	100	Α	В	χ	χ	В	Χ	ı	ı	В	Α	Α	ı	ı	ı	T
Sodium Hydrosulfide	100	Α	χ	χ	χ	χ	Α	Α	Χ	Α	ı	Α	Τ	В	ı	T B
Sodium Hydroxide (50%)	150	Α	Α	В	Α	χ	В	Α	Α	Α	Α	Α	Α	Х	Χ	TBN
Sodium Hypochlorite	100	В	В	χ	χ	В	Χ	Α	Α	χ	В	Α	Χ	Х	Χ	TVS
Sodium Nitrate	150	Α	Α	Α	Α	Α	Α	Α	В	Α	Α	Α	Α	В	ı	TVBNS
Sodium Silicate	150	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Х	Χ	TVBNS
Sodium Sulfate	150	Α	A	Α	А	Α	Α	Α	Α	Α	Α	Α	Α	В	Χ	TVBNS
Sodium Sulfide	150	Α	A	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Х	Χ	TVBN
Sodium Sulfite	150	Α	A	Α	Α	Α	Α	Α	В	Α	Α	Α	Α	1	- 1	TVBNS
Sodium Sulphydrate	100	Α	Х	Χ	χ	χ	Α	Α	Х	Α	В	Α	-1	1	- 1	ТВ
Sodium Thiosulfate	150	Α	A	A	A	Α	Α	Α	Α	Α	Α	Α	Α	1	Χ	TVBNS
Stannic Chloride	150	Α	A	Α	Α		Α	Α	Α	Α	Α	Α	Χ	Х	Χ	TB
Stannic Sulfide	150	Α	A	Α	Α	Ι	Α	Α	Α	Α	Α	Α	-1	1	- 1	TBN
Stannous Chloride	150	Α	A	Α	Α	Ι	Α	Α	В	Α	Α	Α	Α	Х	Χ	T B
Stannous Sulfide	150	Α	A	Α	Α	1	Α	A	Α	Α	Α	Α	- 1	1	ı	TB
Stearic Acid	100	Α	В	Х	Х	I	Α	A	В	Α	Α	Α	Α	В	Α	TVB
Stoddards Solvent	100	Α	Х	Χ	χ	Α	Α	Α	Х	Α	В	Α	Α	Α	ı	TVB
Styrene	100	В	Х	χ	χ	Α	Χ	Х	Х	Χ	ı	A	Α		ı	TV
Sulfamic Acid (>10%)	100	X	A	В	В	1	В	A	ı	<u> </u>	I	Α	I	I	1	TVN
Sulfonic Acid	100	В	X	Х	X	X	X	l	ı	В	1	A		<u> </u>	1	TVN
Sulfur Dioxide (Liquid)	100	В	В	В		X			ı	Х	1	A	A		l	TN
Sulfuric Acid 25%	150	A	A	В	В		Х	A	A	Α	Α	A		X	Х	TVN
Sulfuric Acid 93%	100	X	X	В	X	В	X	Х	В	Α .	A	A		X	X	TV
Sulfuric Acid 93-98%	100	X	X	X	X	В	X	X	X	1	В	A		X	X	TV
Sulfuric Acid Fuming	100	Х	X	Х	χ	χ	χ	Х	X	Х	Χ	A		Х	Χ	T

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

CHEMICAL CHARTS

of ratings see the initial page of these Chemica	l Charts	in Appe	ndix B.	Contact	custom	er servi	ces for (chemicals (or polymers	not listed	at 800	-235-4	632.			\
RATING SCALE					G00	DYE			ERED F L Hose		CTS	;			FIT	TING
 A = May be used for Continuous Service B = May be used for Intermittent Service I = Insufficient Data, contact customer services X = Do not Use 		Fabchoo	Grav E.	Yellow E.	Ian Flor	Orango	7	Brown Flexwing Extreme	,		Chem 6	HI-PED® & Viper	/	Insta ,	Insta 1	Insta-Lock
T = Teflon® V = Viton®	re (°F)	UHMWPE		Hypalon®			Nitrile				Alphasyn"	[eflon®	316 SS	Aluminum		Gasket
B = NitrileS = SiliconeN = Neoprene	Temperature	丢	Butyl	F P	똪	Viton®	景	꼾	EPDM	XLPE	Apt	重	316	Alur	Brass	Gas
s	<u>I</u>					HOS	E TU	IBE POI	YMER					M	ETAI	
Sulfurous Acid 10%	150	Α	Α	Α	А	I	Χ	A	А	Α	Α	Α	I	χ	Χ	T
Sulfurous Acid 10-75%	100	Α	Α	Α	Α	1	Χ	A	Α	Α	Α	Α	1	Χ	Χ	T
Sulphonate	100	I	X	Х	X	X	Α	A	Х	Х	-1	1	I	ı	-1	В
T																
Tall Oil	100	Α	Х	Х	X	Α	Α	ı	Х	- 1	-1	Α	Α	Х	Χ	TVB
Tallow	150	Α	Х	Х	X	I	Α	A	Х	I	ı	Α	Α	ı	Α	TBNS
Tannic Acid	150	Α	Α	Α	Α	ı	В	A	Х	ı	I	Α	Α	Х	ı	TVBN
Tar			ı		1	ECIAL	1	E REQUI	RED		1	Α	Α	ı	ı	
Tartaric Acid	150	Α	Α	Α	Α	1	Α	A	Α	Α	Α	Α	Α	ı	Α	TBN
Tergitol	100	Х	1		ı	-	ı	I	l	I	ı	Α	1	ı	ı	T
Tertiary Butyl Alcohol	100	A	Α	Α	Α	В	Α	A	Α	A	Α	Α	1	ı	-	T B
Tetrachlorobenzene	100	В	Х	Х	Χ	В	χ	I	Х	В	ı	Α	ı	ı	ı	T
Tetrachloroethane	100	A	Х	Х	Х	Α	Χ	I	Х	Х	ı	Α	Α	Х	Х	T V
Tetrachloroethylene	100	A	Х	Х	X	Α	Χ	Х	Х	A	В	Α	Α	В	X	TV
Tetrachloromethane	100	A	Х	Х	Х	Α	Χ	Х	Х	Х	В	Α	Α	ı	ı	TV
Tetrachloronaphthalene	100	В	Х	Х	Х	В	Χ	I	Х	Х	ı	Α	1	ı	ı	T
Tetradecanol	100	A	Α	A	A	В	Α	A	Α	A	Α	Α	1	1	-	T B
Tetraethylene Glycol	150	Α	Α	Α	A	Α	Α	A	Α	Α	Α	Α	1	1	-	TVB
Tetraethylene Lead	100	Х	Х	Х	X	Α	Χ	Х	Х	X	-	Α	1	I	-	T V
Tetrahydrofuran	100	В	X	X	X	X	X	X	X	В	X	A	A	В	X	T
THF	100	В	X	X	X	X	X	X	X	В	X	Α	A	В	X	T
Thionyl Chloride	100	X	1			-	ı		ı	<u> </u>	X	A	X	X	X	
Tin Chloride	100	A	A	A	A		A	A	A	A	Α	Α	X	X	X	TVB
Tin Tetrachloride	150	В	A	A	A	I	A	A	A	Α	A	A	X	χ	X	TB
Titanium Tetrachloride	100	В	X	X	X	A	В	X	X	A	В	A	В	Χ	X	TV
Toluene	100	A	X	X	X	A	Χ	X	Х	В	В	A	A	A	A	T V
Toluidine	100	X	X	X	X	Ι Λ	X	l	l v	Λ	В	Α	 	٨	٨	T V
Toluol Transformer Oil	100	A X	٨		I I	A I	X I	X	X	A	D	Α	A	A	A	T
Transmission Oil "A"	150	В	Х	X	Х	A	A	l	X	1	I	A	A	Λ	A	TVB
Tributoxy Ethysulphate	100	В	A	X	Х	A	Х	X	A	Х	1	I	A	A	H	
Tributyl Amine	100	A	A	X	B	I	В	A	I		A	A		1		
Tributyl Phosphate	100	A	A	X	Х	Х	Х	X	Х	A	ı	A	A	<u>'</u>	Х	<u>'</u>
	100	Ι Λ	А	۸,	٨	^	Λ		Λ.	Л			LA		٨	<u>'</u>



CHEMICAL CHARTS

This chemical chart is offered as a guide only. There are many variables to be considered with each application. Ratings are for tube polymer only! For explanation of ratings see the initial page of these Chemical Charts in Appendix B. Contact customer services for chemicals or polymers not listed at 800-235-4632.

RATING SCALE					G00	DYE			ERED F		CTS	;			FII	TING
 A = May be used for Continuous Service B = May be used for Intermittent Service I = Insufficient Data, contact customer services X = Do not Use 		Fabcho	Gray FL	Yellow E.	Tan Flo.	Orange F.	7	Brown Flexwing			Chem o	HI-PED® Wiper	/	Insta 1	Inst- 1	Insta-Lock
T = Teflon® V = Viton®	ıre (°F)	UHMWPE		Hypalon®		Viton®	Nitrile		EPDM		Alphasyn"	Teflon∘	316 SS	Aluminum	Brass	Gasket
B = Nitrile N = Neoprene S = Silicone	Femperature	善	Buty	至	¥	¥	ij.	GP.	픕	XLPE	용	ŢĒ.	316	Alu	Bra	Gas
T	Temp					HOS	E TU	BE POI	LYMER					M	ETA	
Trichlorobenzene	100	В	χ	χ	Χ	В	Χ	Х	Х	В	ı	Α	I	Α	-1	T
Trichloroethane	100	Α	χ	χ	Χ	Α	Χ	В	Χ	Χ	В	Α	Α	Т	ı	ΤV
Trichloroethylene	100	χ	χ	χ	Χ	Α	Χ	Х	Х	Χ	В	Α	Α	ı	ı	ΤV
Trichloropropane	100	Α	χ	χ	Χ	Α	Χ	ı	Χ	Α	1	Α	Α	Х	1	ΤV
Tricresylphosphate	100	Α	Α	χ	Χ	Α	Χ	Α	Α	Α	1	Α	Α	Х	I	ΤV
Tridecanol	100	Α	Α	Α	Α	В	Α	Α	Α	Α	Α	Α	I	ı	ı	TB
Triethanolamine	100	Α	Α	χ	В	Χ	В	Α	Α	Α	Α	Α	Α	ı	Χ	TB
Triethylamine	100	Α	Α	χ	В	ı	В	Α	I	Α	Α	Α	Α	Ι	ı	TVBN
Triethylene Glycol	150	Α	Α	Α	Α	I	Α	Α	1	Α	Α	Α	Α	Α	-1	TB
Trifluralin (Trefalin)	100	Α	Х	χ	Х	Α	Χ	Х	Х	Α	-1	Α	1	1	- 1	TV
Triphenyl Phosphate	100	Α	Α	χ	Χ	ı	Χ	I	ı	Α	1	Α	Α	1	1	T
Tripolyphosphate	100	Χ	ı	I	1	I	1	I	ı	ı	ı	Α	I	1	ı	T
Trisodium Phosphate	150	Α	Α	Α	Α	A	Α	Α	Α	Α	Α	Α	Α	Х	-1	TVBNS
Turpentine	100	Α	Χ	χ	X	A	Α	В	Х	Α	Χ	A	Α	A	Α	TVB
U																
Urea	100	Α	Α	Ι	- 1	ı	Χ	Α	I	Α	Α	Α	Α	В	-1	TVBN
Undecanol	100	В	Α	Α	Α	В	Α	Α	А	Α	Α	Α	-1	1	- 1	TB
V																
V.M. & P. Naptha	100	Α	Χ	Χ	Χ	Α	Α	Į	χ	Α	1	Α	1	Ι	- 1	TVBS
Vinyl Acetate	100	А	Α	В	Χ	χ	Χ	Α	Χ	Α	В	Α	Α	1	Χ	TV
Vinyl Benzene	100	Α	Х	χ	Х	Α	Χ	Х	Χ	Α	1	Α	Α	1	- 1	T V
Vinyl Chloride			NO	HOSI	E REC	OMME	NDED	FOR TH	IS APPL	ICATION						
Vinyl Ether			NO	HOSI	E REC	OMME		FOR TH	IS APPL	ICATION						
Vinyl Toluene	100	Α	Х	Χ	Х	Α	Χ	Х	Х	Α	-1	Α	1	1	-1	TV
Vinyl Trichloride	100	Α	Χ	Χ	Χ	Α	Χ	Х	Χ	Α	В	Α	Α		-	ΤV

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

CHEMICAL CHARTS

This chemical chart is offered as a guide only. There are many variables to be considered with each application. Ratings are for tube polymer only! For explanation of ratings see the initial page of these Chemical Charts in Appendix B. Contact customer services for chemicals or polymers not listed at 800-235-4632.

RATING SCALE					GOO	DYE/			ERED F		CTS	;			FIT	TING
A = May be used for Continuous Service			_	7	7	7	7		<mark>L HOSE</mark>		/	/2				/ /
B = May be used for Intermittent Service		,	/	/ _® /	ا مع	/ ,	/ <u>g</u> g /	Brown Flexwing Extremes	Purple Flexwing	Purple		HI-PEDE		/		/ /
I = Insufficient Data, contact customer services			* /	Yellow E.	Tan Fig.		Flexwing	S Petro	Flex	Green KLPE	XWing	10 m	<i>\</i>		<u>*</u>	**************************************
X = Do not Use		Fabrica	ave.				exwir					HI-PER		Insta (1007-m	Insta-Lock
GASKET	(F)		9		120	/ %	_	₩	4 4	9 8	3	/=	/ *		/ 💐	/ 💐
T = Teflon® V = Viton® B = Nitrile N = Neoprene		UHMWPE	Butyl	Hypalon∞	¥	Viton®	Nitrile	핊	ЕРОМ	XLPE	Alphasyn™	Teflon®	316 SS	Aluminum	Brass	Gasket
S = Silicone	Temperature	_=	<u>~</u>	- ±	Z	=	Z	_ 5	□ □	~	₹	<u> </u>	က	A	<u> </u>	Ğ
W						HOS	E TU	IBE POI	LYMER					M	ETA	
Water	180	Α	Α	А	Α	Α	Α	Α	Α	Α	Α	Α	Α	ı	-	TVBNS
Wax	100	Α	Χ	Х	Χ	Χ	Α	Α	Χ	Χ	Χ	Α	Α	ı	ı	TVBN
White Oil	100	Α	Χ	Х	Х	ı	Α	Α	Χ	I	-1	Α	-1	ı	-	TVB
Wood Alcohol	100	Α	Α	A	Α	Х	Α	A	Α	Α	Α	Α	Α	1	-1	TBNS
χ																
Xylene (Xylol)	100	χ	χ	Х	Χ	А	Χ	Х	Χ	Α	В	Α	А	ı	ı	ΤV
Xylidine	100	В	Χ	Х	Χ	Х	Χ	Х	Χ	В	В	Α	В	Α	- 1	T
Z																
Zinc Carbonate	150	Α	Α	Α	Α	Α	Α	A	Α	Α	Α	Α	В	В	Χ	TVBN
Zinc Chloride	150	Α	Α	А	Α	Α	Α	Α	Α	Α	Α	Α	Α	Х	Χ	TVBNS
Zinc Chromate	150	Α	Α	Х	- 1	1	- 1	A	Χ	В	1	Α	١	1	I	T
Zinc Phosphate	100	Α	Χ	χ	Χ	Χ	Α	Α	Α	Χ	1	Α	1	1	1	TBNS
Zinc Sulfate	150	Α	Α	Α	Α	Α	Α	A	А	Α	Α	Α	Α	Х	Χ	TVBNS



SPIRAFLEX HOSE CHEMICAL RESISTANCE GUIDE

Thermoplastic	C Hos	е			
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (°F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Acetaldehyde	70°	Χ	χ	1	Χ
Acetic Acid, Conc.	70°	χ	В	1	I
Acetic Acid, Dilute 10	70°	В	Α	1	I
Acetic Acid, Glacial	70°	Χ	В	1	Χ
Acetic Aldehyde	70°	1	χ	1	Χ
Acetic Anhydride	70°	χ	χ	χ	Χ
Acetic Ester	70°	Χ	χ	χ	В
Acetic Ether	70°	χ	χ	χ	I
Acetone	70°	χ	χ	χ	В
Acetone Cyanohydrin	70°	χ	χ	χ	I
Acetyl Acetone	70°	Χ	χ	χ	ı
Acetyl Chloride	70°	Χ		χ	Χ
Acetylene Dichloride	70°	1	χ	1	Χ
Acetylene Tetrachloride	70°	1	χ	1	I
Acrylonitrile	70°	Α	Α	В	ı
Allyl Alcohol	70°	Χ	χ	χ	χ
Allyl Bromide	70°	Χ	χ	χ	ı
Allyl Chloride	70°	Χ	χ	χ	ı
Alum	70°	Α	Α	Α	В
Aluminum Acetate	70°	ı	1	1	ı
Aluminum Chloride	70°	Α	Α	Α	В
Aluminum Hydroxide	70°	Α	Α	Α	ı
Aluminum Sulfate	70°	Α	Α	Α	В
Ammonia Cupric Sulfate	70°	Ι	χ	1	ı
Ammonia Water	70°	Α	Α	Α	Α
Ammonium Chloride	70°	Α	Α	Α	В
Ammonium Hydroxide	70°	В	В	ı	В
Ammonium Nitrate	70°	Α	Α	Α	1
Ammonium Phosphate	70°	ı	ı	1	В
Ammonium Sulfate	70°	Α	Α	A	В
Ammonium Sulfide	70°	Α	Α	Α	Ī
Ammonium Sulfite	70°	Α	Α	Α	1
Ammonium Thiosulfate	70°	Α	Α	1	

Thermoplastic	Hos	е			
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Amyl Acetate	70°	χ	χ	χ	χ
Amyl Alcohol	70°	В	В	-	χ
Amyl Chloride	70°	χ	χ	χ	χ
Amyl Phenol	70°	_	χ	Ι	Ι
Amyl Phthalate	70°	I	χ	I	١
Aniline Oils	70°	χ	χ	Χ	
Animal Grease	70°	Α	Α	Α	1
Animal Oils	70°	Α	Α	Α	Χ
Aqua Ammonia	70°	-	В	В	١
Aromatic Tar	70°	χ	χ	χ	Ι
Arsenic Acid	70°	Α	Α	Α	١
Arsenic Chloride	70°	Α	Α	I	Ι
Arsenic Trichloride	70°	Α	Α	-	Ι
Asphalt	70°	Χ	χ	χ	χ
ASTM #1 Oil	70°	Α	Α	Α	χ
ASTM #2 Oil	70°	Α	Α	1	Χ
ASTM #3 Oil	70°	Α	Α	В	χ
В					
Barium Carbonate	70°	Α	Α	Α	Π
Barium Chloride	70°	Α	Α	Α	Ι
Barium Hydroxide	70°	Α	Α	Α	Τ
Barium Sulfate	70°	Α	Α	Α	Ι
Barium Sulfide	70°	Α	Α	Α	Π
Benzyl Chloride	70°	1	χ	I	Τ
Benzaldehyde	70°	χ	χ	χ	Χ
Benzene (Benzol)	70°	χ	χ	χ	χ
Benzine (Ligroin)	70°	χ	χ	χ	Χ
Benzine Solvent (Ligroin)	70°	χ	χ	χ	χ
Benzoic Acid	70°	В	Α	Α	В
Benzoic Aldehyde	70°	1	χ	I	Ι
Benzotrichloride	70°	I	χ	I	Ι
Benzoyl Chloride	70°	Ι	χ	Ι	Ι
Benzyl Acetate	70°	I	χ	I	Π

AIR & MULTIPURPOSE General Purpose Heavy Duty

> CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

SPIRAFLEX HOSE CHEMICAL RESISTANCE GUIDE

Thermoplastic	Hos	е			
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (°F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Benzyl Chloride	70°	1	χ	ı	1
Bichromate of Soda	70°	1	Α	ı	
Black Sulfate Liquor	70°	Α	A	Α	
Bleach	70°	Α	Α	Α	В
Brine	70°	Α	Α	Α	В
Bromine	70°	Χ	χ	χ	Х
Bromo Benzene	70°	1	χ	ı	χ
Bromo Toluene	70°	1	χ	ı	1
Bromochloromethane	70°	1	χ	I	χ
Butanol	70°	1	χ	I	В
Butyl (Normal) Alcohol	70°	Ι	χ	χ	В
Butyl (Secondary) Alcohol	70°	_	χ	χ	В
Butyl Acetate	70°	Χ	χ	I	χ
Butyl Acetoacetate	70°	-	χ	1	Τ
Butyl Acrylate	70°	1	χ	I	Τ
Butyl Alcohol	70°	Α	Α	Α	В
Butyl Benzene	70°	Ι	χ	1	ı
Butyl Benzl Phthalate	70°	Ι	χ	I	Τ
Butyl Bromide	70°	1	χ	I	ı
Butyl Butyrate	70°	1	χ	ı	ı
Butyl Chloride	70°	1	χ	I	I
Butyl Phthalate	70°	1	χ	1	χ
Butyric Acid	70°	1	χ	В	ı
C					
Cadmium Acetate	70°	1	Α	1	ı
Calcium Acetate	70°	1	Α	1	ı
Calcium Aluminate	70°	1	Α	1	ı
Calcium Bichromate	70°	1	Α	ı	ı
Calcium Bisulfate	70°	1	Α	В	Ι
Calcium Bisulfite	70°	Α	Α	Α	ı
Calcium Carbonate	70°	Α	Α	Α	ı
Calcium Chloride	70°	Α	Α	Α	I
Calcium Hydroxide (Caustic Lime)	70°	Α	Α	Α	I

Thermoplastic	Hos	е			
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (°F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Calcium Hypochlorite	70°	Α	Α	1	1
Calcium Nitrate	70°	Α	Α	-	ı
Calcium Silicate	70°	Α	Α	1	
Calcium Sulfate	70°	Α	Α	Α	
Calcium Sulfide	70°	Α	Α	1	1
Calcium Sulfite	70°	Α	Α	1	
Carbolic Acid, Phenol	70°	χ	χ	χ	Χ
Carbon Dioxide	70°	Α	Α	Α	В
Carbon Disulfide	70°	χ	χ	χ	Χ
Carbon Monoxide	70°	Α	Α	Α	В
Carbon Tetrachloride	70°	χ	χ	χ	Χ
Carbonic Acid	70°	1	Α	Α	
Casinghead Gasoline	70°	1	χ	χ	Χ
Caster Oil (Castor Oil)	70°	Α	Α	Α	1
Caustic Potash	70°	Α	Α	Α	Α
Caustic Soda	70°	Α	Α	Α	В
Chlorinated Solvents	70°	1	χ	1	1
Chlorine (Dry)	70°	Α	Α	Α	В
Chlorine (Wet)	70°	В	χ	1	В
Chloroacetone	70°	1	χ	1	1
Chlorobenzene	70°	χ	χ	χ	Χ
Chlorobutane	70°	1	χ	1	1
Chloroethylbenzene	70°	1	χ	1	1
Chloroform	70°	χ	χ	χ	Χ
Chloropentane	70°	1	χ	1	Χ
Chlorophenol	70°	1	χ	1	1
Chloropropanone	70°	1	χ	1	ı
Chlorosulfonic Acid	70°	Ι	В	_	χ
Chlorothene	70°	1	Χ	_	χ
Chlorotoluene	70°	χ	Χ	Χ	χ
Chromic Acid	70°	В	В	В	В
Copper Chloride	70°	Α	Α	Α	В
Copper Hydrate	70°	Ι	Α	_	ı



SPIRAFLEX HOSE CHEMICAL RESISTANCE GUIDE

Thermoplastic	Hos	е			
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (°F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Copper Hydroxide	70°	1	Α	1	
Copper Nitrate	70°	Α	Α	Α	
Copper Nitrite	70°	Α	Α	Α	
Copper Sulfate	70°	Α	Α	Α	
Copper Sulfide	70°	В	Α	В	
Creosol	70°	χ	χ	χ	Х
Creosote	70°	χ	χ	χ	Χ
Crude Oil	70°	В	Α	В	Х
Cupric Carbonate	70°	1	Α	1	
Cupric Chloride	70°	Α	Α	_	Τ
Cupric Nitrate	70°	Α	Α	1	I
Cupric Nitrite	70°	Α	Α	_	Τ
Cupric Sulfate	70°	Α	Α	Α	Ι
Cyclohexane	70°	χ	χ	χ	χ
Cyclohexanol	70°	χ	χ	χ	χ
Cyclohexanone	70°	χ	χ	χ	Χ
Cyclopentane, methyl	70°	ı	Α	1	ı
Cyclopentanol	70°	ı	Α	1	Τ
Cyclopentanone	70°	ı	Α	1	
D					
D.D.T.	70°	ı	Α	_	Τ
D.D.T. in Kerosene	70°	χ	χ	χ	X
Decalin	70°	1	В	1	I
Decanol	70°	I	В	1	Τ
Decyl Alcohol	70°	ı	Α	1	Τ
Decyl Butyl Phthalate	70°	χ	χ	χ	Χ
Denatured Alcohol	70°	1	Α	В	Τ
Diacetone Alcohol	70°	В	Α	В	В
Diamyl Phenol	70°	χ	χ	χ	Χ
Dibromobenzene	70°	I	χ	ı	Ι
Dibutyl Amine	70°	I	χ	ı	I
Dibutyl Phthalate	70°	χ	χ	χ	χ
Dibutyl Sebacate	70°	I	χ	ı	ı

Thermoplastic	Hos	e			
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (°F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Dicalcium Phosphate	70°	В	A	В	I
Dichlorobenzene	70°	χ	X	Χ	χ
Dichlorobutane	70°	I	χ	I	I
Dichlorodiboromethane	70°	χ	χ	Χ	χ
Dichloroethane	70°	1	χ	1	ı
Dichloroethyl Ether	70°	I	χ	I	Χ
Dichloroethylene	70°	1	χ	1	χ
Dichlorohexane	70°	1	χ	1	χ
Dichloromethane	70°	1	χ	1	χ
Dichloropentane	70°	1	χ	1	χ
Dichloropropane	70°	1	χ	Ι	χ
Diesel Oil	70°	ı	В	Χ	χ
Diethylamine	70°	ı	I	I	I
Diethyl Benzene	70°	ı	χ	I	χ
Diethyl Ketone	70°	ı	χ	I	I
Diethyl Oxalate	70°	ı	χ	Ι	I
Diethyl Phthalate	70°	ı	χ	I	I
Diethyl Sebacate	70°	ı	χ	1	I
Diethylene Glycol	70°	ı	В	Ι	I
Diisobutyl Ketone	70°	1	χ	Ι	I
Diisoctyl Adipate	70°	ı	χ	ı	ı
Diisoctyl Phthalate	70°	ı	χ	Ι	ı
Diisodecyl Adipate	70°	ı	χ	ı	ı
Diisopropyl Amine	70°	1	χ	Ι	I
Diisopropyl Ketone	70°	ı	χ	ı	ı
Dimethyl Amine	70°	ı	χ	Ι	I
Dimethyl Benzene	70°	ı	χ	ı	ı
Dimethyl Ketone	70°	ı	χ	Ι	I
Dimethyl Phthalate	70°	ı	χ	1	ı
Dinitrobenzene	70°	ı	χ	Ι	I
Dioctyl Adipate	70°	1	χ	1	ı
Dioctyl Phthalate	70°	Χ	χ	Χ	Χ
Dioctyl Sebacate	70°	Т	χ	Ι	ı

AIR & MULTIPURPOSE General Purpose Heavy Duty

> CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS SPIRAFLEX HOSE CHEMICAL RESISTANCE GUIDE

Thermoplastic	Hos	e			
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (°F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Diphenyl Phthalate	70°	1	χ	I	I
Dipropyl Ketone	70°	1	χ	ı	1
Disodium Phosphate	70°	Α	Α	Α	В
Divinyl Benzene	70°	1	χ	I	<u> </u>
Dodecyl Benzene	70°	1	χ	I	I
E					
Ethanol	70°	Α	Α	Α	Α
Ethanol Amine	70°	В	Α	В	1
Ethyl Acetate	70°	Χ	χ	χ	В
Ethyl Acetoacetate	70°	1	χ	ı	1
Ethyl Acrylate	70°	Х	χ	χ	ı
Ethyl Alcohol	70°	Α	Α	Α	Α
Ethyl Benzene	70°	1	χ	ı	χ
Ethyl Butanol	70°	1	Α	1	ī
Ethyl Butyl Acetate	70°	1	χ	ı	ı
Ethyl Butyl Alcohol	70°	1	Α	1	ı
Ethyl Butyl Ketone	70°	T	χ	ı	ı
Ethyl Chloride		Χ	χ	χ	χ
Ethyl Dichloride	70°	Χ	χ	χ	χ
Ethyl Ether		Χ	χ	χ	χ
Ethyl Formate	70°	ı	χ	I	
Ethyl Hexyl Acetate	70°	T	χ	ı	
Ethyl Hexyl Alcohol	70°	ı	Α	ı	
Ethyl lodide	70°	Χ	χ	χ	χ
Ethyl Isobutyl Ether	70°	ı	χ	ı	
Ethyl Methyl Ketone	70°	Х	χ	χ	χ
Ethyl Oxalate	70°	ı	χ	ı	
Ethyl Phthalate	70°	Τ	χ	ı	1
Ethyl Propyl Ether	70°	Ι	χ	ı	<u> </u>
Ethyl Propyl Ketone	70°	χ	χ	χ	1
Ethylene Bromide	70°	χ	χ	χ	Χ
Ethylene Chloride	70°	χ	χ	χ	χ
•	70°				χ

Thermoplastic	Hos	e			
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (°F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Ethylene Dichloride	70°	χ	χ	χ	χ
Ethylene Glycol	70°	Α	Α	Α	Α
F					
Ferric Bromide	70°	Α	Α	Α	<u>В</u>
Ferric Chloride	70°	Α	Α	Α	Α
Ferric Sulfate	70°	Α	Α	Α	Α
Ferrous Acetate	70°	Α	Α	Α	I
Ferrous Chloride	70°	Α	Α	Α	В
Ferrous Hydroxide	70°	I	Α	Α	I
Ferrous Sulfate	70°	Α	Α	Α	Α
Fluorine	70°	χ	χ	χ	χ
Fluosilicic Acid	70°	Α	Α	Α	В
Formaldehyde	70°	χ	χ	В	Α
Formalin	70°	I		Α	Α
Formic Acid (less than 50%)	70°	В	В	Α	Α
Formic Acid (more than 50%)	70°	В	χ	χ	В
Freon® 12	70°	В	В	В	χ
Freon® 22	70°	Χ	χ	χ	Χ
Fuel A (ASTM)	70°	Α	В	В	I
Fuel B (ASTM)	70°	Α	В	χ	Х
Fuel Oil	70°	Α	В	В	Χ
Furfural	70°	χ	Χ	χ	Х
G					
Gasoline	70°	Χ	Χ	χ	χ
Glacial Acetic Acid	70°	χ	В	1	I
Glycerin	70°	Α	Α	Α	В
Grease	70°	Α	Α	Α	В
Н					
Heptane					
Hexane	70°	Α	Α	Χ	X
	70° 70°	A	A A	X B	X
Hexanol					
Hexanol Hexyl Methyl Ketone	70°	Α	Α	В	Χ

®Freon is a registed trademark of E.I. du Pont de Nemours and Company.



SPIRAFLEX HOSE CHEMICAL RESISTANCE GUIDE

Thermoplastic	Hos	е			
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (°F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Hexyly-Alcohol	70°	1	Α	_	I
Hydrobromic Acid	70°	Α	Α	В	В
Hydrochloric Acid	70°	Α	В	Α	Α
Hydrofluoric Acid	70°	Α	В	Α	В
Hydrofluosilicic Acid	70°	В	В	_	I
Hydrogen Dioxide 10%	70°	I	Α	Α	I
Hydrogen Dioxide (over 10%)	70°	I	Α	Α	I
Hydrogen Gas	70°	χ	χ	χ	В
Hydrogen Peroxide 10%	70°	Α	Α	Α	В
Hydrogen Peroxide (over 10%)	70°	Α	Α	Α	В
lodine	70°	χ	Χ	χ	Χ
Iron Acetate	70°	ı	Α	-	I
Iron Hydroxide	70°	I	Α	Α	ı
Iron Salts	70°	1	Α	Α	В
Iron Sulfate	70°	Ι	Α	Α	Α
Iron Sulfide	70°	ı	Α	1	I
Isoamyl Acetate	70°	Ι	Χ	Ι	I
Isoamyl Alcohol	70°	Ι	Α	_	I
Isoamyl Bromide	70°	χ	Χ	χ	ı
Isoamyl Butyrate	70°	ı	χ		I
Isoamyl Chloride	70°	1	χ	1	ı
Isoamyl Ether	70°	1	χ	1	I
Isoamyl Phthalate	70°	Ι	χ	1	I
Isobutanol	70°	ı	Α	1	Α
Isobutyl Acetate	70°	ı	Χ	Ι	ı
Isobutyl Alcohol	70°	ı	Α	1	Α
Isooctane	70°	ı	В	Χ	ı
Isopentane		ı	В	1	ı
Isopropanol	70°	ı	Α	1	Α
Isopropyl Acetate	70°	χ	Χ	χ	ı
Isopropyl Alcohol	70°	Α	Α	В	В
Isopropyl Benzene	70°	Т	Χ	ı	Χ

Thermoplastic	Hos	<u> </u>			
A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data	Temperature (F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Isopropyl Chloride		I	χ	1	١
J					
Jet Fuels		χ	χ	Χ	Χ
K					
Kerosene	70°	Χ	В	χ	χ
Ketones	70°	χ	χ	χ	χ
Lead Acetate	70°	Α	Α	Α	В
Lead Sulfate	70°	I	χ	ı	
Linseed Oil	70°	Α	Α	Α	χ
Lubricating Oils	70°	Α	В	В	
M					
MIBK	70°	1	χ	1	Χ
M.E.K.	70°	Χ	χ	В	χ
Magnesium Acetate	70°	ı	Α	1	I
Magnesium Chloride	70°	Α	Α	Α	Α
Magnesium Hydrate	70°	I	Α	Α	В
Magnesium Hydroxide	70°	Α	Α	Α	Α
Magnesium Sulfate	70°	Α	Α	Α	Α
Malic Acid	70°	В	Α	В	В
Manganese Sulfate	70°	Ι	Α	1	I
Manganese Sulfide	70°	ı	Α	Ι	
Manganese Sulfite	70°	1	Α	1	
Methanol	70°	Α	Α	Α	Α
Methallyl Alcohol	70°	ı	Α	1	I
Methyl (Wood) Alcohol	70°	В	В	Α	Α
Methyl Acetate	70°	χ	χ	χ	Χ
Methyl Acetoacetate	70°	1	χ	1	ı
Methyl Acetone	70°	Ι	χ	1	Χ
Methyl Amyl Acetate	70°	Χ	Χ	χ	Χ
Methyl Amyl Alcohol	70°	Ι	Α	ı	I
Methyl Amyl Ketone	70°	Ι	χ	Α	I
Methyl Benzene	70°	I	χ	ı	χ

AIR & MULTIPURPOSE General Purpose Heavy Duty

> CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &

Discharge Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

SPIRAFLEX HOSE CHEMICAL RESISTANCE GUIDE

Thermoplastic	Hos	е			
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (°F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Methyl Butanol	70°	ı	В	ı	χ
Methyl Butyl Ketone	70°	1	χ	1	1
Methyl Cellosolve	70°	ı	В	1	I
Methyl Chloride		χ	χ	χ	χ
Methyl Ethyl Ketone	70°	χ	χ	χ	χ
Methyl Hexyl Ketone	70°	χ	χ	χ	χ
Methyl Isobutyl Ketone	70°	χ	χ	χ	χ
Methyl Isopropyl Ketone	70°	χ	χ	χ	χ
Methyl Normal Amyl Ketone	70°	χ	χ	χ	χ
Methylallyl Chloride	70°	χ	χ	χ	χ
Methyl Propyl Ether	70°	ı	ı	Α	ı
Methyl Propyl Ketone	70°	ı	χ	1	ı
Methylallyl Acetate	70°	1	χ	1	ı
Methylene Bromide	70°	χ	χ	χ	1
Methylene Chloride		χ	χ	χ	χ
Mineral Spirits	70°	1	В	1	1
Monochlorobenzene	70°	χ	χ	χ	χ
Monochlorodibluoromethane	70°	ı	χ	1	ı
Muriatic Acid	70°	ı	В	Α	В
N					
Naphtha	70°	В	В	В	Χ
Naphthalene	70°	В	χ	В	X
Natural Gas		se is r or this			i
Nickel Chloride	70°	Α	Α	Α	В
Nickel Nitrate	70°	Α	Α	Α	В
Nickel Sulfate	70°	Α	Α	Α	Α
Nitric Acid 10%	70°	Α	Α	Α	В
Nitric Acid 20%	70°	Α	В	Α	В
Nitric Acid 30%	70°	В	В	Α	В
Nitric Acid 30-70%	70°	Χ	χ	χ	χ
Nitro Benzene	70°	χ	χ	χ	χ
Nitrogen Gas	70°	Α	Α	Α	Α
Nitrous Oxide	70°	Α	Α	Α	В

Thermoplastic	Hos	е			
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (°F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Octanol	70°	I	Α	1	В
Octyl Acetate	70°	ı	Χ	-	
Oil Petroleum	70°	Α	В	Α	
Oleic Acid	70°	В	В	В	В
Oleum	70°	Χ	χ	Χ	Х
Orthodichlorobenzene	70°	I	χ	1	1
Orthodichlorobenzol	70°	ı	χ	1	-
Oxalic Acid	70°	Α	Α	Α	A
Oxygen		ose is for thi			d
Ozone	70°	В	В	В	В
P					
Palmitic Acid	70°	В	В	В	В
Papermakers Alum	70°	Ι	Α	1	I
Paradichlorobenzol	70°	I	χ	1	1
Paraffin	70°	В	Α	В	1
Pentachloroethane	70°	I	١	χ	1
Pentane	70°	В	В	1	Х
Pentanol	70°	I	Α	1	1
Perchloroethylene	70°	χ	χ	χ	Χ
Petroleum Ether (Ligroin)	70°	Α	В	_	χ
Petroleum - Crude	70°	Α	В	χ	χ
Petroleum Oils	70°	Α	В	Χ	χ
Phenol	70°	χ	χ	χ	χ
Phenolsulfonic Acid	70°	I	χ	_	I
Phenyl Chloride	70°	ı	Ι	χ	χ
Phosphoric Acid 10%	70°	Α	Α	Α	Α
Phosphoric Acid 10%-85%	70°	В	В	Α	В
Polyethylene Glycol	70°	В	В	Α	В
Polypropylene Glycol	70°	В	В	Α	В
Potassium Acetate	70°	ı	Α	Α	В
Potassium Bisulfate	70°	Α	Α	Α	В
Potassium Bisulfite	70°	Α	Α	Α	В
Potassium Carbonate	70°	Α	Α	Α	Α



SPIRAFLEX HOSE CHEMICAL RESISTANCE GUIDE

Thermoplastic	C Hos	e			
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (°F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Potassium Chloride	70°	Α	Α	Α	Α
Potassium Chromate	70°	Α	Α	Α	В
Potassium Dichromate	70°	Α	Α	Α	В
Potassium Hydrate	70°	Ι	Α	1	В
Potassium Hydroxide	70°	В	Α	Α	В
Potassium Nitrate	70°	Α	Α	Α	В
Potassium Silicate	70°	I	Α	1	В
Potassium Sulfate	70°	Α	Α	Α	В
Potassium Sulfide	70°	Α	Α	Α	В
Potassium Sulfite	70°	Α	Α	Α	В
Propanediol	70°	1	Α	1	В
Propanol	70°	I	Α	1	В
Propyl Acetate	70°	1	χ	T	ı
Propyl Alcohol	70°	Α	Α	В	В
Propyl Chloride		Х	χ	χ	χ
Propylene Dichloride	70°	Χ	χ	χ	χ
Propylene Glycol	70°	Α	ı	Α	Α
S					
Sea Water	70°	Α	Α	Α	Α
Silicate of Soda	70°	1	В	Α	Α
Soda Ash	70°	Α	Α	Α	Α
Soda, Caustic	70°	Α	В	Α	Α
Soda, Lime	70°	1	В	Α	ı
Soda, Niter	70°	1	В	1	Α
Sodium Acetate	70°	Α	В	Α	В
Sodium Aluminate	70°	1	Α	Α	В
Sodium Bisulfate	70°	Α	Α	Α	Α
Sodium Bisulfite	70°	1	Α	Α	Α
Sodium Carbonate	70°	Α	Α	Α	Α
Sodium Chloride (brine)	70°	Α	Α	Α	Α
Sodium Chromate	70°	ı	Α	Τ	
Sodium Dichromate	70°	Α	Α	Α	В
Sodium Hydrate	70°	ı	Α	ı	

Thermoplastic	Hos	e			
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (°F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Sodium Hydrochlorite	70°	Α	Α	В	В
Sodium Hydroxide	70°	Α	Α	Α	Α
Sodium Hypochlorite	70°	Α	A	Α	Α
Sodium Nitrate	70°	Α	Α	Α	Α
Sodium Silicate	70°	Α	A	Α	Α
Sodium Sulfate	70°	Α	A	Α	Α
Sodium Sulfide	70°	Α	A	А	Α
Sodium Sulfite	70°	Α	Α	Α	Α
Sodium Thiosulfate	70°	Α	Α	А	Α
Stannic Chloride	70°	Α	Α	Α	В
Stannic Sulfide	70°	1	Α	1	I
Stannous Chloride	70°	1	Α	1	I
Stannous Sulfide	70°	1	Α	1	I
Stearic Acid	70°	Α	Α	Α	Α
Sulfonic Acid	70°	1	В	1	I
Sulfur Dioxide (Liquid)	70°	χ	χ	χ	Χ
Sulfuric Acid (Dry)	70°	Α	Α	Α	Α
Sulfuric Acid 25%	70°	Α	Α	Α	Α
Sulfuric Acid 25-50%	70°	Α	Α	Α	Α
Sulfuric Acid 50-96%	70°	χ	χ	В	В
Sulfuric Acid Fuming	70°	χ	χ	χ	Χ
Sulfurous Acid 10%	70°	В	В	В	Α
Sulfurous Acid 10-75%	70°	χ	χ	χ	χ
Ţ					
Tannic Acid	70°	В	В	В	Α
Tar		ı	χ	Ι	I
Tartaric Acid	70°	Α	Α	Α	Α
Tertiary Butyl Alcohol	70°	В	В	В	I
Tetrachlorobenzene	70°	ı	χ	1	I
Tetrachloroethane	70°	1	χ	χ	Χ
Tetrachloroethylene	70°	ı	Χ	χ	Χ
Tetraethylene Glycol	70°	ı	В	1	I
Tetrachloromethane	70°	1	χ	1	Χ
		_	_		_

AIR & MULTIPURPOSE General Purpose Heavy Duty

> CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

SPIRAFLEX HOSE CHEMICAL RESISTANCE GUIDE

-								
Thermoplastic	Hos	е						
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (°F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF			
Tetrachloronaphthalene	70°	I	χ	Τ	Χ			
Tetrahydrofuran	70°	χ	χ	χ	χ			
Tin Chloride	70°	В	В	В	В			
Tin Tetrachloride	70°	В	В	В	В			
THF	70°	I	χ	1	χ			
Toluene	70°	χ	χ	χ	χ			
Toluidine	70°	1	χ	1	Τ			
Toluol	70°	χ	χ	χ	Χ			
Transmission Oil "A"	70°	Α	В	_	Ι			
Tributyl Phosphate	70°	χ	Χ	χ	Χ			
Trichlorobenzene	70°	χ	Χ	χ	Χ			
Trichloroethane	70°	I	Χ	Χ	Χ			
Trichloroethylene	70°	χ	Χ	χ	Χ			
Trichloropropane	70°	1	ı	χ	χ			
Triethanolamine	70°	В	В	В	Τ			
Triethylene Glycol	70°	I	В	1	В			
Triphenyl Phosphate	70°	В	χ	I	I			
Trisodium Phosphate	70°	В	В	Α	Α			
Turpentine	70°	В	В	Α	Χ			

Thermoplastic	Hos	е			
 A = May be used for Continuous Service B = May be used for Intermittent Service X = Do not Use I = Insufficient Data 	Temperature (°F)	Polyurethane/Spirathane	PVC/Pliovic Plus	TPE/Arvac SW	TPR/Green Hornet XF
Urea	70°	Α	Α	Α	Α
Undecanol	70°	1	A	1	1
V					
V.M. & P. Naptha	70°	1	В	1	1
Vinyl Acetate	70°	1	X	1	Х
Vinyl Benzene	70°	1	χ	1	Χ
Vinyl Chloride		χ	X	Χ	Х
W					
Water	70°	Α	A	Α	Α
Wood Alcohol	70°	В	В	В	Α
Х					
Xylene (Xylol)	70°	χ	χ	Χ	Χ
Xylidine	70°	I	χ	I	I
Z					
Zinc Carbonate	70°	1	Α	Α	В
Zinc Chloride	70°	Α	Α	Α	В
Zinc Chromate	70°	Α	Α	Α	1
Zinc Sulfate	70°	Α	A	Α	В



GENERAL INFORMATION

CHEMICAL PROPERTIES OF FLUROETHYLENEPROPYLENE (FEP)

AS STATED BY E.I. DU PONT DE NEMOURS

FEP fluorocarbon resins are attacked by certain halogenated complexes containing fluorine including: chlorine trifluoride, bromine trifluoride, iodine pentafluoride and fluorine itself.

FEP is also attacked by such metals as sodium or potassium, especially in their molten states. Great care should be used when mixing finely divided fluorocarbon polymers with finely divided metals, such as aluminum, magnesium or barium, since these can react violently if ignited or heated to a high temperature. Certain complexes of these metals with ammonia or naphthalene (in either solvent) also attack the products. Certain metal hydrides such as boranes, aluminum chloride and certain amines have also been observed to attack fluorocarbon resins at elevated temperatures.

The following materials are inert to FEP:

Alcohols

Aliphatic Hydrocarbons

Aromatics

Esters

Fluorocarbons

Inorganic Oxidizing Agents

Organic Acids

Strong Mineral Acids

Aldehydes

Anhydrides

Chlorocarbons

Ethers

Inorganic Bases

Ketones

Salt Solutions

FEP is a registered trademark with E.I. du Pont de Nemours.

METHOD FOR STEAM CLEANING GOODYEAR ENGINEERED PRODUCTS (CHEM ONE, VIPER, FABCHEM AND FABCHEM ARC)

5 IMPORTANT REQUIREMENTS

- 1) Hose must be **open-ended** during steam cleaning.
- 2) Temperature of Steam-Maximum 288°F.
- 3) Length of Cleaning Time-5 to 10 minutes...Not more than 15 minutes.
- 4) Care must be taken **not to score** the tube (liner) with the nozzle or wand end.
- 5) Prolonged steam jet contact on a specific area of the tube (liner) could cause tube damage.

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GENERAL INFORMATION

INFINITY"/ PALADIN® DROP HOSE COUPLING PROCEDURE

WITH INSTA-LOCK™ FITTINGS

To make an Electrically Continuous (EC) assembly, the static wire must be terminated to the couplings as the static dissipating property of the tube alone is not sufficient to meet NAHAD¹ or RMA² specifications.

Infinity™

Locate and pull on the static wire between the fabric plies, bend approximately one inch of the static wire under the tube to make contact with the coupling stem. Grounding staple is also an acceptable method.

Paladin®

Locate the static wire between the fabric plies. Insert one leg of a grounding staple in the middle of the wire. Insure that the other leg of the grounding staple is in contact with the coupling stem.

ATTACHMENT OPTIONS:

Crimp Sleeve—Refer to the Goodyear Engineered Products Crimp Assembly Manual for crimp specifications. Current Crimp Sleeve options are listed on page 234 of this catalog. The use of PVC banding coil is not required with crimp sleeve.

Band Clamps–PVC Banding Coils are required when using this method of attachment. Order the appropriate Banding Coil to match your hose selection. Follow the procedures below when using the Banding Coils:

- 1. Insert stem inside hose end.
- 2. Apply sufficient banding coil in between the hose outer PVC helix to insure complete coverage under the band clamps position.
- **3.** Place the banding coil tightly around the hose to properly fill the cover depressions. Clamp the first band, re-tighten the banding coil and clamp the second band.
- 4. Please refer to the NAHAD guidelines for detailed instructions.

Banding coil selection

- For 2" I.D. hose use 2" I.D. banding coil.
- For 3" I.D. hose use 3" I.D. banding coil.
- For 4" I.D. hose use 4" I.D. banding coil.




¹ NAHAD (National Association of Hose and Accessories Distributors)

² RMA (Rubber Manufacturers Association)

GENERAL INFORMATION

BASIC HOSE CONSTRUCTION




COVER The cover is the outermost or visible area of the hose. It is designed to be a protective covering against wear, abrasion, cuts, weather, and the general destructive action encountered in normal service.

BODY or CARCASS The body reinforcement is the supporting structure of the hose. It can range from simple to complex combinations and consists of cord, yarn, fabric, wire, or any combination of these.

TUBE OR LINING The tube is the inner-most element of a hose and is compounded to provide resistance to the material being carried. With the wide range of rubber compounds available, a hose can be built to withstand abrasive materials, chemicals, oil and a wide variety of other materials.

THE FOUR BASIC METHODS OF HOSE CONSTRUCTION


Although we make more than 2,000 types of hose for specialized applications, there are only four basic construction methods used. Since each of these four methods embodies certain fundamental characteristics that make it particularly suitable for certain functions, an understanding of these methods may assist you in making the best use of this catalog. Keep in mind that a reference to any one of these types of construction will imply all the characteristics and benefits outlined here plus specific features attained through the proper compounding of rubber, choice materials, and variation in plies and thickness to ensure that each hose is exactly right for the job for which it is designed.



TYPE 1: Vertical Braided Hose Entire hose length cured in one operation.

- A. Extruded seamless tube.
- B. Seamless reinforcing braids of synthetic textile wire, or other material applied by high speed vertical or horizontal braiders.
- C. Rubber layers between braids establish positive bond between braids when vulcanized.
- D. Extruded, seamless cover.

Type 2



TYPE 2: Spiral Hose

Built by machine with either textile or wire cord reinforcement applied so that each ply is laid at a given angle for maximum dimensional stability.

- A. Extruded or calendered tube.
- B. Reinforcement of synthetic textile wire or other material.
- C. Rubber layers between reinforcement plies to establish positive bond.
- D. Cover.

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS


APPENDIX

GENERAL INFORMATION

BASIC HOSE CONSTRUCTION

THE FOUR BASIC METHODS OF HOSE CONSTRUCTION (continued)

Type 3




TYPE 3: Hand-built spiral-plied Hose

Built by hand on a mandrel. Cured under pressure applied from outside by cloth wraps and steam.

- A. Calendered, or "built-up" tube to fit service.
- B. Tailor-made spiral-wrapped fabric.
- C. Wire reinforcement where needed.
- D. Cover stock of selected gauge and compound. Wrap cured.

Type 4



TYPE 4: Knitted Hose

- A. Extruded seamless tube.
- B. Seamless woven textile jacket.
- C. Interwoven wire helix reinforcement where needed.
- D. Extruded seamless cover.

ADVANTAGES

TYPE 1 Braided Hose

Flexible. High resistance to kinking. Cover either smooth or wrapped. Available in long continuous lengths. Excellent tensile strength.

TYPE 2 Spiral Hose

Extremely flexible. Smooth bore, uniform tube. High strength with long length capability.

TYPE 3 Hand-Built Spiral-Plied Hose

Craftsman-built to special requirements. Wide variation in sizes, constructions, and materials. Built-in strength to fit most rugged job requirements. Couplings, fittings, nipples, flanges and beaded ends can be built in. Available in lengths up to 50 feet, in sizes up to 18 inches. On larger diameters, consult your Goodyear Engineered Products representative.



GENERAL INFORMATION

DEFINITIONS OF HOSE ENDS



PLAIN END

All hose construction elements (including wire, if wire is used as a reinforcing member) are exposed. The hose always has the same inside diameter throughout. In the case of certain hand-built specifications having wire reinforcement, the wire and fabric reinforcement are not exposed.

All vertical spiral hose is available only with plain ends.

Horizontal spiral and wrapped ply machine-built hose is furnished with plain ends unless otherwise specified in the pricebook.





BUILT-IN NIPPLE END

The hose end is integrally built around and bonded to the nipple body. The hose reinforcing materials are also anchored to the nipple.

The nipples used are generally fabricated from pipe. Nipples made from standard

pipe will be full bore only when pipe 12" and under is used since nominal pipe sizes over 12" are described by **pipe 0D and not ID.**

Available only in hand-built hose constructions.





SWAGED END

Primarily used on petroleum OS&D dock hose as an alternative to built-in nipples.

The steel (carbon or stainless) stem/coupling accommodates threaded, slip-on or welded flanged ends.
Stem/coupling attached to hose with swaged steel ferrule over the cover.





ENLARGED END

The hose end is enlarged to accommodate the outside diameter of the shank of a fitting plus the depth of the shank. The helical wire is terminated at the enlarged end.

The inside diameter of a "standard" enlarged end is the same dimension as the outside

diameter of the same nominal pipe size. (Example–6" ID hose enlarged to 6%" at the end, handles a 6"size pipe which has a 6%" OD.)

Normally used in hand-built hose constructions.



AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER

Discharge Suction & Discharge

WELDING

COUPLING SYSTEMS



AIR & **MULTIPURPOSE** General Purpose Heavy Duty

CHEMICAL TRANSFER

EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING

APPENDIX

GENERAL INFORMATION

DEFINITIONS OF HOSE ENDS



INTEGRAL RUBBER TAPERED NOZZLE END

The inside diameter and the outside diameter of the hose end are gradually tapered down to form a nozzle. The hose reinforcement is also extended to the end of the nozzle.

A rubber end cap is then added to protect the reinforcement and properly shape the nozzle.

This type of nozzle is available only in non-wire inserted horizontal spiral and wrapped ply machine-built hose.




RUBBER BEADED END

A flared bell shape, molded as an integral part of the hose. The reinforcing fabric of the hose body is extended beyond the straight portion of the hose and anchored around a circular steel reinforcing ring.

A reattachable split malleable iron flange is placed behind the rubber bead to act as a metal bearing surface for bolt heads and nuts. Bolts used to connect mating flanges pass over the outside diameter of the beaded end.

Normally used in hand-built hose constructions.



INTEGRAL RUBBER FLANGED END



Shaped similar to a metal pipe flange. It is molded as an integral part of the hose with the tube, fabric reinforcement (not wire) and cover extending to the outside diameter of the rubber flange.

The rubber flange has holes to match customer requirements. In addition, solid metal "backup" rings (drilled to match the rubber flange holes) are always placed behind the rubber flange to provide a metal bearing surface for bolt heads and nuts.

Available only in hand-built hose constructions.




SOFT END



The helical wire reinforcement is terminated several inches back from the end of the hose.

When a hose has either a corrugated cover or tube or both, a soft end is generally used and always has a smooth inside diameter and outside diameter.

Normally used in hand-built hose constructions.





GENERAL INFORMATION

HOSE TESTING METHODS

Reprinted from RMA hose handbook IP-2 2003

SAFETY WARNING:

Testing can be dangerous and should be done only by trained personnel using proper tools and procedures. Failure to follow such procedures might result in damage to property and/or serious bodily injury.

The Rubber Manufacturers Association (RMA) recognizes, accepts and recommends the testing methods of the American Society for Testing and Materials (ASTM).

Unless otherwise specified, all hose tests are to be conducted in accordance with ASTM Method No. D-380 (latest revision). Where an ASTM D-380 test is not available, another test method should be selected and described in detail.

RMA participates with ASTM under the auspices of the American National Standards Institute (ANSI) in Technical Committee 45 (TC45) of The International Organization for Standardization (ISO) in developing both hose product and hose test method standards. Many of the hose test method standards published by ISO duplicate or closely parallel those shown in ASTM D-380. Many are unique and, in those cases, the RMA may be able to provide the necessary test standard references which may be purchased from the American National Standards Institute (ANSI).

HYDROSTATIC PRESSURE TESTS

HYDROSTATIC PRESSURE TESTS ARE CLASSIFIED AS FOLLOWS:

1. DESTRUCTIVE TYPE

a. Burst test

b. Hold test

Destructive Tests

Destructive tests are conducted on short specimens of hose, normally 18 inches (460 mm) to 36 inches (915 mm) in length and, as the name implies, the hose is destroyed in the performance of the test.

- **a.** Burst pressure is recorded as the pressure at which actual rupture of a hose occurs.
- b. A hold test, when required, is a means of determining whether weakness will develop under a given pressure for a specified period of time.

2. NON-DESTRUCTIVE TYPE

a. Proof pressure test

c. Change in outside diameter or circumference test

e. Rise test

h. Volumetric expansion test

b. Change in length test (elongation or contraction) d. Warp test

f. Twist test

g. Kink test

Non-Destructive Tests

Non-destructive tests are conducted on a full length of a hose or hose assembly. These test are for the purpose of eliminating hose with defects which cannot be seen by visual examination or in order to determine certain characteristics of the hose while it is under internal pressure.

- a.A proof pressure test is normally applied to hose for a specified period of time. On new hose, the proof pressure is usually 50% of the minimum specified burst except for woven jacket fire hose where the proof pressure is twice the service test pressure marked on the hose (67% of specified minimum burst). Hydrostatic tests performed on fire hose in service should be no higher than the service test pressure referred to above. The regulation of these pressures is extremely important so that no deteriorating stresses will be applied, thus weakening a normal hose.
- b. With some type of hose, it is useful to know how a hose will act under pressure. All change in length tests, except when performed on wire braid or wire spiralled hose, are made with original length measurements taken under a pressure of 10 psi (0.069 MPa). The specified pressure, which is normally the proof pressure, is applied and immediate measurement of the characteristics desired are taken and recorded.

AIR & **MULTIPURPOSE** Heavy Duty

> **CHEMICAL** TRANSFER

CLEANING FQUIPMENT

> FOOD Transfer

> > MARINE

MATERIAL

HANDLING Bulk Transfer Cement & Concrete

MINING

PETROLEUM

SPRAY

STEAM

VACUUM

VEYANCE

Suction &

WELDING

COUPLING



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdowr

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdowr

WELDING

COUPLING SYSTEMS

APPENDIX

GENERAL INFORMATION

HOSE TESTING METHODS

HYDROSTATIC PRESSURE TESTS (CONTINUED):

Percent length change (elongation or contraction) is the difference between the length at 10 psi (0.069 MPa) (except wire braided or wire spiralled) and that at the proof pressure times 100 divided by the length at 10 psi (0.069 MPa). Elongation occurs if the length of the hose under the proof pressure is greater than at a pressure of 10 psi (0.069 MPa). Contraction occurs if the length at the proof pressure is less than at 10 psi (0.069 MPa). In testing wire braided or spiralled hose, the proof pressure is applied and the length recorded. The pressure is then released and, at the end of 30 seconds, the length is measured; the measurement obtained is termed the "original length."

- c. Percent change in outside diameter or circumference is the difference between the outside diameter or circumference at 10 psi (0.069 MPa) and that obtained under the proof pressure times 100 divided by the outside diameter or circumference at 10 psi (0.069 MPa). Expansion occurs if the measurement at the proof pressure is greater than at 10 psi (0.069 MPa). Contraction occurs if the measurement at the proof pressure is less than at 10 psi (0.069 MPa).
- **d.** Warp is the deviation from a straight line drawn from fitting to fitting; the maximum deviation from this line is warp. First, a measurement is taken at 10 psi (0.069 MPa) and then again at the proof pressure. The difference between the two, in inches, is the warp. Normally this is a feature measured on woven jacket fire hose only.
- **e.** Rise is a measure of the height a hose rises from the surface of the test table while under pressure. The difference between the rise at 10 psi (0.069 MPa) and at the proof pressure is reported to the nearest 0.25 inch (6.4 mm). Normally, this is a feature measured on woven jacket fire hose only.
- f. Twist is a rotation of the free end of the hose while under pressure. A first reading is taken at 10 psi (0.069 MPa) and a second reading at proof pressure. The difference, in degrees, between the 10 psi (0.069 MPa) base and that at the proof pressure is the twist. Twist is reported as right twist (to tighten couplings) or left twist. Standing at the pressure inlet and looking toward the free end of a hose, a clockwise turning is right twist and counterclockwise is left twist.
- g. Kink test is a measure of the ability of woven jacket hose to withstand a momentary pressure while the hose is bent back sharply on itself at a point approximately 18 inches (457 mm) from one end. Test is made at pressures ranging from 62% of the proof pressure on sizes 3 inches (76 mm) and 3.5 inches (89 mm) to 87% on sizes under 3 inches (76 mm). This is a test applied to woven jacket fire hose only.
- **h.** Volumetric expansion test is applicable only to specific types of hose, such as hydraulic or power steering hose, and is a measure of its volumetric expansion under ranges of internal pressure.

DESIGN CONSIDERATIONS

In designing hose, it is customary to develop a design ratio, which is a ratio between the minimum burst and the maximum working pressure.

Burst test data is compiled and the minimum value is established by accepted statistical techniques. This is done as a check on theoretical calculations, based on the strength of reinforcing materials and on the characteristics of the method of fabrication.

Minimum burst values are used as one factor in the establishment of a reasonable and safe maximum working pressure.

MAXIMUM WORKING PRESSURE IS ONE OF THE ESSENTIAL OPERATING CHARACTERISTICS THAT A HOSE USER MUST KNOW AND RESPECT TO ASSURE SATISFACTORY SERVICE AND OPTIMUM LIFE.

It should be noted that design ratios are dependent on more than the minimum burst. The hose technologist must anticipate natural decay in strength of reinforcing materials, and the accelerated decay induced by the anticipated environments in which the hose will be used and the dynamic situations that a hose might likely encounter in service.

Including all considerations, the following recommended design ratios are given for newly manufactured hose:

- 1. Water Hose up to 150 psi WP: 3:1
- 2. Hose for all other liquids, solid materials suspended in liquids or air, and water hose over 150 psi WP: 4:1
- 3. Hose for compressed air and other gases: 4:1
- 4. Hose for liquid media that immediately changes into gas under standard atmospheric conditions: 5:1
- 5. Steam Hose: 10:1



GENERAL INFORMATION

ELECTRICAL RESISTANCE TESTS

FOR HOSE AND HOSE ASSEMBLIES

1.0 Purpose:

This procedure specifies methods for performing electrical resistance tests on rubber and/or plastic hose and hose assemblies.

2.0 Scope:

These procedures are intended to test electrical conductive, antistatic and nonconductive (insulating) hoses, along with electrical continuity or discontinuity between fittings.

WARNING:

Hydraulic hoses used on power and telephone mobile equipment should be tested to SAE 100R8 requirements.

3.0 Definitions:

- 3.1 Antistatic Hose Antistatic hose constructions are those that are capable of dissipating the static electricity buildup that occurs during the high velocity flow of material through a hose.
- 3.2 Conductive Hose Conductive hose constructions are those that are capable of conducting an electrical current.
- 3.3 Direct Current (DC): Flow of electrical current in one direction at a constant rate.
- 3.4 Electrical Conductivity: A measure of the ease with which a material is capable of conducting an electrical current. Conductivity = 1/Resistance.
- 3.5 Electrical Resistance: Property of an object to resist or oppose the flow of an electrical current.
- 3.6 Non-Conductive (Insulating) Hose: Non-conductive hose constructions are those that resist the flow of electrical current.
- 3.7 Ohm's Law: The electrical current, I, is equal to the applied voltage, V, divided by the resistance, R. In practical terms, the higher the electrical resistance at a constant voltage, the lower the electrical current flow through an object.
- 3.8 Ohm: The amount of resistance that limits the passage of current to one ampere when a voltage of one volt is applied to it.

4.0 Apparatus:

4.1 Test Instruments: All test instruments shall have a gauge reliability and reproducibility (R&R) of less than 30%. Some instruments made to measure high electrical resistance may have an internal protection circuit built in which will cause test errors in the less than one megohm range.

During the test, no more than 3 watts (W) shall be dissipated in the specimen, to prevent erroneous results due to effects of temperature. The power dissipated shall be determined by the square of the open-circuit voltage divided by the measured resistance, see formula 1 (Power Dissipation).

To determine the electrical resistance of non-conductive hose, the test should be made with an instrument designed specifically for measuring insulation resistance, having a nominal open-circuit voltage of 500 Volts D.C., or with any other instrument known to give comparable results. For measuring electrical discontinuity, a 1,000 Volt D.C. source may be used instead of a 500 Volt D.C. source.

For hoses with a conductive tube or cover, the resistance values obtained may vary with the applied voltage, and errors may occur at low-test voltages. As a starting point, an ohmmeter (9 volts) can be used. For tests requiring measurement of electrical continuity between end fittings or through continuous internal or external bonded wires, the instrument used shall be an ohmmeter (9 volts).

4.2 Electrodes and Contacts: When the test procedure calls for contact with the hose cover, electrodes shall be formed around the outer circumference of the hose as bands 25 mm +2 mm, 0 mm (1" +1/16", 0") wide by applying silver lacquer/conductive liquid and metallic copper foil tape (i.e. 3M Scotch Brand) as shown in Figure 1. When a conductive silver lacquer (i.e. Colloidal Silver Liquid is available from Ted Pella, Inc. catalogue # 16031) is used, the surface resistance between any two points on a sample of the dried film shall not exceed 100Ω . When a conductive liquid is



AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER Discharg Suction & Discharg Washdow

WELDING

COUPLING

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GENERAL INFORMATION

ELECTRICAL RESISTANCE TESTS

FOR HOSE AND HOSE ASSEMBLIES (continued)

used the electrode contact area shall be completely wetted and shall remain so until the end of the test. The conductive liquid shall consist of:

- Anhydrous polyethylene glycol of relative molecular mass 600: 800 parts by mass
- Water: 200 parts by mass
- Wetting agent: 1 part by mass
- Potassium Chloride: 10 parts by mass

When the test procedure calls for contact with the hose tube, it is preferable to use a copper plug of external diameter equal to or slightly greater than the hose ID or a steel hose stem, coated with the conducting liquid, and pushed 25 mm (1") into the hose. An alternative for 50 mm (2") and above hose would be to apply the conductive silver lacquer onto the hose ID, then insert the plug or hose stem. The electrical leads from the test instrument shall be clean and they should make adequate contact with the metallic copper foil and/or copper plugs/hose stems.

5.0 Preparation and Cleaning for Test:

The surfaces of the hose shall be clean. If necessary, the hose surface may be cleaned by rubbing with Fuller's earth (magnesium aluminum silicate) and water, followed by a distilled water rinse, and allowing the hose to dry in a non-contaminating environment. Do not use organic materials that attack or swell the rubber, and do not buff or abrade the test surfaces.

The surface of the hose shall not be deformed either during the application of the contacts or during the test. When using test pieces, the supports shall be outside the test length. When using a long length of hose, the hose shall be uncoiled and laid out straight on polyethylene or other suitable insulating material. Care should be taken to ensure that the hose is insulated from any electrical leakage path along the length of the hose.

6.0 Test Conditions:

For lab testing, the hose or hose assemblies shall be conditioned for at least 16 hrs at $\pm 23^{\circ}$ C $\pm 2^{\circ}$ C ($\pm 2^{\circ}$ C ($\pm 3.6^{\circ}$ F) with a relative humidity not to exceed 70%. However, it is permissible, by agreement between the supplier and the customer, to use the conditions prevailing in the factory, warehouse, or laboratory, provided that the relative humidity does not exceed 70%.

7.0 Test Pieces:

Prepare three test pieces approximately 300 mm (12") long from samples taken at random from a production run or lot. Condition the test pieces per section 6.0.

Place the test piece on blocks of polyethylene, or other insulating material, to provide a resistance of greater than $10^{11}\Omega$ between the test piece and the surface on which the blocks are supported. Ensure that the leads from the instrument do not touch each other, the hose, or any part except the terminal to which each is connected.

Avoid breathing on the test surfaces and thus creating condensation that may lead to inaccuracies.

8.0 Procedure for hoses with conducting tube:

Apply the electrodes as specified to the inside surface of the hose at each end of the hose. The edge of the electrode plug shall be coincident with the end of the hose. When using a conductive liquid, care shall be taken to avoid creating a leakage path between the tube and the reinforcement or cover of the hose.

Apply the metal contacts to the electrodes.

Apply the test voltage (9V) and measure the resistance 5 seconds \pm 1 second after the voltage is applied.

Note: In previous editions of the Hose Handbook, this method was referred to as the Plug Method.

9.0 Procedure for hose with conducting cover:

Apply the electrodes as specified to the outer circumference of the hose at each hose end. See Figure 6-1.

Ensure that contact is maintained with the electrodes around the circumference and that the contact pieces are sufficiently long enough for the two free ends to be held securely by a tensioning clip (see Figure 6-1) such that the fit of the electrodes is as tight as possible.

Apply the metal contacts.

Apply the test voltage (9V) and measure the resistance 5 seconds \pm 1 second after the voltage is applied.



GENERAL INFORMATION

ELECTRICAL RESISTANCE TESTS

FOR HOSE AND HOSE ASSEMBLIES (continued)

Dimensions in Millimeters Hose test piece, approx. 100 25 9 V d.c. insulation tester Metallic foil pieces wrapped around conducting electrodes and held by clips

Figure 6-1 – Electrodes and contacts for testing hose

10.0 Procedure for hose with conducting or non-conducting compounds throughout:

Apply the electrodes as specified on the inside surface at one end of the hose (end A) and on the outside surface at the other end of the hose (end B).

Apply the metal contacts to the electrodes.

Apply the test voltage (9V for conductive compounds and 500V for non-conductive compounds) and measure the resistance $5 \text{ seconds} \pm 1 \text{ second}$ after the voltage is applied.

Alternative method for non-conductive hose- Nail or "Pot Room" Method

Conduct test as follows:

- 1. Cut sample hose, 24 inches long
- 2. Assure that both inside and outside of hose are free of oil, dirt, etc.
- 3. Pierce sample ends with clean nails, as shown in Fig. 6-2.
- 4. Connect nails to 1000-volt DC power source and megohm meter or 1000 volt "megger" as shown in Fig. 6-2.
- 5. Record total resistance, in megohms.
- 6. Measure "test length" as shown in Fig. 6-2.
- 7. Divide total resistance by test length to get megohms per inch.

AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

Discharge Suction & Discharge

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdowr

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GENERAL INFORMATION

ELECTRICAL RESISTANCE TESTS

FOR HOSE AND HOSE ASSEMBLIES (continued)




Figure 6-2 - Nail or "Pot Room" Test

11.0 Procedure for hose assemblies fitted with metal end fittings:

When it is required that the resistance of a hose assembly be measured, the leads of the test instrument shall be attached directly to the metal hose shank (threaded end connection, fixed flange, stub end of a floating flange, etc.) of the metal end fittings.

Some hoses, especially thermoplastic hoses, have conductive layers within the hose construction. These hoses shall be tested as assemblies made with fittings and assembly techniques specified by the hose and fitting manufacturer.

Apply the metal contacts to the metal end fittings.

Apply the test voltage (9V) and measure the resistance 5 seconds ± 1 second after the voltage is applied.

12.0 Procedure for measurement of electrical continuity:

In certain types of hose constructions, electrical continuity is provided between the end fittings by means of a continuous wire or wires bonded to each coupling. When the construction is such that there are internal and external wires, the electrical continuity of both wires shall be established.

It is essential that contact resistance between the end fittings and the ohmmeter be minimized.

Apply the metal contacts to the metal end fittings.

Apply the test voltage (9V) and measure the resistance 5 seconds ± 1 second after the voltage is applied.



GENERAL INFORMATION

Veyance Tradename	Industry Designation	Outstanding Feature	Sample Hose
Alphasyn®	Modified Cross-Link Polyethylene	Excellent high-temperature chemical resistance.	Tube compound in Viper™ chemical transfer hose.
Carbryn™	Carboxylated Nitrile	Excellent oil and abrasion resistance, good chemical resistance.	Cover compound on multipurpose hose: Gorilla® and Ortac®, pressure washer hose: Galvanator® and Gauntlet.®
litrile	Nitrile OR Buna-N	Oil, solvent and aromatics resistance.	Tube and cover compound in premium air and multipurpose hose, petroleum transfer hose: Gorilla®, Ortac®, Flexwing® Petroleur
Chemivic™	Buna-N-Vinyl	Oil and abrasion resistant compound. Excellent ozone resistance.	Cover compound air/mp hose. Tube compound in food hose: White Flexwing.®
Chemrin®	Chlorinated Polyethylene (CPE)	Excellent chemical resistance.	Tube compound chemical hose: Brown Flexwing.®
Chlorobutyl	Chlorobutyl	FDA compliant material in foodhose. Excellent heat resistance.	Tube compound in food hose and Flexsteel® 250 CB Steam Hose.
Flosyn®	Viton	Excellent oil and chemical resistance.	Tube compound in Orange Flexwing® chemical hose.
Hysunite™	Hypalon	Chemical- and oil-resistant.	Tube compound in chemical transfer hose: Yellow Flexwing.®
Nylon	Nylon	Resistant to many paint sprays, lacquers, thinners, and mild chemicals.	Tube compound in NR Paint Spray.
Omegasyn™	EPDM (abrasion- resistant)	Excellent abrasion resistance. Mild chemical resistance.	Cover compound: Viper.™
Plioflex [®]	SBR	Good abrasion resistance.	Tube and cover compound in water suction and discharge hose: Plicord® Water S&D.
Pyrosyn®	EPDM (Heat Resisant)	Heat Resisant	Tube compound in Flexsteel® 250 Steam and Whitewater, Cover on Flexsteel® 250 Steam and Flexsteel® 250 CB Steam.

AIR & MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GENERAL INFORMATION

Veyance Tradename	Industry Designation	Outstanding Feature	Sample Hose
Pliosyn™	Ultra High Molecular Weight Polyethylene	Excellent chemical resistance. Good flexibility properties.	Tube compound in Fabchem [™] chemical hose.
Pliovic®	Polyvinyl Chloride	Lightweight, flexible and economical.	Pliovic® 250, Spiraflex® 1600.
Pureten™	Natural Rubber	Excellent abrasion resistance, resilient, tensile strength, retains flexibility below 0°F (Poor ozone).	Tube compound in material handling hose: Blucor®, Harvest™, and Tan Flexwing.®
Speclar®	Cross-Link Polyethylene	Excellent chemical resistance.	Tube compound in Blue Flexwing® chemical hose.
Spirathane™	Urethane	Excellent abrasion resistance and good chemical resistance.	Spirathane™ LD and inner liner of Spirathane™ HD.
Teflon®	Fluorinated Propylene OR Teflon®	Excellent chemical and petroleum resistance.	Tube compound in Hi-Per® Teflon® Hose.
TPE	Thermoplastic Elastomer	Heat- and/or cold-resistant, flexible and resistant to solvents.	Premier.
Tufsyn®	Polybutadiene Blend	Good tensile strength, high elongation, abrasion resistance, nonstatic properties.	Tube compound in Plicord® Blast, Plicord® Dredge Sleeve, Sand Suction
Versigard®	EPDM	Heat- and/or cold-resistant, weather and ozone resistant, mild chemical resistance.	Tube and cover compound in multipurpose hose: Horizon®, cover compound on chemical hose: Fabchem.®
Weatherex®	Butyl	Low permeability to air and gas; outstanding dampening and shock effect.	Tube compound in chemical transfer hose: Yellow Flexwing.®
Wingprene®	Neoprene (DuPont)	All purpose elastomer; good oil, heat and chemical resistance; very good ozone resistance.	Cover compound in petroleum transfer hose: Super Black Flexwing®, and Red Flextra.®



GENERAL INFORMATION

HOW TO SELECT THE RIGHT HOSE

In order to obtain the best service from any particular hose application, two important conditions must be fulfilled:

- 1. To select the right hose for the job.
- To make sure, that after having obtained the right hose, it is fitted correctly and used in a proper manner.

When considering a particular hose application, the following basic factors should be considered:

- 1. Inside diameter.
- 2. Outside diameter.
- Materials being conveyed (e.g., air, water, acids, oils, steam, etc.).
- Precise composition of substance (important in the case of oils, solvents, spraying media, foods, beverages, petroleum products, gases, etc.).
- **5.** Concentration (in the case of chemicals).
- 6. Maximum temperature of substance.
- Maximum pressure (including any possible surge or back pressure).
- **8.** Degree of vacuum (in the case of suction hose).
- **9.** External conditions. The scope of this factor is possibly the widest of all and covers such things as:

Abrasion.

Climactic conditions.

Direct heat.

Radiated heat.

Contamination from oil, grease, solvents, acids, etc. End loads.

Flexings — degree and cycle.

Crushing conditions.

Kinking conditions.

Details of couplings (particularly in specialized applications).

Steam Hose

Air, steam, and water hoses are the three types of hose most used in industrial plants. The following instructions apply in general to these types of hose. Since steam service is usually the most severe in the average plant, particular attention is directed to steam hose. In selecting a hose for a steam installation it is important that the type recommended is sufficient to handle the maximum working pressure. Your Goodyear Engineered Products representative will assist in making recommendations.

At elevated temperatures, steam severely affects rubber hose of all types, so it is important that temperature be considered in the choice of a steam hose. High steam temperature and pressure can cause deterioration in certain reinforcing members used in hose and a relatively small increase in temperature can greatly affect hose performance.

The steam pressure is important in that it determines the minimum temperature condition under which the hose will be used. If the steam is saturated, its temperature is directly related to its pressure. The temperature may be determined from the Saturated Steam Table on page 291. However, if steam is superheated, the degree of superheating must be known to determine the actual temperature which the hose must withstand.

The flex factor takes into consideration the magnitude of the flexing and its time cycle. A flexing that is rapid and continuous, even though of small magnitude, would be considered as severe as flexing that is large in magnitude but with an extremely long time cycle. The degree of flexing is an important factor in the ultimate life of the hose.

Refer to R.M.A. Technical Information Bulletin #1P-11-1.

Air Hose

Many fine types of air hose, equipped with tough, abrasion-resisting covers and with are offered tube stocks which will successfully resist oil mist, if present. Where tools are lubricated through hose, only the very best quality air hose with highest grade oil-resisting tube should be used. The recommended working pressure should be sufficient to withstand the maximum pressures encountered.

Water Hose

In the selection of the correct water hose for any service, the same principles apply as for air and steam hose.

Suction Hose

Most Goodyear Engineered Products vacuum or suction hose are designed to withstand full vacuum. However, in some of the lighter styles. less than full vacuum is recommended.

Use the information in this catalog to help determine the best hose for your application. To assist your efforts to collect the data necessary to make a proper hose recommendation, use the form on the next page.

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GENERAL INFORMATION

INDUSTRIAL HOSE INQUIRY/RECOMMENDATION

SIZE:	PRESSURE(S):
l.D.	Working Pressure (including surges)
0.D.	Burst Pressure
Hose Length (OAL or uncpld lgth)	Suction or Vacuum Requirements
Tolerances	Velocity
TEMPERATURE:	Impulse
of Material Being Conveyed (High, Low, Ambient)	ENDS & FITTINGS:
of Outside Exposure (High, Low, Ambient)	Factory Applied Fittings: type of threads
Intermittent?	
Constant?	Reusable / Nonreusable
Sub-zero Exposure?	Material for Fittings
APPLICATION(S):	Built-in Fittings / Ends: Beaded
Indoor and/or Outdoor Use	Flanged
Intermittent or Continuous Use	Kubber-Lined
Flexibility Required (min. bend radius)	Other
Movement (Static, Vibrations, Flexing)	Cut to Length
External Conditions: Abrasion	Crimp Specs / Crimper (Hydraulics)
liO	DELIVERY:
Solvents	Leadtime
Acid	Quantity
Ozone	Stock / Nonstock
Electrical/Static Conductive	Special Print
Oil Resistance: Tube	Special Packaging
Cover	OTHER INFORMATION:
Flame Resistance	
Noncontaminating Materials	Customer: Date:
	Customer #:
Current Hose Service Llife/Failure Description	
Service Life Desired	Ship To:
MATERIAL(S) BEING CONVEYED:	Bill To:
Solids (size, description)	Telenhone #.
Gaseous (volatility, inert)	
Liquids (flammability, causticity, acid/alkaline, solution/concentration)	Bolded block areas MUST be filled out on all inquiries.
Chemical Names (generic)	



GENERAL INFORMATION

TEM	PERA	TURE (CONVE	RSIO	N									
					f in °C, rea	-		-						
	-459° to	0°		1° to 6	0°	6	1° to 29	10°	30	10° to 8	90°	90	10° to 30	100°
С	C F	F	С	C F	F	С	C F	F	С	C F	F	С	C F	F
-273	-459.4		-17.2	1	33.8	16.1	61	141.8	149	300	572	482	900	1652
-268	-450		-16.7	2	35.6	16.7	62	143.6	154	310	590	488	910	1670
-262	-440		-16.1	3	37.4	17.2	63	145.4	160	320	608	493	920	1688
-257	-430		-15.6	4	39.2	17.8	64	147.2	166	330	626	499	930	1706
-251	-420		-15.0	5	41.0	18.3	65	149.0	171	340	644	504	940	1724
-246	-410		-14.4	6	42.8	18.9	66	150.8	177	350	662	510	950	1742
-240	-400		-13.9	7	44.6	19.4	67	152.6	182	360	680	516	960	1760
-234	-390		-13.3	8	46.4	20.0	68	154.4	188	370	698	521	970	1778
-229	-380		-12.8	9	48.2	20.6	69	156.2	193	380	716	527	980	1796
-223	-370		-12.2	10	50.0	21.1	70	158.0	199	390	734	532	990	1814
-218	-360		-11.7	11	51.8	21.7	71	159.8	204	400	752	538	1000	1832
-212	-350		-11.1	12	53.6	22.2	72	161.6	210	410	770	549	1020	1868
-207	-340		-10.6	13	55.4	22.8	73	163.4	216	420	788	560	1040	1904
-201	-330		-10.0	14	57.2	23.3	74	165.2	221	430	806	571	1060	1940
-196	-320		-9.4	15	59.0	23.9	75	167.0	227	440	824	582	1080	1976
-190	-310		-8.9	16	60.8	24.4	76	168.8	232	450	842	593	1100	2012
-184	-300	-459.4	-8.3	17	62.6	25.0	77	170.6	238	460	860	604	1120	2048
-179	-290		-7.8	18	64.4	25.6	78	172.4	243	470	878	616	1140	2084
-173	-280		-7.2	19	66.2	26.1	79	174.2	249	480	896	627	1160	2120
-169	-273		-6.7	20	68.0	26.7	80	176.0	254	490	914	638	1180	2156
-168	-270	-454	-6.1	21	69.8	27.2	81	177.8	260	500	932	649	1200	2192
-162	-260	-436	-5.6	22	71.6	27.8	82	179.6	266	510	950	660	1220	2228
-157	-250	-418	-5.0	23	73.4	28.3	83	181.4	271	520	968	671	1240	2264
-151	-240	-400	-4.4	24	75.2	28.9	84	183.2	277	530	986	682	1260	2300
-146	-230	-382	-3.9	25	77.0	29.4	85	185.0	282	540	1004	693	1280	2336
-140	-220	-364	-3.3	26	78.8	30.0	86	186.8	288	550	1022	704	1300	2372
-134	-210	-346	-2.8	27	80.6	30.6	87	188.6	293	560	1040	732	1350	2462
-129	-200	-328	-2.2	28	82.4	31.1	88	190.4	299	570	1058	760	1400	2552
-123	-190	-310	-1.7	29	84.2	31.7	89	192.2	304	580	1076	788	1450	2642
-118	-180	-292	-1.1	30	86.0	32.2	90	194.0	310	590	1094	816	1500	2732
-112	-170	-274	-0.6	31	87.8	32.8	91	195.8	316	600	1112	843	1550	2822
-107	-160	-256	0.0	32	89.6	33.3	92	197.6	321	610	1130	871	1600	2912
-101	-150	-238	0.6	33	91.4	33.9	93	199.4	327	620	1148	899	1650	3002
-96	-140	-220	1.1	34	93.2	34.4	94	201.2	332	630	1166	927	1700	3092
-90	-130	-202	1.7	35	95.0	35.0	95	203.0	338	640	1184	954	1750	3182
-84	-120	-184	2.2	36	96.8	35.6	96	204.8	343	650	1202	983	1800	3272
-79	-110	-166	2.8	37	98.6	36.1	97	206.6	349	660	1220	1010	1850	3362
-73	-100	-148	3.3	38	100.4	36.7	98	208.4	354	670	1238	1038	1900	3452
-68	-90	-130	3.9	39	102.2	37.2	99	210.2	360	680	1256	1066	1950	3542
-62	-80	-112	4.4	40	104.0	37.8	100	212.0	366	690	1274	1093	2000	3632
-57	-70	-94	5.0	41	105.8	43	110	230	371	700	1292	1121	2050	3722
-51	-60	-76	5.6	42	107.6	49	120	248	377	710	1310	1149	2100	3812
-46	-50	-58	6.1	43	109.4	54	130	266	382	720	1328	1177	2150	3902
-40	-40	-40	6.7	44	111.2	60	140	284	388	730	1346	1204	2200	3992
-34 -29 -23 -17.8	-30 -20 -10 0	-22 -4 14 32	7.2 7.8 8.9 9.4 10.0 11.1 11.7 12.8 13.3 13.9 14.4 15.0 15.6	45 46 47 48 49 55 55 55 55 55 56 56 60	113.0 114.8 116.6 118.4 120.2 122.0 123.8 125.6 127.4 129.2 131.0 132.8 134.6 136.4 138.2 140.0	66 71 77 82 88 93 99 100 104 110 121 127 132 138 143	150 160 170 180 190 200 210 212 220 230 240 250 270 280 290	302 320 338 356 374 392 410 413.6 428 446 482 500 518 536	393 399 404 410 416 427 432 438 443 449 454 466 471 477	740 750 760 770 780 800 810 820 830 840 850 850 870 880	1364 1382 1400 1418 1436 1454 1472 1490 1508 1526 1544 1562 1580 1598 1616 1634	1232 1260 1288 1316 1343 1371 1399 1427 1454 1482 1510 1538 1566 1593 1621 1649	2250 2300 2350 2400 24500 2550 2650 2750 2750 2800 2850 2900 2950 3000	4082 4172 4262 4352 4442 4532 4712 4802 4892 4892 5072 5162 5252 5342 5432

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

WELDING

COUPLING SYSTEMS

APPENDIX

GENERAL INFORMATION

USEFUL CONVERSION CHARTS

Decimal and Millimeter Equivalents of Fractions

рес	ımaı and	Millimete
Inches		
Fractions	Decimals	Millimeters
1/64	.015625	.397
1/32 ———	.03125	.794
3/64	.046875	1.191
¹ /16 —	.0625	1.588
5/64 ———	.078125	1.984
3/32 ———	.09375	2.381
7/64	.109375	2.778
l∕8 —	.125	3.175
9/64 ———	.140625	3.572
5/32 ———	.15625	3.969
11/64 ———	.171875	4.366
³ /16 —	.1875	4.763
13/64 ———	.203125	5.159
//32 ———	.21875	5.556
15/64 ———	.234375	5.953
l _{/4} —	.250	6.350
17/64	.265625	6.747
9/32 ———	.28125	7.144
19/64 ———	.296875	7.541
5/16 —	.3125	7.938
21/64	.328125	8.334
11/32 ———	.34375	8.731
²³ /64 ———	.359375	9.128
3/8 —	.375	9.525
25/64	.390625	9.922
13/32	.40625	10.319
27/64 — 7	.421875	10.716
7/16 —	.4375	11.113
29/64	.453125	11.509
15/32 ——	.46875	11.906
31/64 — 1	.484375	12.303
1/2 —	.500	12.700

Inches		
Fractions	Decimals	Millimeters
33/64	.515625	13.097
17/32	.53125	13.494
35/64	.546875	13.891
9,40	.5625	14.288
37/64 ———	.578125	14.684
³⁷ / ₆₄ 19 / ₃₂ 	.59375	15.081
55/64	.609375	15.478
5/8 —	.625	15.875
41/64	.640625	16.272
²¹ /32 ———	.65625	16.669
43/6/1	.671875	17.066
¹¹ /16 —	.6875	17.463
45/64	.703125	17.859
²³ /32 ———	.71875	18.256
4//64	.734375	18.653
3/4-	.750	19.050
49/64	.765625	19.447
25/32	.78125	19.844
51/64 — 12	.796875	20.241
13/16 —	.8125	20.638
53/64 27/32	.828125	21.034
²⁷ /32——	.84375	21.431
64 —	.859375	21.828
7/8—	.875	22.225
57 _{/64} 29 /32 ——	.890625	22.622
²³ /32——	.90625	23.019
00/6/1	.921875	23.416
15/16 —	.9375	23.813
61/64 31/32	.953125	24.209
63	.96875	24.606
°°/64 ———	.984375	25.003
1-	1.000	25.400

Pressure Conversion (feet of water to pounds per square inch) Based on formula (psi) = Pressure Head [Ft. of Water] x 0.433

Pressure Head	Pressure	Pressure Head	Pressure	Pressure Head	Pressure
(Ft. of Water)	(psi)	(Ft. of Water)	(psi)	(Ft. of Water)	(psi)
0	0	200	87	410	177
5	2.2	210	91	420	182
10	4.3	220	95	430	186
20	8.7	230	100	440	190
30	13	240	104	450	195
40	17	250	108	460	199
50	22	260	113	470	203
60	26	270	117	480	208
70	30	280	121	490	212
80	35	290	126	500	216
90	39	300	130	550	238
100	43	310	134	600	260
110	48	320	139	650	281
120	52	330	143	700	303
130	56	340	147	750	325
140	61	350	151	800	346
150	65	360	156	850	368
160	69	370	160	900	390
170 180 190	74 78 82	380 390 400	164 169 173	950 1000	411 433

Pressure Conversion

(feet of water to inches of mercury)

Feet of	Inches of
Water	Mercury
1	0.9
2	1.8
4	3.5
6	5.3
8	7.1
10	8.8
12	10.6
14	12.4
16	14.1
18	15.9
20	17.7
22	19.4
24	21.2
26	23.0
28	24.8
30	26.5
32	28.3
34	30.0

Measures of Pressures

1 lb. per square inch = 144 lbs. per square foot = 0.068 atmosphere = 2.042 inches of mercury @ $62^{\circ}F$ = 2.31 feet of water at $62^{\circ}F$.

1 atmosphere = 30 inches of mercury at $62^{\circ}F = 14.7$ lbs. per square inch = 2116.3 lbs. per square foot = 33.95 feet of water at $62^{\circ}F$

1 foot of water at $62^{\circ}F = 62.355$ lbs. per square foot = 0.433 lb. per square inch.

1 inch of mercury at $62^{\circ}F = 1.132$ feet of water = 13.58 inches of water = 0.491 lb. per square inch.

Column of water 12 inches high, 1 inch diameter = .341 lb.



GENERAL INFORMATION

CONVERSIO	M CUM	РТИИТР
GUINVENSIU		SIMIIS

Metric to U.S.	U.S. to Metric
Millimeters x .039370 = inches	Inches x 25.4001 = millimeters
Meters x 39.370 = inches	Inches x .0254 = meters
Meters x 3.2808 = feet	Feet x .30480 = meters
Meters x 1.09361 = yards	Yards x .91440 = meters
Kilometers x 3,280.8 = feet	Feet x .0003048 = kilometers
Kilometers x .62137 = Statute Miles	Statute Miles x 1.60935 = kilometers
Kilometers x .53959 = Nautical Miles	Nautical Miles x 1.85325 = kilometers

WEIGHT CONVERSION CONSTANTS

Metric to U.S.	U.S. to Metric
Grams x 981 = dynes	Dynes x .0010193 = grams
Grams x 15.432 = grains	Grains x .0648 = grams
Grams $x .03527 = ounces$ (Avd.)	Ounces (Avd.) \times 28.35 = grams
Grams x .033818 = fluid ounces (water)	Fluid Ounces (Water) x 29.57 = grams
Kilograms $x 35.27 = ounces$ (Avd.)	Ounces (Avd.) $x .02835 = kilograms$
Kilograms x $2.20462 = pounds$ (Avd.)	Pounds (Avd.) $x.45359 = kilograms$
Metric Tons (1000 Kg.) x 1.10231 = Net Ton (2000 lbs.)	Net Ton (2000 lbs.) x .90719 = Metric Tons (1000 Kg.)
Metric Tons (1000 Kg.) x .98421 = Gross Ton (2240 lbs.)	Gross Ton (2240 lbs.) x 1.101605 = Metric Tons (1000 Kg.)

AREA CONVERSION CONSTANTS

Metric to U.S.	U.S. to Metric
Square Millimeters x .00155 = square inches	Square Inches x $645.163 = $ square millimeters
Square Centimeters x .155 = square inches	Square Inches x 6.45163 = square centimeters
Square Meters x 10.76387 = square feet	Square Feet $x.0929 = square meters$
Square Meters x 1.19599 = square yards	Square Yards x .83613 = square meters
Hectares x 2.47104 = acres	Acres x .40469 = hectares
Square Kilometers x 247.104 = acres	Acres $x .0040469 = square kilometers$
Square Kilometers $x.3861 = square miles$	Square Miles x 2.5899 = square kilometers

AIR & MULTIPURPOSE General Purpose

General Purpose Heavy Duty Push-on

> CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives

Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge

Washdown

WELDING

COUPLING SYSTEMS



AIR &
MULTIPURPOSE
General Purpose
Heavy Duty
Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL

HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GENERAL INFORMATION

PROPERTIES OF SATURATED STEAM

The steam pressure is important because it determines the minimum temperature condition under which the hose will be used. The operating temperature is a very important factor in selecting a steam hose as a relatively small increase in temperature can greatly reduce the hose life.

Pressure-Temperature Equivalents of Saturated Steam							
Lbs. per sq. in. pressure	Temperat °F	ure °C	Lbs. per sq. in. pressure	Tempera °F	ature °C		
0	212.0	100.0	110	344.1	173.4		
5	227.1	108.4	115	347.2	175.1		
10	239.4	115.2	120	350.1	175.7		
15	249.8	121.0	125	352.9	178.3		
20	258.8	126.0	130	355.6	179.8		
22	261.2	127.8	135	358.3	181.3		
24	265.3	129.6	140	360.9	182.7		
26	268.3	131.3	145	363.4	184.1		
28	271.2	132.9	150	365.9	185.5		
30	274.1	134.5	155	368.2	186.8		
32	276.8	136.0	160	370.6	188.1		
34	279.3	137.4	165	373.9	189.4		
36	281.8	138.8	170	375.3	190.7		
38	284.4	140.2	175	377.4	191.9		
40	286.7	141.5	180	379.6	193.1		
42	289.0	142.8	185	381.7	194.3		
44	291.2	144.0	190	383.7	195.4		
46	293.5	145.3	195	385.9	196.6		
48	295.5	146.4	200	387.9	197.7		
50	294.7	147.6	205	398.8	198.8		
52	299.9	148.7	210	391.6	199.8		
54	301.6	149.8	215	392.9	200.5		
56	303.6	150.9	220	395.4	201.7		
58	308.4	151.9	225	397.2	202.9		
60	307.4	153.0	230	399.0	203.9		
62	309.2	154.0	235	400.7	204.8		
64	310.8	154.9	240	402.5	205.8		
66	312.6	155.9	245	404.2	206.8		
68	314.2	156.8	250	406.1	207.8		
70	316.0	157.0	255	407.7	208.7		
72	317.7	158.7	260	409.4	209.7		
74	319.3	159.6	265	411.0	210.6		
76	320.9	160.5	270	412.6	211.4		
78	322.3	161.3	275	414.2	202.3		
80	323.8	162.1	280	415.7	213.2		
85 90 95 100 105	327.6 331.2 334.6 337.8 341.1	164.2 166.2 168.1 169.9 171.7	300 350	421.0 436.5	216.1 224.7		



GENERAL INFORMATION

FLOW DATA

This table may be used to determine the pressure loss in hose connected to rock drills and pneumatic tools. It is correct for hose with smooth inside lining. Hose with rough inside lining may have a friction loss of as much as 50% greater than the figures given in the table.

AIR FLOW PRESSURE LOSS															
PULSATING FLOW															
Size of	Gauge						e passing t								
Hose	press. at line	20	30	40	50	. 60	70	80	90	100	110	120	130	140	150
	50	1.0	5.0	10.1		in pound:	s per squa	re inch — :	oU foot ho	ose length					
½ in. with couplings at each end	60 70 80 90 100	1.8 1.3 1.0 .9 .8 .7	3.4 2.8 2.4 2.3 2.0	8.4 7.0 6.0 5.4 4.8 4.3	18.1 14.8 12.4 10.8 9.5 8.4 7.6	23.4 20.0 17.4 14.8 13.3 12.0	28.4 25.2 22.0 19.3 17.6	34.6 30.5 27.2 24.6	41.0 36.6 33.3	44.5					
¾ in. with couplings at each end	50 60 70 80 90 100	.4 .3 .2 .2 .2 .2 .2	.8 .6 .5 .5 .4 .4	1.5 1.2 .9 .8 .7 .6	2.4 1.9 1.5 1.3 1.1 1.0	3.5 2.8 2.3 1.9 1.6 1.4 1.3	4.4 3.8 3.2 2.8 2.3 2.0 1.8	6.5 5.2 4.2 3.6 3.1 2.7 2.4	8.5 6.8 5.5 4.7 4.0 3.5 3.1	11.4 8.6 7.0 5.8 5.0 4.4 3.9	14.2 11.2 8.8 7.2 6.2 5.4 4.9	11.0 8.8 7.5 6.6 5.9	10.6 9.0 7.9 7.1	9.4 8.4	11.1 9.9
1 in. with couplings at each end	50 60 70 80 90 100 110	.1 .1	.2 .2 .1 .1 .1 .1	.3 .2 .2 .2 .2 .2	.5 .4 .4 .3 .3 .2	.8 .6 .5 .5 .4 .4	1.1 .8 .7 .7 .6 .5	1.5 1.2 1.0 .8 .7 .6	2.0 1.5 1.3 1.1 .9 .8 .7	2.6 2.0 1.6 1.4 1.2 1.0	3.5 2.6 2.0 1.7 1.4 1.2 1.1	4.8 3.3 2.5 2.0 1.7 1.5 1.3	7.0 4.2 3.1 2.4 2.0 1.8 1.5	5.5 3.8 2.7 2.4 2.1 1.8	7.2 4.7 3.5 2.8 2.4 2.1
1¼ in. with couplings at each end	50 60 70 80 90 100			.1	.2 .1 .1	.2 .2 .2 .1 .1	.3 .3 .2 .2 .2 .2 .1	.4 .3 .3 .2 .2 .2 .2	.5 .5 .4 .3 .3 .2	.7 .6 .4 .4 .3 .3	1.1 .8 .5 .5 .4 .4 .3	1.0 .7 .6 .5 .4	1.2 .8 .7 .6 .5	1.5 1.0 .8 .7 .6	1.3 1.0 .8 .7
1½ in. with couplings at each end	50 60 70 80 90 100 110						.1	.2	.2 .2 .1	.2 .2 .2 .1	.3 .2 .2 .2 .2	.3 .2 .2 .2 .2 .1	.4 .3 .3 .2 .2 .2	.5 .4 .3 .3 .2 .2	.6 .5 .4 .4 .3 .2

For longer or shorter lengths of hose, the friction loss is proportional to the length, e.g., for 25 ft., half of the above; for 150 ft., three times the above, etc.

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concret

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

Α.	н	H /	\/l	
\circ	1	L_/	VΙ	

VACUUM

VEYANCE

VLIANCE	
WATER	
Discharge	
Suction &	
Discharge	
Machdown	

WELDING

COUPLING SYSTEMS GENERAL INFORMATION

FLOW DA	ATA (conti	inued)								<u> </u>
		WATER FL	OW PRE	SSURE L	.OSS (PS	I per 10	O feet of	f hose)		
Flow of water in U.S. gal. per min.	Flow of water in						neter, Inch			
U.S. gal. per min.	cu. feet per sec.	1/2	⁵ / ₈	3/4	1	11/4	11/2	2	2 ¹ / ₂	3
0.5 1.5 2.5 5 10	.001 .003 .005 .011 .022	0.4 3.02 7.75 27.8 99.5	1.01 2.58 9.27 33.2	0.42 1.08 3.86 13.8	0.95 3.38	0.32 1.14	0.13 0.47	0.12		
15 20 25 30 35	.033 .044 .055 .066 .077		71.0 121.0	29.6 50.3 76.5 108.0 142.0	7.25 12.4 18.7 26.5 34.8	2.45 4.15 6.34 8.96 11.8	1.01 1.71 2.60 3.68 4.83	0.25 0.42 0.64 0.90 1.18	0.08 0.14 0.22 0.30 0.40	0.13 0.17
40 45 50 60 70	.088 .099 .110 .132 .154				44.7 55.0 67.5 94.3 126.0	15.1 18.6 22.8 31.8 42.5	6.20 7.65 9.35 13.1 17.5	1.52 1.87 2.28 3.19 4.25	0.51 0.63 0.78 1.08 1.44	0.21 0.26 0.32 0.45 0.60
80 90 100 125 150	.176 .198 .223 .278 .334					54.6 67.5 81.5 124.0	22.5 27.8 33.5 50.6 72.1	5.48 6.80 8.19 12.4 17.6	1.86 2.30 2.78 4.20 6.97	0.77 0.95 1.15 1.73 2.46
175 200 225 250 275	.390 .446 .501 .557 .613						94.5 122.0	23.1 29.6 36.8 44.6 53.3	7.83 10.1 12.5 15.2 18.1	3.23 4.15 5.15 6.28 7.45
300 325 350 375 400	.688 .724 .780 .836 .891							62.5 72.5 83.2 94.5 107.0	21.2 24.6 28.2 32.1 36.2	8.75 10.2 11.7 13.3 14.9
450 500 600 700 800	1.00 1.11 1.34 1.56 1.78								44.9 54.5 76.5 102.0 131.0	18.6 22.5 31.6 42.1 53.9
900 1000 1100 1200 1300	2.00 2.23 2.45 2.67 2.90									66.8 81.4 97.0 114.0 132.0
1400 1500 1600 1800	3.12 3.34 3.56 4.01									

Note: The pressure loss experienced by a liquid flowing through a hose depends on the rate of flow, the viscosity of the liquid, the hose I.D., the smoothness of the tube, and the hose length. This chart shows the relationship between rate of flow, I.D., and pressure loss for water at 68°F with a viscosity of one centipoise. The pressure is directly proportional to the length of the hose, therefore, the data shown can be easily extended by use of proportions, e.g., the pressure drop for 50 feet of hose length is half that for 100 feet.

APPENDIX



2000

4.45

GENERAL INFORMATION

FI NW D	ATA (conti	nued)										
TEOW D		/ATER FLOW	PRESSUR	E LOSS (PS	SI per 100	feet of hos	se)					
Flow of	Flow of Flow of Actual Internal Diameter, Inches water in											
Flow of water in U.S. gal. per min.	water in cu. feet per sec.	4	6	8	10	12	14	16				
100 125 150 175 200	.223 .278 .334 .390 .446	.26 .40 .54 .70 .90	.10 .13									
225 250 275 300 325	.501 .557 .613 .668 .724	1.08 1.34 1.60 1.84 2.04	.16 .19 .24 .28 .33									
350 375 400 425 450	.780 .836 .891 .947 1.00	2.30 2.80 3.10 3.40 3.80	.37 .44 .49 .54 .60									
475 500 550 600 650	1.06 1.11 1.22 1.34 1.45	4.25 4.60 5.60 6.60 7.60	.70 .78 .93 1.10 1.30	.16 .18 .23 .27								
700 750 800 850 900	1.56 1.67 1.78 1.89 2.00	8.60 9.60 10.80 12.00	1.50 1.70 1.90 2.20 2.40	.30 .34 .39 .44 .49								
950 1000 1100 1200 1300	2.12 2.23 2.45 2.67 2.90		2.60 2.80 3.20 3.70 4.50	.54 .59 .66 .74 .88	.19 .23 .27 .31							
1400 1500 1600 1800 2000	3.12 3.34 3.56 4.01 4.45		5.30 6.20 7.00 8.80 16.50	1.10 1.25 1.40 1.80 2.20	.35 .40 .45 .54 .64	.15 .17 .19 .24 .29	.14					
2500 3000 3500 4000 4500	5.57 6.68 7.80 8.91 10.03			3.40 4.50 6.20 8.20 10.20	.98 1.40 1.90 2.40 3.00	.42 .58 .79 1.00 1.25	.21 .29 .39 .50 .62	.14 .18 .23 .28				
5000 6000 7000 8000 9000	11.14 13.37 15.60 17.82 20.05				3.80 5.20 7.00 9.20 11.50	1.50 2.10 2.80 3.70 4.60	.74 1.10 1.40 1.80 2.30	.34 .46 .62 .80 1.00				
10000 12000 14000 16000 18000 20000	22.28 26.74 31.19 35.65 40.10 44.56					5.70 6.70 10.00 13.50	2.80 3.70 5.00 6.80 8.80 11.00	1.25 1.70 2.40 3.30 4.40 5.50				

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL

HANDLING Abrasives Bulk Transfer

Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS





AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GENERAL INFORMATION

OPEN-END DISCHARGE

The term "open-end discharge" refers to a hose which empties a fluid into the atmosphere. Even though one end is open, the pressure is not low throughout the hose.

The inlet end pressure is equal to that in the line to which the hose is connected unless the flow rate is so low that the hose is not completely filled. The pressure along the hose length drops from a maximum at the inlet to zero at the outlet and the pressure at any given point along the length is nearly proportional to the distance from the hose inlet.

The following table shows the flow in gallons per minute for various sizes of hoses in open-end discharge service.


	OPEN-END FLOW (GPM)																		
	Pressure Hose Length, feet at Inlet,				Pressure at Inlet,				Hose Length, feet										
	psi	25	50	75	100	125	150	200	300		psi	25	50	75	100	125	150	200	300
	30	10.4	6.2	5.6	4.8	4.3	3.8	3.3	2.6		30	68.0	46.2	37.5	32.0	28.5	25.8	22.0	17.8
	40	12.1	8.5	6.2	5.6	5.0	4.5	3.8	3.2		40	79.0	54.4	44.0	37.5	33.0	30.0	25.8	20.8
	50	13.8	9.4	7.5	6.4	5.6	5.1	4.0	3.5		50	89.0	62.0	49.0	42.0	37.5	34.0	29.0	23.3
	60	15.2	10.4	8.5	7.1	6.2	5.6	4.9	3.8		60	100.0	68.0	54.4	46.2	41.8	37.5	32.0	25.8
1/2"	70	16.6	11.2	9.0	7.8	6.8	6.2	5.3	4.2	1″	70	_	74.0	59.0	51.0	45.0	40.8	37.3	28.0
hose	80	18.0	12.1	9.8	8.5	7.3	6.6	5.6	4.5	hose	80	_	79.0	63.0	54.4	48.0	43.0	37.5	30.0
	90	19.0	13.0	10.4	8.8	7.7	7.1	6.0	4.8		90	_	84.0	68.0	58.0	51.8	46.2	40.0	32.0
	100	20.1	13.8	11.0	9.4	8.5	7.5	6.4	4.9		100	_	89.0	71.0	62.0	54.4	49.0	42.0	34.0
	125	22.8	15.5	12.5	10.5	9.4	8.5	7.2	5.8		125	_	101.0	80.0	68.0	62.0	55.8	47.8	38.0
	30	18.1	12.5	10.3	8.7	7.7	7.0	6.0	4.9		50	_	110.0	85.0	72.0	56.0	58.0	50.0	42.0
	40	21.4	14.8	12.5	10.3	9.0	8.3	7.0	5.7	11/4"	75	_	130.0	110.0	90.0	80.0	73.0	64.0	52.0
	50	23.9	16.5	13.2	11.4	10.3	9.2	7.9	6.3	hose	100	_	150.0	125.0	110.0	92.0	85.0	73.0	58.0
	60	26.5	18.1	14.8	12.5	11.2	10.3	8.7	7.0		150	_	_	150.0	130.0	120.0	110.0	90.0	67.0
5/8"	70	27.5	20.0	16.0	13.7	12.0	11.0	10.0	7.6		50		1400	1150		05.0	75.0	05.0	54.0
hose	80	30.6	21.4	16.8	14.8	13.0	11.8	10.3	8.3	13/8″	50	_	140.0	115.0	96.0	85.0	75.0	65.0	54.0
	90	32.5	22.5	18.1	15.5	14.0	12.5	10.5	8.7		75	_	170.0		125.0		96.0	84.0	67.0
	100	34.5	23.9	19.0	16.6	14.8	13.2	11.4	9.2	hose	100	_	205.0		140.0			96.0	75.0
	125	39.0	27.0	21.5	18.5	16.6	15.0	12.9	10.5		150	_	_	205.0	170.0	155.0	140.0	125.0	97.0
	30	31.0	21.3	17.2	14.8	13.0	11.8	10.2	8.2		50	_	180.0	150 0	130.0	120 0	105 0	90.0	74.0
	40	36.0	25.0	20.0	17.2	15.2	13.8	11.8	9.4	11/2″	75	_	230.0		160.0				
	50	41.0	28.0	22.5	19.2	17.2	15.5	13.2	10.7	hose	100	_	260.0		180.0				
	60	45.5	31.0	25.0	21.3	19.0	17.2	14.8	11.8		150	_	_		230.0				
3/4"	70	49.5	34.0	27.2	23.5	21.0	18.8	17.1	12.8										
hose	80	53.0	36.0	29.1	25.0	22.0	20.0	17.2	13.8	0//	50	_	380.0		270.0				
	90	56.2	39.0	31.0	27.0	23.8	21.3	18.2	14.8	2″	75	_	480.0		330.0				
	100	60.0	41.0	33.0	28.0	25.0	22.6	19.2	15.5	hose	100	_	550.0		380.0				
	125	68.0	46.0	37.5	32.0	23.0	25.8	21.8	17.5		125	_	_	550.0	480.0	425.0	380.0	330.0	265.0



GENERAL INFORMATION

FLUID VELOCITY VS. FLOW RATE

The graph below illustrates the fluid velocity for flow rates up to 10,000 GPM for hose from 1" through 10" I.D.



AIR & MULTIPURPOSE General Purpose Heavy Duty

> CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Vashdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL
HANDLING
Abrasives
Bulk Transfer
Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock
Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GENERAL INFORMATION

RMA OIL AND GASOLINE RESISTANCE

Rubber hose is used to convey petroleum products both in the crude and refined stages. The aromatic content of refined gasoline is often adjusted to control the octane rating. The presence of aromatic hydrocarbons in this fuel generally has a greater effect on rubber components than do aliphatic hydrocarbons. Aromatic materials in contact with rubber tend to soften it and reduce its physical properties. For long-lasting service, the buyer of gasoline hose should inform the hose manufacturer of the aromatic content of the fuel to be handled so that the proper tube compound can be recommended for the specific application.

The effects of oil on rubber depend on a number of factors that include the type of rubber compound the composition of the oil, the temperature, and time of exposure. Rubber compounds can be classified as to their degree of oil resistance based on their physical properties after exposure to a standard test fluid. In this RMA classification, the rubber samples are immersed in IRM 903 oil at 100°C for 70 hours. (See ASTM Method D-471 for a detailed description of the oil and the testing procedure.) As a guide to the user of hose in contact with oil, the oil resistance classes and a corresponding description are listed.

(Reprinted From RMA Hose Handbook IP-2 2003 Edition)

PHYSICAL PROPERTIES AFTER EXPOSURE TO OIL VOLUME CHANGE MAXIMUM Class A (High Oil Resistance) +25% 80% Class B (Medium Oil Resistance) +65% 50% Class C (Limited Oil Resistance) +100% 40%



GENERAL INFORMATION

FOOD HOSE STANDARDS

FDA Compliant

All Goodyear Engineered Products hoses having the "FDA" designation have tubes made with FDA/USDA compliant materials. The requirements for rubber tubes are described in the Code of Federal Regulations standard 21 CFR 177.2600 while plastic tubes are described in 21 CFR 175.300.

NSF 61

Clear Pliovic® tubes are certified as meeting the NSF 61 potable water standard.

3-A Sanitary

All Goodyear Engineered Products rubber hoses having the "3-A" designation meet the requirements of the dairy industrial standard described in 3-A Sanitary Standard 18-03, Class III which determines rubber materials suitable for temperature of exposure to product up to 120°F and temperature of exposure to chemical solutions used in cleaning and bacterial treatment up to 180°F.

All Goodyear Engineered Products plastic hoses having the "3-A" designation meet the requirements of the dairy industrial standard described in 3-A Sanitary Standard 20-20 and are recommended for transmission of raw and pasteurized milk and other high water content dairy items.

In order to ensure compliance with the above standards, all Goodyear Engineered Products hoses shall be thoroughly cleansed prior to their first use in accordance with good manufacturing and use practices.

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdown

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GENERAL INFORMATION

PRECAUTIONS FOR WELDING HOSE USE

FOREWORD: This bulletin is issued to alert dealers and users of welding hose that special hose may be necessary for

use with certain fuel gases.

SCOPE: This bulletin relates to welding hose manufactured in conformance to RMA/CGA specification or to welding

hose conforming to individual manufacturer or user specifications.

CAUTION: The fuel gases listed below are recorded to alert welding hose users to a potential hazard with these or

similar gases. It should be noted that no condemnation of any of the gases listed is intended. The purpose is to advise against the use of hose that may not be designed for a particular gas or pressure. A user of any fuel gas is urged to relate the type of gas along with the expected working pressure (regulator setting) to the

hose manufacturer for a specific hose recommendation.

ALERT LISTING: These and similar fuel gases may damage some grades or types of welding hose:

APACHI, FLAMEX, MAPP, PROPANE, PROPYLENE.

Use of the indicated or similar fuel gases at regulator settings above 40 psi may be particularly hazardous.

Users are also alerted against the use of ACETYLENE at any pressure above 15 psi.

IN-SERVICE CAUTION:

The user is first cautioned to shut off the gas at the torch and then at the regulator or supply source when the torch will not be used for periods in excess of 30 minutes, in order to limit permeation of gas through the hose wall.

The user is further cautioned not to shut off the fuel gas at the regulator or supply source first as a flashback may result and thereby damage the hose.

Adequate ventilation must be provided in confined areas where fuel gas is being used to prevent the accumulation or concentration of gas that could be explosive or otherwise harmful to personnel.

WARNING:

THE USE OF CERTAIN FUEL GASES MAY DAMAGE WELDING HOSE AND LEAD TO FIRES AND EXPLOSIONS.



APPENDIX D

GENERAL INFORMATION

RDER CODE PREFIX	MANUFACTURING FACILITY	SIZE (ID)	CONSTRUCTION	MINIMUM PRODUCTION RUN			
532	Norfolk	3/16″–2″	Textile Reinforcement	2,500 feet			
		3/16″–2″	Wire Reinforcement	2,500 feet			
535	Norfolk	3/16″-1/2″	Textile Reinforcement	5,000 feet			
		5/8″–2″		2,500 feet			
536	Norfolk	3/16″-1/2″	Textile Reinforcement	2,500 feet			
		5/8″–2″		2,500 feet			
537	Cosmoflex	11/4"-11/2"		4,500 feet			
		2″		4,500 feet			
		21/2"-3"		4,500 feet			
		4″		3,300 feet			
		6″		1,800 feet			
539	Norfolk	3/16″-1/2″	Wire Reinforcement	5,000 feet			
		5/8″–2″		2,500 feet			
540	Cosmoflex	11/4"-3/8"		15,000 feet			
		1/2″–1″		5,000 feet			
541	Granford	1″–12″	Hand Built	Built to length, Max 10			
		12″–18″	Hand Built	Built to length, Max 50			
542	Granford	1/2″-65/8″	Ply or Ply with Helic Wire	400 feet increments ¹			
543	Granford	1/2″-65/8″	Ply or Ply with Helic Wire	400 feet increments ¹			
546	Granford	1/2″-65/8″	Ply or Ply with Helic Wire	400 feet increments ¹			
549	Granford	1/2″65/8″	Ply or Ply with Helic Wire	400 feet increments ¹			
569*	Mt. Pleasant	3/16″-11/2″		5,000 feet			
586	Cosmoflex	3/4″–1″		3,000 feet			
		11/4″-2″		2,000 feet			
		21/2"-3"		1,000 feet			
		4″		700 feet			
		5″		500 feet			
		6″		300 feet			
		7″		200 feet			
		8″–10″		200 feet			
595*	Mt. Pleasant	3/16″–1/2″		5,000 feet			
		5/8″–1″		5,000 feet			
		11/4"-2"		5,000 feet			
598*	Mt. Pleasant	3/16″–1/2″		5,000 feet			
		5/8″–1″		5,000 feet			
		11/4"-2"		5,000 feet			

Note: Certain special manufacturing items may require longer minimum runs.

Samples: Contact Customer Service for sample availability.

¹Granford hoses with ply/helic wire construction in 6" ID and above require a 200' increment production run.



AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

Push-on

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

^{*}Minimum production runs are a guide only, they are subject to change without notification.

APPENDIX

AIR & MULTIPURPOSE General Purpose Heavy Duty Push-on

CHEMICAL TRANSFER

CLEANING EQUIPMENT

FOOD Transfer Washdowr

MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM Aircraft Fueling Dispensing Dock Transfer

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Washdown

WELDING

COUPLING SYSTEMS

APPENDIX

GENERAL INFORMATION

CARE, MAINTENANCE, AND STORAGE

Reprinted from RMA Hose Handbook IP-2 Seventh Edition 2003

Hose has a limited life and the user must be alert to signs of impending failure, particularly when the conditions of service include high working pressures and/or the conveyance or containment of hazardous materials. The periodic inspection and testing procedures described here provide a schedule of specific measures which constitute a minimum level of user action to detect signs indicating hose deterioration or loss of performance before conditions leading to malfunction or failure are reached.

SAFETY WARNING:

Failure to properly follow the manufacturer's recommended procedures for the care, maintenance, and storage of a particular hose might result in its failure to perform in the manner intended and might result in possible damage to property and serious bodily injury.

General instructions are also described for the proper storage of hose to minimize deterioration from exposure to elements or environments which are known to be deleterious to rubber products. Proper storage conditions can enhance and extend substantially the ultimate life of hose products.

General Care and Maintenance

Hose should not be subjected to any form of abuse in service. It should be handled with reasonable care. Hose should not be dragged over sharp or abrasive surfaces unless specifically designed for such service. Care should be taken to protect hose from severe end loads for which the hose or hose assembly were not designed. Hose should be used at or below its rated working pressure; any changes in pressure should be made gradually so as not to subject the hose to excessive surge pressures. Hose should not be kinked or be run over by equipment. In handling large size hose, dollies should be used whenever possible; slings or handling rigs, properly placed, should be used to support heavy hose used in oil suction and discharge service.

General Test & Inspection Procedures

An inspection and hydrostatic test should be made at periodic intervals to determine if a hose is suitable for continued service. A visual inspection of the hose should be made for loose covers, kinks, bulges, or soft spots which might indicate broken or displaced reinforcement. The couplings or fittings should be closely examined and, if there is any sign of movement of the hose from the couplings, the hose should be removed from service.

The periodic inspection should include a hydrostatic test for one minute at 150% of the recommended working pressure of the hose. An exception to this would be the woven jacketed fire hose.* During the hydrostatic test, the hose should be straight, not coiled or in a kinked position. Water is the usual test medium and, following the test, the hose may be flushed with

alcohol to remove traces of moisture. A regular schedule for testing should be followed and inspection records maintained. **SAFETY WARNING:** Before conducting any pressure tests on hose, provisions must be made to ensure the safety of the personnel performing the tests and to prevent any possible damage to property. Only trained personnel using proper tools and procedures should conduct any pressure tests.

- Air or any other compressible gas must never be used as the test media because of the explosive action of the hose should a failure occur. Such a failure might result in possible damage to property and serious bodily injury.
- Air should be removed from the hose by bleeding it through an outlet valve while the hose is being filled with the test medium.
- 3. Hose to be pressure tested must be restrained by placing steel rods or straps close to each end and at approximate 10 foot (3m) intervals along its length to keep the hose from "whipping" if failure occurs; the steel rods or straps are to be anchored firmly to the test structure but in such a manner that they do not contact the hose which must be free to move.
- The outlet end of the hose is to be bulwarked so that a blown-out fitting will be stopped.
- 5. Provisions must be made to protect testing personnel from the forces of the pressure media if a failure occurs.
- **6.** Testing personnel must never stand in front of or in back of the ends of a hose being pressure tested.

Continued on next page

*Woven jacket fire hose should be tested in accordance with the service test provisions contained in the current edition of National Fire Protection Association Bulletin No. 1962 - Standard for the Care, Use and Service Testing of Fire Hose.



APPENDIX

CARE, MAINTENANCE, AND STORAGE, CONTINUED

7. When liquids such as gasoline, oil, solvent, or other hazardous fluids are used as the test fluid, precautions must be taken to protect against fire or other damage should a hose fail and the test liquid be sprayed over the surrounding area.

The Rubber Manufacturers Association has published separately a series of Hose Technical Information bulletins describing Maintenance, Testing, and Inspection recommendations. Reference should be made to the current RMA Catalog of Publications to determine the availability of the latest edition. Bulletins published as of January 2003 include the following:

Publication No.

IP 11-1-Steam Hose

IP 11-2-Anhydrous Ammonia Hose

IP 11-4- Oil Suction and Discharge Hose

IP 11-5-Welding Hose

IP 11-7-Chemical Hose

IP 11-8- Fuel Dispensing Hose

Storage

Rubber hose products in storage can be affected adversely by temperature, humidity, ozone, sunlight, oils, solvents, corrosive liquids and fumes, insects, rodents, and radioactive materials.

The appropriate method for storing hose depends to a great extent on its size (diameter and length), the quantity to be stored, and the way in which it is packaged. Hose should not be piled or stacked to such an extent that the weight of the stack creates distortions on the lengths stored at the bottom. Since hose products vary considerably in size, weight, and length, it is not practical to establish definite recommendations on this point. Hose having a very light wall will not support as much load as could a hose having a heavier wall or hose having a wire reinforcement. Hose which is shipped in coils or bales should be stored so that the coils are in a horizontal plane.

Whenever feasible, rubber hose products should be stored in their original shipping containers, especially when such containers are wooden crates or cardboard cartons which provide some protection against the deteriorating effects of oils, solvents, and corrosive liquids; shipping containers also afford some protection against ozone and sunlight. Certain rodents and insects will damage rubber hose products, and adequate protection from them should be provided.

Cotton-jacketed hose should be protected against fungal growths if the hose is to be stored for prolonged periods in humidity conditions in excess of 70%.

The ideal temperature for the storage of rubber products ranges from 50°F to 70°F (10°C to 21°C) with a maximum limit of 100°F (38°C). If stored below 32°F (0°C), some rubber products become stiff and would require warming before being placed in service. Rubber products should not be stored near sources of heat, such as radiators, base heaters, etc., nor should they be stored under conditions of high or low humidity.

To avoid the adverse effects of high ozone concentration, rubber hose products should not be stored near electrical equipment that may generate ozone or be stored for any lengthy period in geographical areas of known high ozone concentration. Exposure to direct or reflected sunlight, even through windows, should also be avoided. Uncovered hose should not be stored under fluorescent or mercury lamps which generate light waves harmful to rubber.

Storage areas should be relatively cool and dark, and free of dampness and mildew. Items should be stored on a first-in, first-out basis, since even under the best of conditions, an unusually long shelf life could deteriorate certain rubber products.

AIR & MULTIPURPOSE General Purpose Heavy Duty

CHEMICAL TRANSFER

CLEANING EQUIPMENT

> FOOD Transfer Washdown

> > MARINE

MATERIAL HANDLING Abrasives Bulk Transfer Cement & Concrete

MINING

PETROLEUM
Aircraft Fueling
Dispensing
Dock

SPRAY

STEAM

VACUUM

VEYANCE

WATER
Discharge
Suction &
Discharge
Vashdown

WELDING

COUPLING SYSTEMS



AIR & MULTIPURPOSE General Purpose	NOTES							
Heavy Duty Push-on								
CHEMICAL TRANSFER								
CLEANING EQUIPMENT								
FOOD Transfer Washdown								
MARINE								
MATERIAL HANDLING Abrasives Bulk Transfer								
Cement & Concrete								
MINING								
PETROLEUM Aircraft Fueling Dispensing Dock								
Transfer								
SPRAY								
STEAM								
VACUUM								
VEYANCE								
WATER Discharge Suction & Discharge Washdown								
WELDING								
COUPLING SYSTEMS								




U . S . A . 1 - 8 0 0 - 2 3 5 - 4 6 3 2 FAX 1 - 8 0 0 - 7 6 2 - 4 0 1 7

C A N A D A 1 - 8 8 8 - 2 7 5 - 4 3 9 7 F A X 1 - 8 8 8 - 4 6 4 - 4 3 9 7

GOODYEAREP.COM/HOSE





The GOODYEAR (and Winged Foot Design) trademark is used by Veyance Technologies, Inc. under license from The Goodyear Tire & Rubber Company, Goodyear Engineered Products are manufactured and sourced exclusively by Veyance Technologies, Inc. or its affiliates. The following trademarks are licensed to Veyance Technologies, Inc. by The Goodyear Tire & Rubber Company, including Goodyear, Wingfoot, Explorer, Gemini, Horizon, Marathon, Spectra, Thor, and Ultra-Grip.

©2010 Veyance Technologies, Inc. All Rights Reserved.

700-821-947-130 10GHOS012-4/10

