


Closing plate

Coding: 2240.00

Technical characteristics	
Fluid	Filtered air. No lubrication needed, if applied it shall be continuous
Working pressure (bar)	From vacuum to 10
Temperature °C	-5 ... +50



SHORT FUNCTION CODE "T"
Weight 30 g

Individual supply or exhaust module

Coding: 22E0.●.06

Technical characteristics	
Fluid	Filtered air. No lubrication needed, if applied it shall be continuous
Working pressure (bar)	From vacuum to 10 3... 7 (piloting 12/14)
Temperature °C	-5 ... +50


VERSION	
●	01 = Port 1 separated
	35 = Ports 3-5 separated

The flow rate of the solenoid valve will be reduced compared to that shown in the general catalogue




Weight 44 g

22E0.01.06



Weight 44 g

22E0.35.06



Proportional regulator base

Coding: 22E0.●.RP


Technical characteristics	
Fluid	Filtered air. No lubrication needed, if applied it shall be continuous
Working pressure (bar)	From vacuum to 10
Temperature °C	-5 ... +50

CONNECTION	
●	00 = Closed
	10 = Ø10




Weight 120 g

22E0.00.RP



Weight 120 g
3/5 = Exhaust connections

22E0.10.RP



3D PRINTING